Status	Finished
Started	Thursday, 24 September 2026, 8:32 AM
Completed	Thursday, 24 September 2026, 8:54 AM
Duration	21 mins 41 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Write the output of : print(min(tuple("computer")))

a. u
b. t
c. o
d. c ✓

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following function headers is correct?

a. def fun(a, b, c = 3, d)
b. def fun(a = 2, b = 3, c)
c. def fun(a = 2, b, c = 3)
d. def fun(a, b = 2, c = 3) ✓

Question **3**

Correct

Mark 1.00 out of 1.00

Write the output of : print(abs(-45))

a. 45.0
b. -45
c. None of the mentioned
d. 45 ✓

Question **4**

Correct

Mark 1.00 out of 1.00

Choose the correct statement

a. We can create function with argument(s) and no return value.
b. All of the mentioned ✓
c. We can create function with no argument and no return value.
d. We can create function with no argument and with return value(s)

Question **5**

Correct

Mark 1.00 out of 1.00

Functions which do not return any value is called ____.

a. zero function
b. default function
c. null function
d. void function ✓

Question **6**

Correct

Mark 1.00 out of 1.00

What is the output of the following display() function call?

```
def display(**kwargs):
    for i in kwargs:
        print(i)
display(emp="Kelly", salary=9000)
```

a. emp ✓
salary

b. TypeError

c. Kelly
9000

d. ('emp', 'Kelly')
('salary', 9000)

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following function definition header is wrong?

- a. def div(p1=4, p2, p3): ✓
- b. def scan(p1, p2 = 4, p3 = 5):
- c. def sum(n1, n2, n = 3):
- d. def mul(p1, n1, m1):

Question **8**

Correct

Mark 1.00 out of 1.00

A variable that is defined inside any function or a block is known as a ____.

- a. Global variable
- b. Local variable ✓
- c. inside variable
- d. Function Variable

Question **9**

Correct

Mark 1.00 out of 1.00

Choose the incorrect statement.

- a. None of the mentioned ✓
- b. print(pow(2, 3))
- c. print(pow(2, 3, 2))
- d. print(pow(2.3, 3.2))

Question **10**

Correct

Mark 1.00 out of 1.00

What is the output of the following function call?

```
def fun1(name, age=20):
    print(name, age)
fun1('Emma', 25)
```

a. Emma 25 ✓

b. Emma 20

c. name

d. age

Question **11**

Correct

Mark 1.00 out of 1.00

Fill in the line of the following Python code for calculating the factorial of a number?

```
def factorial👎 :
    if (n==1 or n==0):
        return 1
    else:
        return ——
num = 5;
print("number : ",num)
print("Factorial : ",factorial(num))
```

a. n*(n-1)

b. fact(n)*fact(n-1)

c. (n-1)*(n-2)

d. (n * factorial(n - 1)) ✓

Question **12**

Correct

Mark 1.00 out of 1.00

Python function always returns a value

Select one:

- True ✓
- False

Question **13**

Correct

Mark 1.00 out of 1.00

The part of the program where a variable is accessible is known as the ____ of that variable

- a. module
- b. scope ✓
- c. none of the mentioned
- d. part

Question **14**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code?

```
def maximum(x, y):
    if x > y:
        return x
    elif x == y:
        return 'The numbers are equal'
    else:
        return y
print(maximum(2, 3))
```

- a. 3 ✓
- b. The numbers are equal
- c. 2
- d. None of the mentioned

Question **15**

Correct

Mark 1.00 out of 1.00

Which keyword is used for defining a function?

a. Define

b. Fun

c. Function

d. def ✓