Status	Finished
Started	Sunday, 25 October 2026, 4:11 PM
Completed	Sunday, 25 October 2026, 4:15 PM
Duration	4 mins 5 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for writing in binary format?

a. wb ✓
b. r+
c. w
d. rb

The correct answer is: wb

Question **2**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for appending data, we use _____

a. outfile = open("c:\\scores.txt", "rw")
b. outfile = open(file = "c:\scores.txt", "w")
c. outfile = open("c:\\scores.txt", "a") ✓
d. outfile = open(file = "c:\\scores.txt", "w")

The correct answer is:
outfile = open("c:\\scores.txt", "a")

Question **3**

Correct

Mark 1.00 out of 1.00

Select the correct output of the following code

```
fp.seek(5, 1)
```

a. • Move file pointer five characters behind from the current position.

b. • Move file pointer five characters ahead from the current position. ✓

c. Move file pointer five characters ahead from the beginning

d. • Move file pointer five characters behind ahead from the end of a file.

The correct answer is:

- Move file pointer five characters ahead from the current position.

Question **4**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for both reading and writing?

a. r

b. a

c. r+ ✓

d. w

The correct answer is: r+

Question **5**

Correct

Mark 1.00 out of 1.00

f.seek(5,1) means

a. moves the file pointer to the end of a file

b. move the file pointer to beginning of the file

c. move the file pointer five characters behind from the current position

d. move the file pointer five characters ahead from the current position ✓

The correct answer is:
move the file pointer five characters ahead from the current position

Question **6**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in read mode ('r') that does not exist?

a. An empty file object is returned

b. A new file is created

c. The operation is ignored

d. An error is raised ✓

The correct answer is: An error is raised

Question **7**

Correct

Mark 1.00 out of 1.00

Which method is used to sets the position of a file pointer

a. tell()

b. ftell()

c. fseek()

d. seek() ✓

The correct answer is: seek()

Question **8**

Correct

Mark 1.00 out of 1.00

What does the following code do?

fo = open("foo.txt", "w")

- a. Creates a new file for writing ✓
- b. Opens an existing file in read mode
- c. Appends to an existing file
- d. Opens a file in binary mode

The correct answer is: Creates a new file for writing

Question **9**

Correct

Mark 1.00 out of 1.00

What does the seek() method do in file handling?

- a. Reads the file line by line
- b. Writes data to the file
- c. Moves the file cursor to the specified position ✓
- d. Deletes the file

The correct answer is: Moves the file cursor to the specified position

Question **10**

Correct

Mark 1.00 out of 1.00

Which method is used to truncate a file to a specific size?

- a. truncate() ✓
- b. resize()
- c. shrink()
- d. reduce()

The correct answer is: truncate()

Question **11**

Correct

Mark 1.00 out of 1.00

The readlines() method returns _____

a. str

b. a list of integers

c. a list of lines ✓

d. a list of single characters

The correct answer is:
a list of lines

Question **12**

Correct

Mark 1.00 out of 1.00

file_object.seek(offset [, reference_point])

What is the default, the value of reference_point?

a. 2

b. 1

c. garbage

d. 0 ✓

e. null

The correct answer is:
0

Question **13**

Correct

Mark 1.00 out of 1.00

What does the encoding parameter in the open() function specify?

a. The buffer size
b. The size of the file
c. The encoding format of the file ✓
d. The mode of the file

The correct answer is: The encoding format of the file

Question **14**

Correct

Mark 1.00 out of 1.00

Which method is used to close a file in Python?

a. terminate()
b. finish()
c. end()
d. close() ✓

The correct answer is: close()

Question **15**

Correct

Mark 1.00 out of 1.00

Which method is used to read a specific number of characters from a file?

a. readline()
b. readlines()
c. readchar()
d. read(size) ✓

The correct answer is: read(size)