

LP_Practice_SumOfSumsOfDigitsInCyclicOrder

Ramya.V | 12 Feb 2023



Finish State: Normal

Test Taken on: February 12, 2023 07:18:05 PM IST



Ramya.V
ramya.v.2020.cse@ritchennai.edu.in

Overall Summary

40 Marks Scored
out of 40

100 % 100 percentile
out of 37967 Test Takers

2m 21s Time taken
of 1hr 20mins

Marks Scored



Attempt Summary

Distribution of questions attempted in a total of 1 question(s).



This shows the correctness of questions attempted by the test taker

Correct	1 Ques	40/40 Marks
Incorrect	0 Ques	0/0 Marks
Partially Correct	0 Ques	0/0 Marks
Not Attempted	0 Ques	0/0 Marks

Section-Wise Details

▼ Section 1 Program	question(s) 1 Q.	Time taken 2m 21s (Untimed)	Marks Scored 40 / 40
---------------------------	---------------------	--------------------------------	-------------------------

Marks Scored



Attempt Summary

Distribution of questions attempted in a total of 1 question(s).



■ Correct	1 Ques	40/40 Marks
-----------	--------	-------------

This shows the correctness of questions attempted by the test taker

About the Report

This Report is generated electronically on the basis of the inputs received from the assessment takers. This Report including the AI flags that are generated in case of availing of proctoring services, should not be solely used/relied on for making any business, selection, entrance, or employment-related decisions. Mettl accepts no liability from the use of or any action taken or refrained from or for any and all business decisions taken as a result of or reliance upon anything, including, without limitation, information, advice, or AI flags contained in this Report or sources of information used or referred to in this Report.



1. Program

1

Attempted: 1/1

JAVA7

Compiler: Java - 1.7

Question 1

Revisit Later

How to Attempt?

Sum of Sums of Digits in Cyclic order: Alex has been asked by his teacher to do an assignment on sums of digits of a number. The assignment requires Alex to find the sum of sums of digits of a given number, as per the method mentioned below.

If the given number is 582109, the Sum of Sums of Digits will be calculated as =
= (5 + 8 + 2 + 1 + 0 + 9) + (8 + 2 + 1 + 0 + 9) + (2 + 1 + 0 + 9) + (1 + 0 + 9) + (0 + 9) + (9)
= 25 + 20 + 12 + 10 + 9 + 9 = 85

Alex contacts you to help him write a program for finding the Sum of Sums of Digits for any given number, using the above method.

Help Alex by completing the logic in the given function **sumOfSumsOfDigits** which takes as input an integer **input1** representing the given number.
The function is expected to return the "Sum of Sums of Digits" of input1.

Assumptions: For this assignment, let us assume that the given number will always contain more than 1 digit, i.e. the given number will always be >9.

```
1  import java.io.*;
2  import java.util.*;
3
4  // Read only region start
5  class UserMainCode
6  {
7
8      public int sumOfSumsOfDigits(int input1){
9          // Read only region end
10         String str=Integer.toString(input1);
11         int sum=0;
12         for(int i=0;i<str.length();i++) {
13             for(int j=i;j<str.length();j++){
14
15                 int num=Character.getNumericValue(str.charAt(j));
16
17                 sum+=num;
18             }
19         }
20         return sum;
21     }
22 }
```

☐ Use Custom Input

Compile and Test

Submit Code

1. Program

1

0/1 Attempted: 1/1 Cases Failed

Question 1

🔖 Revisit Later

How to Attempt?

Sum of Sums of Digits in Cyclic order: Alex has been asked by his teacher to do an assignment on sums of digits of a number. The assignment requires Alex to find the sum of sums of digits of a given number, as per the method mentioned below.

If the given number is 582109, the Sum of Sums of Digits will be calculated as =
= (5 + 8 + 2 + 1 + 0 + 9) + (8 + 2 + 1 + 0 + 9) + (2 + 1 + 0 + 9) + (1 + 0 + 9) + (0 + 9) + (9)
= 25 + 20 + 12 + 10 + 9 + 9 = 85

Alex contacts you to help him write a program for finding the Sum of Sums of Digits for any given number, using the above method.

Help Alex by completing the logic in the given function **sumOfSumsOfDigits** which takes as input an integer **input1** representing the given number. The function is expected to return the "Sum of Sums of Digits" of input1.

Assumptions: For this assignment, let us assume that the given number will always contain more than 1 digit, i.e. the given number will always be >9.

✔ default

⌚ CODE EXECUTION DETAILS

Time: 241 ms

Memory: 103812 kb

🔗 TEST CASE INFORMATION

Input

582109

Expected Output

85

Actual Output

85

📄 CONSOLE OUTPUT

📄 STANDARD ERROR/WARNING

None