

Name : Ramzy Izza Wardhana
NIM : 21/472698/PA/20322
Class : IUP CS B

HOMEWORK 6

Join

Create a table of library system consist of three tables, i.e. books, user, and flow with these column:

- Books: **bookID**, bookTitle, authorName, borrowedStatus
- Flow: **flowID**, userIDBorrowing, bookIDBorrowed, borrowDate, returnDate
- User: **userID**, userName, numberOfBorrowing, numberOfReturning

Answer:

Attributes Details:

Books:

1. BookID : Book ID (Distinct, Primary Key)
2. BookTitle : Title of the book (String)
3. authorName: The author who written the book (String)
4. borrowedStatus: Is the book currently borrowed by a person? If yes (Borrowed) otherwise (Not Borrowed)

Flow:

1. FlowID: Flow ID (Distinct, Primary Key)
2. userIDBorrowing : The User ID that currently borrowed the book (Foreign Key)
3. bookIDBorrowed : The Book ID that currently borrowed by the user (Foreign Key)
4. borrowDate: The date where the book was borrowed
5. returnDate: The date where the book must/should be return

User:

1. userID: User ID (Distinct, Primary Key)
2. numberOfBorrowing: Number of book/s that was borrowed by the user
3. numberOfReturning: Number of book/s that was already returned

Creating the table

```
1 CREATE TABLE bookTable(  
2     bookID INT(100) NOT NULL AUTO_INCREMENT PRIMARY KEY,  
3     bookTitle VARCHAR(255) NOT NULL,  
4     authorName VARCHAR(255) NOT NULL,  
5     borrowedStatus VARCHAR(100) NOT NULL  
6 );  
7  
8 CREATE TABLE flowTable(  
9     flowID INT(100) NOT NULL AUTO_INCREMENT PRIMARY KEY,  
10    userIDBorrowing INT(100) NOT NULL,  
11    bookIDBorrowed INT(100) NOT NULL,  
12    borrowDate DATE,  
13    returnDate DATE  
14 );  
15  
16 CREATE TABLE userTable(  
17     userID INT(100) NOT NULL AUTO_INCREMENT PRIMARY KEY,  
18     userName VARCHAR(255) NOT NULL,  
19     numberOfBorrowing INT(50),  
20     numberOfReturning INT(50)  
21 );  
22
```

Altering the table to add foreign key

```
1 ALTER TABLE flowtable  
2 ADD FOREIGN KEY (userIDBorrowing) REFERENCES userTable(userID),  
3 ADD FOREIGN KEY (bookIDBorrowed) REFERENCES bookTable(bookID);
```

Altering the table to set the initial value of ID (AUTO_INCREMENT)

```
1 ALTER TABLE booktable AUTO_INCREMENT=111;  
  
1 ALTER TABLE flowtable AUTO_INCREMENT=222;  
  
1 ALTER TABLE usertable AUTO_INCREMENT=333;
```

Show query box

✔ MySQL returned an empty result set (i.e. zero rows). (Query took 0.0004 seconds.)

```
CREATE TABLE bookTable( bookID INT(100) NOT NULL AUTO_INCREMENT PRIMARY KEY,
bookTitle VARCHAR(255) NOT NULL, authorName VARCHAR(255) NOT NULL,
borrowedStatus VARCHAR(100) NOT NULL );
```

[\[Edit inline \]](#) [\[Edit \]](#) [\[Create PHP code \]](#)

✔ MySQL returned an empty result set (i.e. zero rows). (Query took 0.0004 seconds.)

```
CREATE TABLE flowTable( flowID INT(100) NOT NULL AUTO_INCREMENT PRIMARY KEY,
userIDBorrowing INT(100) NOT NULL, bookIDBorrowed INT(100) NOT NULL, borrowDate
DATE, returnDate DATE );
```

[\[Edit inline \]](#) [\[Edit \]](#) [\[Create PHP code \]](#)

✔ MySQL returned an empty result set (i.e. zero rows). (Query took 0.0004 seconds.)

```
CREATE TABLE userTable( userID INT(100) NOT NULL AUTO_INCREMENT PRIMARY KEY,
userName VARCHAR(255) NOT NULL, numberOfBorrowing INT(50), numberOfReturning
INT(50) );
```

[\[Edit inline \]](#) [\[Edit \]](#) [\[Create PHP code \]](#)

Table and its attributes

BookTable

| Field | Type | Null | Key | Default | Extra |
|----------------|--------------|------|-----|---------|----------------|
| bookID | int(100) | NO | PRI | NULL | auto_increment |
| bookTitle | varchar(255) | NO | | NULL | |
| authorName | varchar(255) | NO | | NULL | |
| borrowedStatus | varchar(100) | NO | | NULL | |

FlowTable

| Field | Type | Null | Key | Default | Extra |
|-----------------|----------|------|-----|---------|----------------|
| flowID | int(100) | NO | PRI | NULL | auto_increment |
| userIDBorrowing | int(100) | NO | MUL | NULL | |
| bookIDBorrowed | int(100) | NO | MUL | NULL | |
| borrowDate | date | YES | | NULL | |
| returnDate | date | YES | | NULL | |

UserTable

| Field | Type | Null | Key | Default | Extra |
|-------------------|--------------|------|-----|---------|----------------|
| userID | int(100) | NO | PRI | NULL | auto_increment |
| userName | varchar(255) | NO | | NULL | |
| numberOfBorrowing | int(50) | YES | | NULL | |
| numberOfReturning | int(50) | YES | | NULL | |

Inserting Data

BookTable

```
1 INSERT INTO booktable(bookTitle, authorName, borrowedStatus)
2 VALUES
3     ("Computer Networking: A Top-down Approach", "Jim Kurose", "Not Borrowed"),
4     ("Cisco Networking All-in-One for Dummies", "Edward Tetz", "Not Borrowed"),
5     ("Artificial Intelligence: A Modern Approach", "Peter Norvig", "Borrowed"),
6     ("Deep Learning", "Aaron Courville", "Borrowed"),
7     ("Database Systems: The Complete Book", "Jeffrey Ullman,", "Borrowed"),
8     ("Database System Concepts", "Avi Silberschatz", "Borrowed"),
9     ("Python 3 Object Oriented Programming", "Dusty Phillips", "Not Borrowed"),
10    ("Clean Code", "Robert Cecil Martin", "Borrowed"),
11    ("Time Complexity Analysis", "Aditya Chatterjee", "Not Borrowed"),
12    ("The Algorithm Design Manual", "Steven Skiena", "Not Borrowed");
13
```































UserTable

```
1 INSERT INTO usertable(userName, numberOfBorrowing,
2   numberOfReturning)
3 VALUES
4     ("ramzy-izza", 0,0),
5     ("thor-odinson", 1, 1),
6     ("tony-stark", 0, 0),
7     ("peter-parker", 0,0),
8     ("steve-rogers", 4, 0),
9     ("jane-foster", 0, 0),
10    ("nick-fury", 0, 0),
11    ("steven-strange", 0, 0);|
```

FlowTable

```
1 INSERT INTO flowtable(userIDBorrowed, bookIDBorrowed, borrowDate,
2   returnDate)
3 VALUES
4     (337, 113, "2021-12-12", "2021-12-15"),
5     (337, 114, "2022-05-15", "2022-05-25"),
6     (337, 115, "2022-07-01", "2022-07-11"),
7     (337, 116, "2022-10-21", "2022-10-25"),
8     (337, 118, "2022-01-20", "2022-02-02");|
```

Books:

| <div><div><div>←</div><div>T</div><div>→</div></div></div> | | | | bookID | bookTitle | authorName | borrowedStatus |
|--|---|---|---|--------|--|---------------------|----------------|
| <input type="checkbox"/> |  |  |  | 111 | Computer Networking: A Top-down Approach | Jim Kurose | Not Borrowed |
| <input type="checkbox"/> |  |  |  | 112 | Cisco Networking All-in-One for Dummies | Edward Tetz | Not Borrowed |
| <input type="checkbox"/> |  |  |  | 113 | Artificial Intelligence: A Modern Approach | Peter Norvig | Borrowed |
| <input type="checkbox"/> |  |  |  | 114 | Deep Learning | Aaron Courville | Borrowed |
| <input type="checkbox"/> |  |  |  | 115 | Database Systems: The Complete Book | Jeffrey Ullman, | Borrowed |
| <input type="checkbox"/> |  |  |  | 116 | Database System Concepts | Avi Silberschatz | Borrowed |
| <input type="checkbox"/> |  |  |  | 117 | Python 3 Object Oriented Programming | Dusty Phillips | Not Borrowed |
| <input type="checkbox"/> |  |  |  | 118 | Clean Code | Robert Cecil Martin | Borrowed |
| <input type="checkbox"/> |  |  |  | 119 | Time Complexity Analysis | Aditya Chatterjee | Not Borrowed |
| <input type="checkbox"/> |  |  |  | 120 | The Algorithm Design Manual | Steven Skiena | Not Borrowed |

Flow:

| | | flowID | userIDBorrowing | bookIDBorrowed | borrowDate | returnDate |
|--------------------------|------|--------|-----------------|----------------|------------|---------------------------|
| <input type="checkbox"/> | Edit | Copy | Delete | 234 | 337 | 113 2021-12-12 2021-12-15 |
| <input type="checkbox"/> | Edit | Copy | Delete | 235 | 337 | 114 2022-05-15 2022-05-25 |
| <input type="checkbox"/> | Edit | Copy | Delete | 236 | 337 | 115 2022-07-01 2022-07-11 |
| <input type="checkbox"/> | Edit | Copy | Delete | 237 | 337 | 116 2022-10-21 2022-10-25 |
| <input type="checkbox"/> | Edit | Copy | Delete | 242 | 334 | 118 2022-01-20 2022-02-02 |

User:

| | | userID | userName | numberOfBorrowing | numberOfReturning |
|--------------------------|------|--------|----------|--------------------|-------------------|
| <input type="checkbox"/> | Edit | Copy | Delete | 333 ramzy-izza | 0 0 |
| <input type="checkbox"/> | Edit | Copy | Delete | 334 thor-odinson | 1 1 |
| <input type="checkbox"/> | Edit | Copy | Delete | 335 tony-stark | 0 0 |
| <input type="checkbox"/> | Edit | Copy | Delete | 336 peter-parker | 0 0 |
| <input type="checkbox"/> | Edit | Copy | Delete | 337 steve-rogers | 4 0 |
| <input type="checkbox"/> | Edit | Copy | Delete | 343 jane-foster | 0 0 |
| <input type="checkbox"/> | Edit | Copy | Delete | 344 nick-fury | 0 0 |
| <input type="checkbox"/> | Edit | Copy | Delete | 345 steven-strange | 0 0 |

1. Show all book titles where status is borrowed and date of borrow is yesterday

```

1 SELECT booktable.bookTitle, booktable.borrowedStatus FROM booktable
2 INNER JOIN flowtable
3 ON booktable.bookID = flowtable.bookIDBorrowed
4 WHERE borrowDate = DATE_SUB(CURDATE(), INTERVAL 1 DAY);

```

| bookTitle | borrowedStatus |
|--------------------------|----------------|
| Database System Concepts | Borrowed |

Steve rogers borrowed Database System Concept book yesterday

2. Show all book title even its not borrowed and its userID borrower for which it is borrowed

```

1 SELECT booktable.bookTitle, booktable.borrowedStatus, flowtable.userIDBorrowing
2 FROM booktable
3 LEFT JOIN flowtable
4 ON booktable.bookID = flowtable.bookIDBorrowed

```

| bookTitle | borrowedStatus | userIDBorrowing |
|--|----------------|-----------------|
| Artificial Intelligence: A Modern Approach | Borrowed | 337 |
| Deep Learning | Borrowed | 337 |
| Database Systems: The Complete Book | Borrowed | 337 |
| Database System Concepts | Borrowed | 337 |
| Clean Code | Borrowed | 334 |
| Computer Networking: A Top-down Approach | Not Borrowed | NULL |
| Cisco Networking All-in-One for Dummies | Not Borrowed | NULL |
| Python 3 Object Oriented Programming | Not Borrowed | NULL |
| Time Complexity Analysis | Not Borrowed | NULL |
| The Algorithm Design Manual | Not Borrowed | NULL |

Book Title with status not borrowed means no user that is currently borrowing; therefore it is null.

3. Show all book borrowed and all user ID whether he/she is borrowing or not

```
1 SELECT booktable.bookTitle, booktable.borrowedStatus, usertable.userID
2 FROM booktable
3 LEFT JOIN flowtable
4 ON flowtable.bookIDBorrowed = booktable.bookID
5 RIGHT JOIN usertable
6 ON usertable.userID = flowtable.userIDBorrowing
```

| bookTitle | borrowedStatus | userID |
|--|----------------|--------|
| NULL | NULL | 333 |
| Clean Code | Borrowed | 334 |
| NULL | NULL | 335 |
| NULL | NULL | 336 |
| Artificial Intelligence: A Modern Approach | Borrowed | 337 |
| Deep Learning | Borrowed | 337 |
| Database Systems: The Complete Book | Borrowed | 337 |
| Database System Concepts | Borrowed | 337 |
| NULL | NULL | 343 |
| NULL | NULL | 344 |
| NULL | NULL | 345 |

User with null book title means they do not borrow anything

4. Using one query, list all book titles and usernames in which book is borrowed and user borrow more than 3 books.

```
1 SELECT booktable.bookTitle, usertable.userName
2 FROM booktable
3 INNER JOIN flowtable
4 ON flowtable.bookIDBorrowed = booktable.bookID
5 INNER JOIN usertable
6 ON usertable.userID = flowtable.userIDBorrowing
7 WHERE usertable.numberOfBorrowing > 3;
```

| bookTitle | userName |
|--|--------------|
| Artificial Intelligence: A Modern Approach | steve-rogers |
| Deep Learning | steve-rogers |
| Database Systems: The Complete Book | steve-rogers |
| Database System Concepts | steve-rogers |

Steve rogers borrowed 4 books.