
# Linux Commands Practice

Commands practiced (run on Ubuntu 24.04 terminal):
pwd, cd, ls, cat, sudo, man, mkdir, redirection, cp, mv, rm, rmdir, file, file reading: head, more / less, alias, shutdown / restart, touch, nano, bash / sh, chmod, ps, kill, dpkg

*Note: shutdown/restart were not executed (only --help shown). man pages are not installed on this system.*


# 1. pwd

pwd (print working directory) batata hai ke abhi hum kis folder mein hain.




# 2. cd

cd (change directory) se folders ke darmiyan move karte hain. cd .. ek level upar, cd ~ home folder.



# 3. ls

ls folder ki files/directories list karta hai. -l detail, -a hidden files bhi dikhata hai.




# 4. cat

cat file ka content terminal par print karta hai.




# 5. sudo

sudo kisi command ko administrator (root) privileges ke sath chalata hai.




# 6. man

man kisi command ka manual (help page) dikhata hai. Quit karne ke liye q dabate hain.




# 7. mkdir

mkdir naye directories banata hai. -p se nested directories ek sath ban jati hain.




# 8. redirection

> output ko file mein likhta hai (overwrite), >> append karta hai, 2> errors file mein bhejta hai, < input file se leta hai, | pipe.




# 9. cp

cp files ya directories ki copy banata hai. Directory copy ke liye -r lagta hai.




# 10. mv

mv file ko move ya rename karta hai.




# 11. rm

rm files delete karta hai. Directory delete karne ke liye rm -r.




# 12. rmdir

rmdir sirf khali (empty) directory delete karta hai; non-empty par error aata hai.




# 13. file

file command batata hai ke file ki type kya hai (text, executable, directory...).



# 14. file reading: head

Badi file ko read karne ke liye head shuru ki lines dikhata hai (default 10).




# 15. more / less

more aur less badi files ko page by page dikhate hain (Space = next page, q = quit). Screenshot mein pipe ki wajah se pehli lines dikh rahi hain.




# 16. alias

alias lambe command ka chhota shortcut banata hai; unalias usay hata deta hai.




# 17. shutdown / restart

shutdown system band karta hai aur reboot/restart dobara start karta hai. Safety ki wajah se inhein actually run nahi kiya, sirf help options dikhaye hain.




# 18. touch

touch khali file banata hai ya existing file ka timestamp update karta hai.




# 19. nano

nano ek terminal text editor hai (Ctrl+O save, Ctrl+X exit).




# 20. bash / sh

bash aur sh shell hain; inse script files run karte hain.




# 21. chmod

chmod file permissions badalta hai (r=read, w=write, x=execute).




# 22. ps

ps chal rahe processes ki list dikhata hai.



# 23. kill

kill kisi process ko uski PID se terminate karta hai.



# 24. dpkg

dpkg Debian/Ubuntu ka package manager (low-level) hai: -l list, -s status, -i install, -r remove.

