	ty of a leap ye	ar selected at i	random contain 53
Sunday is:	/h\ 1/7	(-) 0 (7	(d) E2/26E
		(c) 2/7	
And the second s			A marble is drawn at
random. The pro			
		(c) 0/5	
			0.85. What is the
probability that it	t will not rain t	omorrow	
			(d) none of these
			cted from the numbers
(1, 2, 3,,15			-V-AP-100-100-1
Control of the Contro		(c) 2/15	
5. What are the			
		(c) 8	
The probabili	ty that a prime	number selec	ted at random from the
numbers (1,2,3, .	35) is:	and the second second	
(a) 12/35	(b) 11/35	(c) 13/3	5 (d) none of these
7. The sum of th	e probability of	of an event and	non event is:
(a) 2	(b) 1 (c)) 0 (d) no	ne of these.
8. The following	probabilities	are given; cho	ose the correct answer
for that which is	not possible.		
(a) 0.15	(b) 2/7	(c) 7/5	(d) none of these.
			han the probability of
getting at least t	wo heads, is:		The state of the s
(a) 1/4	(b) 3/8	(c) ½	(d) 1/8
10. A letter is cl			
			e letter chosen has:
	1871		(d) none of these.
(-, -,	(-)	(-)	(-)
11. A dice is thro	wn. Find the p	robability of ge	etting an even number.
(A) 2/3	(B) 1	(C) 5/6	(D) 1/2
(1.) 2/0	(-)	(0) 0, 0	(5) ./-
12. Two coins ar	e thrown at the	e same time. F	ind the probability of
getting both hea			The second seco
(A) 3/4 (B) 1/4		(D) 0	
	, , , , ,	\- / -	
40 T !			1 1 1111 /

13. Two dice are thrown simultaneously. The probability of getting a sum of 9 is:

(A) 1/10	(B) 3/10	(C) 1/9	(D)	4/9				
14. 100 cards are numbered from 1 to 100. Find the probability of								
	rime number.	(C) 1/4	/	0) 20/100				
(A) 3/4	(B) 27/50	(C) 1/4	(i	D) 29/100				
of drawing blue balls i	15. A bag contains 5 red balls and some blue balls .If the probability of drawing a blue ball is double that of a red ball, then the number of blue balls in a bag is:							
(A) 5	(B) 10	(C) 15	(D) 20					
	ive bulb is:	this box. Th		s. One bulb is ability that it is (D) 1/50				
17. Cards marked with numbers 2 to 101 are placed in a box and mixed thoroughly. One card is drawn from this box randomly, then the probability that the number on card is a perfect square. (A) 9/100 (B) 1/10 (C) 3/10 (D) 19/100								
18. What is (A) 1/7	s the probabili (B) 53/366	ty of getting (C) 2/7		in a leap year? 7/366				
 19. A card is drawn from a well shuffled deck of 52 cards. Find the probability of getting a king of red suit. (A) 1/26 (B) 3/26 (C) 7/52 (D) 1/13 								
20. A game of chance consists of spinning an arrow which is equally likely to come to rest pointing to one of the number 1,2,312 ,then the probability that it will point to an odd number is: (A) $1/6$ (B) $1/2$ (C) $7/12$ (D) $5/12$								
21. A game consists of tossing a one rupee coin 3 times and noting its outcome each time. Aryan wins if all the tosses give the same result i.e. three heads or three tails and loses otherwise. Then the probability that Aryan will lose the game. (A) $3/4$ (B) $1/2$ (C) 1 (D) $1/4$								

	d Kajal are friend day is the same b		both will have the
		65 (C) 1/365	(D) 1/133225
2. Then the	per x is chosen a probability that (B) 2/5 (C) 3/	x ² < 2 is?	numbers -2, -1, 0 , 1,
a marble is red is 2/3, t	drawn at randon	n from the jar, the of white marbles i	nd others are white. If probability that it is n the jar is:
Then the pr		s a mu <mark>ltiple of</mark> 3 ar	50 natural numbers. nd 4 is:
	showing up is pr dots is?	oportional to n. Th	probability of a face ne probability of face
a) $\frac{1}{7}$	b) $\frac{5}{42}$	c) $\frac{1}{21}$	d) $\frac{4}{21}$
93, and 20.	The standard de	viation is	ches are 50, 70, 82,
a) 25.79	b) 25.49	c) 25.29	d) 25.69
		of the messages re 5, 18, 4, 18, 13, 17	
a) 13, 15	b) 13, 18	c) 18, 15	d) 13, 16
29. A coin 3 cases is _	The state of the s	nes. The probabili	ty that tails turn up in
a) $\frac{1}{2}$	b) $\frac{1}{3}$	c) $\frac{1}{4}$	d) $^{1}/_{6}$
30. X is a va	ariate between 0	and 3. The value of	of E(X ²) is
a) 8	b) 7	c) 27	d) 9

31. The random variables X and Y have variances 0.2 and 0.5 respectively. Let Z= 5X-2Y. The variance of Z is?

a) 3	b) 4	c) 5	d) 7			
32.Out of		values, whic	h one is not possi	ble in		
a) $P(x) = 1$		x P(x) = 3				
c) $P(x) = 0$		y(x) = -0.5				
33.If E(x)	= 2 and E(z) =	4, then E(z -	- x) =?			
a) 2	b) 6	c) 0	d) Ins	ufficient data		
34.The co	ovariance of tw	o independe	nt random variab	e is		
a) 1	b) 0	c) - 1	d) Un	defined		
35.If Σ P (a) 0	(x) = k ² - 8 then b) 1	n, the value o		sufficient data		
36.If P(x) a) 1	= 0.5 and x = 4 b) 0.5	c) 4	? d) 2			
37.ln a di	The state of the s	ity distributi	on, the sum of all	probabilities		
a) 0	b) Infinite	c) 1	d) Und	efined		
38.If the variance.	probability of h	itting the ta	rget is 0.4, find m	ean and		
a) 0.4, 0.2	b) 0.6	, 0.24	c) 0.4, 0.16	d) 0.6, 0.16		
	50% and if 10 b	ombs are dr	pped from a place opped, find mean 0.4, 0.16			
40. Find the mean of tossing 8 coins. a) 2 b) 4 c) 8 d) 1 41. What is the mean and variance for standard normal distribution?						

a) Mean is	0 and var	iance is	1 b) Me	an is 1 ar	nd varianc	e is 0
c) Mean is						
42.Variano	e of a rai	ndom va	riable X i	is given b	y	
a) E(X)	b) E	(X2)	c) E(X2) - (E(X))2		())2	d) (E(X))2
43.Mean	of a rando	m varial	ole X is g	iven by _		
a) E(X)	b) E(X2)	c) E(X2	(E(X))2	d) (E(X))2
44.Mean of a) 0	f a consta	nt 'a' is	2) 2/2		d\ 1	
a) U	D) a		C) a/2		d) 1	
45.Varianc a) 0	e of a cor	nstant 'a	' is			
a) 0	b) a	ı	c) a	/2	d) 1	
46.Find the	mean ar	d varian	ce of X?			
х	0	1	2	3	4	
f(x)	1/9	2/9	3/9	2/9	1/9	
a) 2, 4/3	b)	3, 4/3		c) 2, 2/3	3	d) 3, 2/3

47. Find the expectation of a random variable X?

ĺ	x	0	1	2	3	
ĺ	f(x)	1/6	2/6	2/6	1/6	
a) 0	.5		b) 1.5	; ;	c) 2.5	d) 3.5

48. In a Binomial Distribution, if p, q and n are probability of success, failure and number of trials respectively then variance is given by

c) np2q

d) npq2

49. If 'X' is a random variable, taking values 'x', probability of success and failure being 'p' and 'q' respectively and 'n' trials being conducted, then what is the probability that 'X' takes values 'x'? Use **Binomial Distribution.**

- a) P(X = x) = nCx px qx
- b) P(X = x) = nCx px q(n-x)
- c) P(X = x) = xCn qx p(n-x)
- d) P(x = x) = xCn pn qx

50. If 'p', 'q' and 'n' are probability pf success, failure and number of trials respectively in a Binomial Distribution, what is its Standard Deviation?

- a) \sqrt{np}
- b) \sqrt{pq} c) (np)2
- d) \sqrt{npq}