


---

## Document title

---

RAND ASSWAD



Contents

<b>1</b>	<b>Introduction</b>	<b>2</b>
<b>2</b>	<b>Factorial</b>	<b>2</b>
2.1	Basic definition and properties . . . . .	2
2.2	Implementation . . . . .	2
<b>3</b>	<b>Napier’s constant (Euler’s number)</b>	<b>2</b>
3.1	Definition . . . . .	2
3.2	Exponential function . . . . .	2
<b>4</b>	<b>Conclusion</b>	<b>3</b>
	<b>References</b>	<b>4</b>

# 1 Introduction

Basically I'm choosing a mathematical example to demonstrate the following:

- Equation rendering
- AMS theorem-like environments
- Code chunks in action

So let's talk about something familiar: **factorial**

## 2 Factorial

### 2.1 Basic definition and properties

The factorial of  $n \in \mathbb{N}$  is defined as:

$$n! = \prod_{k=1}^n k$$

We can easily deduce that

$$n! = n \cdot (n-1)!$$

### 2.2 Implementation

Here's a recursive `python` implementation

```
def factorial(n):
    if n == 0:
        return 1
    return n * factorial(n - 1)
```

Let's call this function for  $n = 4$

```
print(factorial(4))
```

```
## 24
```

## 3 Napier's constant (Euler's number)

### 3.1 Definition

Napier's constant can be defined in different ways, here's one:

**Definition 3.1** (Napier's constant). The number **e** is defined as the limit of the converging series

$$e = \sum_{n=0}^{\infty} \frac{1}{n!}$$

It is to be noted that the constant was discovered by the Swiss mathematician Jacob Bernoulli while studying compound interest. (Wikipedia contributors 2019)

**Theorem 3.1** (Compound interest upper bound). *In a bank account containing 1 unit of a certain currency, applying a 100% interest rate on the account divided into  $n$  times throughout the whole year would yield at the end of the year  $e$  units of the currency as  $n$  approaches infinity.*


$$\lim_{n \rightarrow +\infty} \left(1 + \frac{1}{n}\right)^n = e$$

### 3.2 Exponential function

The exponential function is defined as

$$\exp : x \mapsto e^x$$

Here's the graph of the function (*hidden python code chunk*)



## 4 Conclusion

This document covered a mathematical example featuring equations, theorems, graphs, and code.

There's also a cherry on top, since it is common to repeat a few mathematical expressions throughout the document and it's pretty annoying to rewrite the same expression over and over again, I usually use LaTeX macros that are stored in `include/abbrev.tex` to avoid repetition and make the raw markdown file more readable. For example, instead of writing `\mathbb{N}` each time I want to write the set of natural numbers  $\mathbb{N}$  I simply write `\N`.

## References

Wikipedia contributors. 2019. “E (Mathematical Constant) — Wikipedia, the Free Encyclopedia.” [https://en.wikipedia.org/w/index.php?title=E\\_\(mathematical\\_constant\)&oldid=879801944](https://en.wikipedia.org/w/index.php?title=E_(mathematical_constant)&oldid=879801944).