

1. Distributional Maps

Std 9th

Sub – Geography

Q 1. Give reasons why following sentences are right or wrong:

(1) The main aim of distributional maps is to show location.

Ans. Wrong

1. The main aim of distributional maps is to show the distribution of variables like population, temperature and rainfall.

(2) In choropleth maps, only one value is assigned to the sub-administrative unit.

Ans. Right

1. In choropleth maps, the data regarding various geographical variables are shown by shading or tints of various colours.

2. After gathering the data for a selected variable 5 to 7 classes are made considering smallest and largest values.

3. Each class is assigned with a tint of same colour or black and white patterns.

4. The value is shown by pre-decided tint of colour can represent only one region or a group of region.

5. Thus, in choropleth maps only one value is assigned to the sub administrative unit.

(3) In choropleth maps, colours/tints do not change according to the values of the variables.

Ans. Wrong

1. In choropleth maps, colours/tints change according to the value of the variables.

2. In choropleth maps, the smallest and the largest values are taken into consideration after that 5-7 classes are made.

3. Each class is signed with a unique tint of same colour of black and white patterns.

4. In other words, each class is used to show the distribution of a particular variable in a sub administrative unit.

(4) Choropleth maps are used to show altitudes.

Ans. Wrong

1. Isopleth maps and not choropleth maps are used to show the altitude.
2. When the distribution of a variable is continuous like the altitude then isopleth method is used.

(5) Isopleth maps are used to show population distribution.

Ans. Wrong

1. Dot method maps or choropleth method maps are used to show the population distribution.
2. Distribution of population is discontinuous.

(6) In dot method, every dot should have an appropriate scale.

Ans. Right

1. The size of the dot is decided as per the value of variable that is freely scattered across the map.

(7) Isopleth maps are not made using isolines.

Ans. Wrong

1. Isopleth maps are made by using isolines.
2. Isolines are lines joining location of the same value of a given variable in a map.

(8) Distribution of various geographical elements can be shown using dot method.

Ans. Wrong

1. The distribution of various geographical elements cannot be shown by using dot method map.
2. The distribution of geographical elements which are freely scattered over a map can be shown by using ^{Isopleth} method map.
3. The distribution of various variables like population cattles can be shown on a dot method map.
4. The distribution of variables like temperature, rainfall, altitude are continuous and hence, cannot be shown by using dot method map.

Q 2. Answer in brief.

(1) Explain the use and types of distributional maps.

Ans. The distributional maps are necessary for explaining the patterns of the distribution of particular geographical and variables. The types of distributional maps- The following are the types of distributional maps.

1. Dot Method Map - The distributional maps are based on statistical data, maps made by this method makes use of dots of a predecided size are used to show the distribution of a particular variable eg. Dot method map is used to show the distribution of population and distribution of cattles.

2. Choropleth method map - The distributional maps made by this method make use of Shades or tints of various colours to show the distribution of a particular variable eg. The choropleth method map is used to show the population density, Types of forest covers and uses of land.

3. Isopleth method map - the distributional maps made by this method make use of lines joining locations or places of same or equal value to show the distribution of a particular variable eg. The Isopleth method map is used to show the distribution of temperature, rainfall, altitude etc.

(2) Differentiate between choropleth and isopleths methods.

Ans.

CHOROPLETH METHOD	ISOPLETH METHOD
1. Choropleth method maps are used to show the population density, types of forest covers and uses of land.	1. Isopleth method map used to show the distribution of altitude, temperatures, rainfall etc.
2. Choropleth method maps are used to show the distribution of variables which are discontinuous.	2. Isopleth method map are used to show the distribution of variables which are continuous.

3. The distributional maps made by this method make use of shades or tints of various colours to show the distribution of a particular variable.	3. The distributional maps made by this method make use of lines joining location or places of same or equal values to show the distribution of a particular variable.
--	--

(3) Explain with reasons the method which is best suited to show the distribution of population in a region.

Ans. 1. The dot method of making distributional maps is best suited for the distribution of population in a region.

2. Dots used in this method are given a particular value which is determined by selecting a proper scale considering the spread of the value of the variable in the given region.

3. This method is best suited for the distribution of variables which are freely scattered as in case of population distribution.

Q 3. Which method will you use for the following information ?

(1) Talukawise wheat production in the district

Ans. Dot method

(2) Distribution of the altitude of the land in the district.

Ans. Isopleth method

(3) Distribution of domestic animals in the State

Ans. Dot method

(4) The distribution of population density in India

Ans. Choropleth method

(5) Temperature distribution in Maharashtra State.

Ans. Isopleth method

Q 4. Study the population distribution map of Kolhapur district and answer the following questions:

(1) Which method has been used to show the distribution of population in the district?

Ans. The dot method has been used to show the distribution of population in the district.

(2) Explain the direction wise distribution of population from dense to sparse.

Ans. The distribution of population is dense in the Eastern part of the district, whereas the Western part of the district has low density of population.

(3) What is the population shown by the largest circle ? Which place is that?

Ans. The population shown by the largest circle is nearly 20 lakhs. That place is Kolhapur city (Karvir Taluka).

(4) Which Taluka has the least population?

Ans. Gaganbawada Taluka has the least population.