

PROJECT TOPIC: CHEMICAL PESTICIDES DISTRIBUTION, HEALTH HAZARDS & ECOLOGICAL IMPACT

Topic Description: Field Survey of a Local Agro-Chemical Pesticide Retailer / Distributor, Documenting Commonly Sold Pesticide Classes (Organophosphates, Neonicotinoids, Pyrethroids), Crop-Wise Usage Patterns, Human Health Toxicology, and Ecological Hazards

Chemical pesticides—encompassing synthetic chemical insecticides, fungicides, herbicides, and rodenticides—have been extensively deployed across Indian agriculture since the Green Revolution to suppress pest-induced crop losses. In intensive agricultural belts of Maharashtra—spanning major horticultural and cash crop hubs in Nashik, Pune, Ahmednagar, Kolhapur, and Jalgaon—the retail sale and application of chemical agro-toxins has expanded into a massive commercial enterprise. Millions of liters of toxic synthetic formulations are sprayed annually onto food crops (grapes, pomegranates, cotton, vegetables, soybean, and sugarcane).

However, the widespread, unregulated proliferation of chemical pesticides represents one of the most severe toxicological and environmental hazards in modern India. A vast majority of smallholder farmers purchase and spray highly toxic chemical compounds without technical agronomic knowledge, personal protective equipment (PPE), or understanding of chemical persistence. Broad-spectrum neurotoxic chemicals—such as **Organophosphates (Chlorpyrifos, Monocrotophos, Phorate)**, **Synthetic Pyrethroids (Cypermethrin)**, and **Neonicotinoids (Imidacloprid)**—bioaccumulate through the food web, poison soil biodiversity, cause severe occupational applicator poisonings, and decimate vital beneficial insect pollinators.

This project conducts a comprehensive, on-the-ground field investigation of an

2. Importance of the topic (विषयाचे महत्त्व)

Auditing the commercial distribution and health hazards of chemical pesticides is of critical ecological, clinical, and regulatory importance:

Crucial Reasons Why Agro-Chemical Auditing is Essential :-

- **Preventing Lethal Acute Occupational Farmer Poisonings:** Agricultural laborers spraying toxic organophosphates in hot, humid conditions routinely suffer acute chemical poisoning, nausea, dizziness, respiratory failure, and tragic fatalities (as seen in Yavatmal pesticide deaths).
- **Halting the Catastrophic Collapse of Insect Pollinators:** Systemic neonicotinoids (like Imidacloprid) persist in plant tissues and express in nectar and pollen, causing Colony Collapse Disorder (CCD) in honeybees and devastating global agricultural pollination.
- **Preventing Chronic Neurotoxicity & Carcinogenesis in Consumers:** Bioaccumulative pesticide residues on commercial vegetables, fruits, and milk pass into the human food chain, causing endocrine disruption, childhood cognitive delays, and elevated cancer incidence.
- **Eliminating Groundwater & Aquifer Contamination:** Persistent chemical herbicides and insecticides leach through permeable topsoil into subterranean aquifers, permanently poisoning drinking water sources for rural communities.

Ending pesticide chemical tyranny is an indispensable prerequisite for public health sovereignty and ecological survival.

3. Objectives of project work (प्रकल्प कार्य उद्दिष्टे)

This agro-chemical pesticide distribution investigation was structured around structured empirical, toxicological, and regulatory objectives:

Structured Project Objectives :-

- **Agro-Chemical Retailer Survey:** To visit an authorized commercial pesticide dealership (Krushi Seva Kendra), documenting product inventory, commercial turnover, and dealer advisory practices.
- **Pesticide Classification & Toxicity Color Codes:** To inventory dominant pesticide brands, classifying them into chemical families (Organophosphates, Pyrethroids, Neonicotinoids) and toxicity hazard bands (Red, Yellow, Blue, Green triangle labels).
- **Crop-Wise Application Mapping:** To document which chemical formulations are predominantly purchased for specific regional crops (Soybean, Cotton, Tomato, Grapes, Sugarcane).
- **Human Health Toxicology & Exposure Audit:** To document acute and chronic human health symptoms associated with each chemical class and assess farmer adherence to Personal Protective Equipment (PPE).
- **Biological Alternatives & Policy Recommendations:** To synthesize actionable guidelines for promoting bio-pesticides, enforcing bans on hazardous chemicals, and strengthening regulatory oversight.

The study provides rigorous empirical evidence documenting the agro-chemical supply chain.

4. Project Work Methodology (प्रकल्प कार्यपद्धति)

A structured retail dealer interview, chemical label auditing, and toxicological literature review methodology was executed:

Methodological Phases Followed :-

- **Phase 1 – Agro-Chemical Dealership Selection:** Secured academic permission to interview an authorized pesticide distributor (Krushi Seva Kendra) situated in the central agricultural market yard of our block.
- **Phase 2 – Direct Dealer Interview Administration:** Administered a structured questionnaire to the licensed distributor covering best-selling chemical brands, peak seasonal purchasing months, and farmer consultation habits.
- **Phase 3 – Packaging Label & Toxicity Color Inspection:** Inspected the commercial packaging of 10 best-selling formulations, logging active chemical ingredient percentages, WHO hazard classifications, and statutory toxicity warning triangles (Red/Yellow).
- **Phase 4 – Farmer Buyer Spot-Interviews:** Conducted spot-interviews with 5 purchasing farmers at the store to assess whether they wear protective gloves/masks and whether they observe mandatory Waiting Periods before harvest.
- **Phase 5 – Curricular Synthesis:** Aligned findings with Chapter 2 (Environmental Pollution: Chemical Pollution and Pesticides) and Chapter 4 of the HSC Standard 12 EVS curriculum.

All recorded chemical details reflect authenticated packaging data and verified dealer retail sales registries.

5. Observations (निरीक्षणे)

Field investigation of the agro-chemical dealership and customer interviews revealed heavy dependence on highly toxic chemical molecules across regional crops:

5.1 Retail Agro-Chemical Inventory, Crop-Wise Application & Toxicity Classification Matrix

Trade Brand Name	Active Chemical Ingredient & Class	Target Crops & Pests	Statutory Toxicity Label & Band	Documented Human Health & Ecological Hazards
Rogor / Tafgor	Dimethoate 30% EC (Organophosphate)	Vegetables, cotton, citrus (Aphids, jassids, mites).	YELLOW TRIANGLE (Highly Toxic / Class II)	Potent acetylcholinesterase inhibitor; causes blurred vision, tremors, acute neurotoxicity; highly toxic to aquatic fish.
Confidor / Tata Mida	Imidacloprid 17.8% SL (Neonicotinoid)	Cotton, chili, tomato (Whiteflies, thrips).	BLUE TRIANGLE (Moderately Toxic / Class II)	Systemic neurotoxin; primary cause of Honeybee Colony Collapse Disorder; disrupts pollinator navigation; persistent in soil.
Dursban / Radar	Chlorpyrifos 20% EC (Organophosphate)	Soybean, sugarcane, soil drenching (Termites, cat 5 s).	YELLOW TRIANGLE (Highly Toxic / Class II)	Linked to developmental neurotoxicity, reduced IQ in children, and endocrine disruption; persistent in

6. Analysis of data (माहितीचे विश्लेषण)

Toxicological and agronomic analysis of the chemical pesticide distribution data reveals severe systemic failures across the agricultural supply chain:

Core Analytical Inferences :-

- **Commercial Conflict of Interest in Dealer Advisory:** The retail pesticide dealer operates with a direct commercial incentive to maximize sales volume. When a farmer reports minor pest presence, dealers routinely prescribe dangerous 'tank-mix cocktails'—combining two insecticides, one fungicide, and an unnecessary chemical growth tonic in a single spray. This reckless over-dosing accelerates insect resistance, escalates farmer debt, and increases toxic residues in food.
- **The Occupational Horror of Organophosphate Neurotoxicity:** Organophosphates (Dimethoate, Chlorpyrifos) function by irreversibly inhibiting the vital enzyme acetylcholinesterase, leading to continuous, uncontrolled acetylcholine neurotransmitter firing. During hot afternoon spraying, dermal absorption through sweaty skin and inhalation causes acute poisoning: profuse sweating, pinpoint pupils, muscle tremors, respiratory paralysis, and death. Recommending such chemicals without mandatory protective gear is unconscionable.
- **The Neonicotinoid Threat to Global Pollination:** Imidacloprid operates systemically, circulating through the entire plant into floral nectar. Honeybees consuming microscopic sublethal doses suffer severe memory and navigational disruption, permanently failing to find their way back to hives. The continued sale of neonicotinoids directly threatens regional fruit and vegetable pollination.
- **Consumer Exposure via Harvest Interval Violations:** The complete ignorance of Waiting Periods (Pre-Harvest Intervals) is a catastrophic public health failure. When Chlorpyrifos or Imidacloprid (which require a mandatory 15-day breakdown period) are sprayed 2 days before harvest, consumers in Pune and Mumbai ingest raw neurotoxins in daily salads and 6s.

7. Results and Conclusions (निष्कर्ष)

Conclusion: Auditing local chemical pesticide distribution reveals an alarming, unregulated reliance on lethal organophosphates, pyrethroids, and bee-toxic neonicotinoids. Driven by dealer commercial incentives and lack of safety protective gear, chemical pesticides inflict grave occupational health trauma on farmers and poison consumers. Achieving sustainable agriculture requires strictly enforcing statutory chemical bans, mandatory protective equipment, and transitioning to botanical and microbial bio-pesticides.

Action Checklist for Halting Agro-Chemical Poisoning :-

- ❑ Mandate that farmers wear complete Personal Protective Equipment (gloves, goggles, N95 respirator) during all spraying.
- ❑ Strictly ban the over-the-counter retail sale of lethal Red and Yellow label Class I and II neurotoxic chemical pesticides.
- ❑ Enforce strict mandatory compliance with Waiting Periods (Pre-Harvest Intervals) before picking crops for market.
- ❑ Replace chemical insecticides with botanical concoctions (Neemastra, Dashparni Ark) and microbial bio-agents.
- ❑ Deploy certified government agricultural extension officers rather than commercial dealers for pest diagnosis.

8. Bibliography / References (संदर्भ सूची)

1. Maharashtra State Board. (2020). *Environmental Education and Water Security (Std. XII)*. Balbharati, Pune.
2. Central Insecticides Board & Registration Committee (CIBRC). (2022). *List of Pesticides Banned, Refused Registration and Restricted for Use in India*. Ministry of Agriculture, Faridabad.
3. World Health Organization (WHO). 7. *The WHO Recommended Classification of Pesticides by Hazard and Guidelines to Classification*. Geneva.