Experiment No.1

Title : Classify the various plants (Spirogyra, Agaricus, Funaria, Fern (Nephrolepis), Cycas, (Catharanthus) present in surrounding and sketching labelled diagrams.

Apparatus : Compound microscope, readymade slides etc.

Procedure :

1. Observe the provided specimens, study their characteristics and classify them.
2. Label the diagrams.

Observation :



A. Spirogyra

Kingdom – Plantae

Sub kingdom – Cryptogams

Division – Thallophyta

Class – Algae

Genus – filamentars.

Species – Spriogry...

Characteristics

1. Spirogyra is a fibrous algae, freely floating on water.
2. It contains spiral chloroplasts.



B. Agaricus (Mushroom)

Kingdom – Plantae

Sub kingdom – Cryptogams

Division – Thallophyta

Class – Fungi

Genus – mashroom..

Species – biopres.....

Characteristics

1. Mostly it grows in rainy season.
2. Agaricus is commonly known as mushroom. It is saprotrophic fungus.



C. Funaria (Moss)

Kingdom – Plantae

Sub kingdom – Cryptogams

Division – Bryophyta

Class – Bryopsida

Genus – ....funaria.....

Species – Hy.gremetrica

Characteristics

It grows on old moist walls, tree trunks, etc in rainy season and completely dries in winter.

D. Fern (Nephrolepis)

Kingdom - Plantae
Sub kingdom - Cryptogams
Division - Pteridophyta
Class - Pteridophyta
Genus - fern
Species - crupits





Characteristics

1. Plants in this group are grown in cool, moist and shaded places.
2. Sporophylls (Leaves) bear sporangia. Spores of the sporangia germinate to form underground stem i.e 'rhizome'

E. Conifer

Kingdom - Plantae
Sub kingdom - Phanerogams
Division - Gymnosperms
Class - open seeds
Genus - conifer
Species - cycos



Characteristics

1. Conifers are straight/upright growing plants with tap root system. These are profusely branched plants with needle like pointed green leaves.
2. Two types of sporophylls are present, arranged in cones . Male and Female reproductive structures are present on different branches of same plant.

F. Catharanthus

Kingdom - Plantae
Sub kingdom - Phanerogams
Division - Angiosperms
Class - Dicotyledons
Genus - catparatus
Species - ralseus



Characteristics

1. Catharanthus is a small, perennial, dicotyledonous shrub. Leaves are with reticulate venation.
2. The Plant bears the flowers all over the year. Hence it is known as ' Sadaphuli' in marathi.

Multiple Choice Questions

1. The Plant of 'wheat' belongs to division .....
   A. bryophyta B. pteridophyta C. gymnosperms D. angiosperms
2. The plant of ' Hibiscus' belongs to division.....
   A. bryophyta B. pteridophyta C. gymnosperms D. angiosperms

3. The spots on the posterior surface of the leaflets of fern are.....

A. Fruits B. Buds ✓C. Sporangia D. Stomata

4. The type of root in the plant of Catharanthus is.....

A. tuber ✓B. tap root C. fibrous D. phenmatophore

Questions

1. What is the use of needle like leaves and sloped branches to cycas?

.....

.....use of needle like leaves and the needles.....

.....

2. In which plants fibrous roots are present?

fibrous roots are present in where seeds cannot be devided into equal parts and their reaf is parallel untail and flower with the 3 path or in multiples.....

3. Explain the difference between Coconut and Mango tree as per the classification criteria.

.....coconut tree is belonging the group of the gymnosperms and mango tree is belonging to the group of angiosperms.....

.....

4. Observe the following figures and explain the differences.



.....The plant whose seeds can be devided into two equal parts are called ditoledons and some plants whose seeds cannote be divided into two equal parts are called as monocatoldoneus.....

.....

.....

.....

VSYKY5