

Blank lines are ____ type of REXX instruction.	Keyword	Null	TSO commands	Formatting
CLIST statement 'READ' falls under ____ category.	Control	Assignment	Conditional	None of these
The ALTLIB command offers several functions, which you specify using the following operands:	ACTIVATE	DEACTIVATE	DISPLAY	SET
What output will be displayed after running the following code? DO count = 1 TO 10 BY 5 count = count + 2 CTR = 5 * 5 CTR = CTR + 1 END SAY 'Count ' count	Count 15	Count 11	Count 12	It will give syntactical error
What will be the output of following REXX instruction? SAY 'This isn't my book'	It will give syntactical error	THIS ISN'T MY BOOK	THIS ISNT MY BOOK	This isn't my book
In REXX, to receive input from the screen/terminal, we use the command:	READ	PULL	ACCEPT	RECEIVE
What will be the output of following REXX instruction? SAY 'This isn't a Cobol instruction.'	It will give a syntactical error	THIS ISN'T A COBOL INSTRUCTION	THIS ISNT A COBOL INSTRUCTION	THIS ISN'T A COBOL INSTRUCTION
In REXX, I want to assign the variable DAY with a value of '01', the variable MONTH with a value of 'January' and the variable YEAR with a value of '2009'. Identify the valid formats to read the data '01 January 2009' from the user.	PARSE PULL DAY MONTH YEAR	PULL DATE PARSE VALUE DATE DAY MONTH YEAR	PULL DATE PARSE VALUE DATE WITH DAY MONTH YEAR	PULL DATE PARSE VALUE DATE WITH DAY MONTH

Consider the following: name = 'John' number1 = number2 number2 = 5 Which of the following REXX expressions will generate an error?	10 / number1	name 'number2'	number2 * 3	name > number2
Identify the statements which are not correct in REXX programming:	A REXX clause must be enclosed in 'Quotes'	Multiple instructions can be coded on single line, as long as they are separated by a ';'.	A REXX program should start with a comment clause /* REXX */	Continuation of REXX instructions is achieved by using a ',' as a continuation indicator
To execute a CLIST code implicitly, the program name can be preceded by _____.	&	*	%	#
Identify the valid continuation symbol used in CLIST programs.	-	*	\$	C
Identify the valid comment statements within a CLIST code.	alloc file(in) data(accounts.data) shr /* Input data set	/* Input data set alloc file(in) data(accounts.data) shr	/* Input data set */ alloc file(in) data(accounts.data) shr	/* SAMPLE PROGRAM */

Refer to the CLIST code: PROC 1 LANGUAGE IF &LANGUAGE = SPANISH THEN + WRITE HOLA, MUNDO ELSE IF &LANGUAGE = FRENCH THEN + WRITE BONJOUR, MONDE ELSE + WRITE HELLO, WORLD EXIT What would be the output of the above mentioned code, when the input is given as "ENGLISH".	HOLA, MUNDO	BONJOUR, MONDE	HELLO, WORLD	This code would throw an error
A CLIST which invokes another CLIST is called as:	Function	Sub routine	Nested CLIST	Procedures
What would be the value of J, when the below REXX EXEC is executed? /* REXX */ J = 1 DO UNTIL J < 10 J = J + 1 END SAY 'J IS ' J EXIT	2	9	10	1
Refer to the below code & identify as what would be the result? /* REXX */ SAY 'HI'; SAY 'HELLO'; EXIT	HI HELLO	HI;HELLO;	hi hello	Hi Hello

<p>Refer to the code below:</p> <pre>/* REXX */ DO NUMBER=1 TO 5 BY 2 SAY 'LOOP... ' NUMBER END SAY 'CAME OUT OF THE LOOP COS NO REACHED: ' NUMBER EXIT</pre> <p>What would the output from the above code?</p>	<pre>LOOP... 1 LOOP... 3 LOOP... 5 CAME OUT OF THE LOOP COS NO REACHED: 7</pre>	<pre>LOOP... 1 LOOP... 2 LOOP... 3 LOOP... 4 LOOP... 5 CAME OUT OF THE LOOP COS NO REACHED: 6</pre>	<pre>LOOP... 1 LOOP... 2 LOOP... 3 LOOP... 4 CAME OUT OF THE LOOP COS NO REACHED: 5</pre>	<pre>LOOP... 1 LOOP... 3 LOOP... 5 CAME OUT OF THE LOOP COS NO REACHED: 5</pre>
---	---	---	---	---