SafeChain InnoTech Proposal

Submission to PETRONAS Vendor Development Programme (InnoTech) · inquiry_vdp@petronas.com

Oct 13, 2026 · @Randy

1. Cover

SafeChain

A Malaysian digital workplace safety management platform

Submitted for consideration under the PETRONAS Vendor Development Programme — InnoTech

Submitted by	MedChain Enterprise
Business registration no.	MRI/BNR/718/2026
Founder	Randy Richard
Address	Miri, Sarawak
Email	randyrjm99@gmail.com
Mobile	011-3182 5377
Date of submission	13 October 2026
Document version	1.0
Classification	Commercial in confidence

This document is submitted as an expression of interest and a technology overview. It does not assume eligibility for the programme, and nothing in it should be read as a claim of PETRONAS endorsement, approval or appointment.

2. Executive summary

SafeChain is a cloud-based workplace safety management platform, built in Sarawak, that holds a company's HSE activity in one system organised by project and site. It is a working product in early customer validation. We are seeking consideration under VDP InnoTech, guidance on the correct participation pathway, and the opportunity to demonstrate the system and discuss a controlled pilot.

The opportunity we propose to validate. Safety information in many industrial operations is distributed across spreadsheets, paper permits, email and messaging applications. Where that is the case, compiling a monthly report, tracking corrective actions across sites, and retrieving a historical record for an audit are manual tasks. We present these as hypotheses to test with users during a pilot, not as established facts about PETRONAS or its contractors.

What is built today. Incident reporting and investigation, permit to work with its approval chain, inspections, audits and findings, corrective action tracking with completion evidence, competency and certificate expiry monitoring, contractor and visitor management, document records, dashboards, and a twelve-section monthly safety report generated on demand. All of it organised Company → Project → Site. Section 5 separates what is implemented from what is planned, item by item.

What is not built, stated plainly. No artificial intelligence, no predictive analytics, no IoT or equipment telemetry, no behavioural observation module. Enterprise integrations — single sign-on, Slack, Teams, Power BI — are on the roadmap and are not yet functional. No security certification is held.

Current stage. A registered Malaysian enterprise with one founder. The product is complete and tested across the modules listed; it has no paying customers, no completed pilot and no production deployment yet. We state this because an assessment is better made on accurate information than on a favourable impression.

What we propose. A thirty-day, low-risk pilot on one project at one site, with a limited number of authorised users and a defined set of workflows, measured against criteria agreed with the participant before it begins. Section 8 sets out the design and the measures.

What we ask of PETRONAS. Guidance on eligibility and the correct route, a technology assessment, the chance to demonstrate the product, help identifying a suitable operational use case, and mentorship. Any funding request would follow the programme's own process and is not made here.

3. Founder and business profile

Registered name	MedChain Enterprise
Registration	Sole proprietorship / enterprise, Companies Commission of Malaysia
Registration no.	MRI/BNR/718/2026

Date of registration	30/6/2026
Place of business	Miri, Sarawak
Founder	Randy Richard
Current studies	Diploma in Occupational Safety and Health, Fajar International College expected completion is May 2027
Staff	Founder-operated
Market focus	Miri and the wider Sarawak market initially, with potential expansion across Malaysia

Why this founder built this product. SafeChain is written by someone studying occupational safety and health rather than by a software house working from a requirements document. The incident classifications, the permit approval chain and the monthly report structure follow the categories the discipline actually uses, because the person building them was learning those categories at the same time.

We present that as the reason the product fits the work, not as a substitute for industry experience. Section 13 lists limited founder capacity among the risks, with the mitigation we propose.

Current commercial activity. SafeChain is in early customer validation. The founder is approaching companies in Sarawak for demonstrations and potential pilot deployments. No demonstration has yet been given, and no written expression of interest has been received.

Why Miri and Sarawak first. The operations that need this are here, support in the same time zone and language is a genuine advantage over a foreign platform, and a vendor who can reach a site in a day is a different proposition from one who cannot.

4. Industry problem and opportunity

The challenges below are stated as hypotheses for validation during a pilot. We do not assert that they apply to PETRONAS, to its assets or to any particular contractor; establishing whether and where they apply is part of what an assessment and a pilot would determine.


Hypothesis	Why it may matter	How a pilot would test it
Safety information is distributed across spreadsheets, paper forms, email and separate applications	Records exist but cannot be reconciled or produced quickly	Ask the participant to retrieve a named record from twelve months ago, and time it before and after
Compiling incident and inspection information takes significant HSE time	Time spent on documentation is time not spent on site	Record the time taken to produce one monthly report by the current method, then by SafeChain
Corrective actions and overdue findings are hard to track across multiple sites	Actions close late, or close without evidence	Count actions raised, closed and overdue during the pilot period, with evidence attached
Safety performance visibility is inconsistent between projects	Management cannot compare like with like	Produce the same report for two sites and ask whether it is comparable
Monthly management reporting is prepared manually	The report is late, or assembled from memory	Compare the current report with a generated one for completeness
Historical records are difficult to retrieve for reviews and audits	Evidence is reconstructed rather than produced	Time the retrieval of a specific permit, certificate and investigation

The opportunity, stated conservatively. If some of these hold for a given operation, a system that captures the record as the work happens may reduce the effort of producing it later. Whether that is worth paying for, and by how much, is exactly what a measured pilot establishes. We would rather enter the programme with a method for finding out than with a claimed figure.

Why a local vendor may be relevant to the ecosystem. Established HSE platforms are largely foreign-built and priced for international operators. Smaller Malaysian contractors in the oil and gas ecosystem may therefore be the tier least served by existing digital tooling, while being held to the same evidential standard by their clients. A locally built, locally supported, locally priced option is the gap we propose to address.

5. SafeChain product overview

A cloud-based platform holding a company's safety activity in one system. Live product: safechain.schain.workers.dev — a demonstration build carrying sample data, not a customer system; sign in using any of the roles offered on the page.



SafeChain structure · company, project, site, activities

A record belongs to a site, a site may belong to a project, and both are optional on older records — so a company can adopt the structure without migrating what it already holds.

Implementation status

Each line below is stated from the codebase rather than from a roadmap.

Capability	Status	Note
Incident and accident reporting	Implemented	Nine-stage lifecycle; classified by type and severity; field capture with photographs and location
Incident investigation	Implemented	Findings, root cause analysis, five-whys, sign-off restricted by role

Capability	Status	Note
Permit to work	Implemented	Approval chain supervisor to HSE to area authority; gas tests, isolation points, task steps, PPE acknowledgement, signatures
Safety inspections	Implemented	Scheduled and ad hoc, with outcomes recorded
Audits and findings	Implemented	Against templates; findings graded Critical, Major, Minor, Observation, by category
Corrective action tracking	Implemented	Owner, due date, priority; an action requiring completion evidence cannot be closed without it
Safety documentation and records	Implemented	Compliance documents and obligations, with attachments
Competency and certification	Implemented	Certificate expiry monitored at 90, 60, 30 and 7 days
Contractor and visitor management	Implemented	Contractor companies and workers; visitor pre-registration, host approval, blacklist check
Plant and equipment register	Implemented	With inspection scheduling
Dashboards	Implemented	Filterable by project, site and date range
Organisation, project and site management	Implemented	The structure drawn above
Monthly safety reporting	Implemented	Twelve sections, generated on demand as PDF, or on a schedule
Behavioural safety observations	**Not implemented**	No observation card or safe/unsafe act module exists. The monthly report states this rather than reporting zero

Capability	Status	Note
Single sign-on, Slack, Teams, Power BI	**Planned, not functional**	Listed in the product as planned; they cannot be connected and no credential is accepted for them
AI, predictive analytics, IoT, equipment telemetry	**Not implemented and not in development**	None of these exist in the product and none are claimed

The product is also able to expose its data through a versioned API with per-tenant keys, and to send signed outbound notifications to another system. Both are implemented; neither has been integrated with an enterprise system in production.

6. Proposed operational use cases

These are candidate evaluation scenarios, offered for discussion. Which, if any, is appropriate is for PETRONAS to determine; we do not assume access to any asset or facility.

Capability	Operational problem it addresses	Potential benefit to the HSE team	Potential benefit to management	Evidence required during a pilot
Permit to work	Permits approved and filed on paper across several site offices	Approval chain, gas tests and isolations captured before work starts, in one place	Able to see what work is live, where, under whose authority	Count of permits raised digitally; whether the approval chain was followed without paper fallback
Incident reporting and investigation	Reports written up days later from memory	Capture at the scene with photographs; stage-by-stage investigation	A single view of what happened and what is being done about it	Median time from occurrence to report; proportion of investigations completed through to closure

Capability	Operational problem it addresses	Potential benefit to the HSE team	Potential benefit to management	Evidence required during a pilot
Corrective action tracking	Actions tracked in a spreadsheet, closed without evidence	Owner and due date on every action; evidence required to close	Visibility of what is overdue, by site	Count raised, closed and overdue; proportion closed with evidence attached
Competency and certification	Expiries discovered when a client asks	Automatic flagging at 90, 60, 30 and 7 days	Fewer workers on site with lapsed certification	Count of expiries flagged in advance versus found by other means
Monthly safety reporting	The report assembled by hand from several sources	Generated for a chosen project, site and month	A consistent report, comparable between sites and months	Time to produce, compared with the current method; completeness judged by the participant
Multi-site visibility	No common view across projects	One register, filtered by project and site	Like-for-like comparison between operations	Whether two sites produce comparable reports from the same template

Where we would start. A single contractor-operated project, one site, a small number of named users, and two or three workflows rather than all of them. A narrow pilot that produces a clear answer is more useful to both sides than a broad one that produces an impression.

7. Industrial Revolution 4.0 and digitalisation alignment

The programme's stated aim is to promote IR4.0, innovation and digitalisation among local SMEs in the oil and gas ecosystem. We set out below where SafeChain contributes today, and where it does not.

Implemented today

Dimension	How SafeChain contributes
Structured digital records	Safety activity is captured as structured data — typed fields, defined classifications, enforced workflow stages — rather than as documents or free text. This is what makes it queryable later
Centralised operational information	One system across projects and sites, replacing separate registers that cannot be reconciled
Workflow digitisation	Permit approval chains, investigation stages and action closure rules are enforced by the system, not by a procedure document someone has to remember
Project and site-level reporting	Every dashboard and report filters by project, site and period
Management dashboards	Operational state visible without compiling it first
Data-driven review	A monthly report that compares the period against the one before it, from the same underlying records
Open data access	A versioned API and signed outbound notifications, so the data is available to other systems rather than locked in

Not implemented, and not claimed

SafeChain does **not** currently use artificial intelligence, machine learning, predictive analytics, IoT sensors or real-time equipment telemetry. No such capability is in development, and none is proposed in this submission.

We make this explicit because IR4.0 proposals frequently claim these technologies. A platform that reliably captures structured safety data is, in our view, the precondition for any later analytics rather than a lesser alternative to it — predictive work on records that are inconsistent, incomplete or retrospective produces confident conclusions from poor evidence.

Future opportunity, subject to feasibility and approval

These are possibilities for discussion, not commitments or roadmap items with dates:

- Integration with enterprise identity for single sign-on, and with existing maintenance or ERP systems, where a participant requires it
- Trend analysis across a sufficient history of structured records, once enough exists to be meaningful
- Export into a participant's own reporting environment through the existing API


Each would require technical assessment, the participant's approval, and in most cases a security review before any connection to an operational system.

8. Pilot proposal and evaluation framework

Deliberately small. One participating company or approved business unit, one project or site, a limited number of authorised users, a thirty-day period, and a defined subset of workflows — inspections, incidents, corrective actions and monthly reporting.

A thirty-day pilot that produces one measured monthly report

Subject to the participant agreeing scope and dates



Deliverable: one monthly safety report produced from the participant's own data, plus a written evaluation against each agreed measure

Proposed pilot · four weeks, one site

Baseline first. Before any use, we record how the participant does these things today and how long each takes. Without that, a pilot produces impressions rather than evidence, and neither side learns anything a demonstration would not have shown.

Evaluation criteria

Agreed with the participant before the pilot begins. We propose no target values in advance; the point is to measure, not to meet a number we chose ourselves.

Measure	How it is taken	Compared against
Time to compile one monthly safety report	Timed, by the person who normally does it	The same task by the current method
Time to retrieve a specified safety record	Timed, on a record chosen by the participant	The same retrieval today
Corrective actions recorded and updated	Count raised, closed, overdue, and closed with evidence	The participant's own register for an equivalent period
User adoption	Active users against authorised users; records entered per week	Expectation agreed at the outset
User satisfaction	Short structured feedback from each user	—
Issues identified	Defects, usability problems and gaps logged during the period	—
Reporting quality and completeness	Judged by the participant's HSE lead against what they would have produced	Their own current report

What we would deliver at the end

- One monthly safety report generated from the participant's own data
- A written evaluation against each measure above, including the ones where SafeChain performed poorly
- A list of defects and gaps found, and which we would commit to addressing
- A recommendation on whether a wider deployment is justified — including, if the evidence says so, that it is not

Risk to the participant. SafeChain would run alongside existing processes rather than replacing them. No statutory record would depend on it during the pilot, and the participant's existing method remains the record of truth throughout. Data handling and exit arrangements are covered in Section 9.

9. Cybersecurity, privacy and governance

Safety records contain personal and health information — who was injured, what the injury was, what treatment followed. We treat them accordingly.

The table separates three things that are often presented as one: what is built and tested, what exists but has not been independently checked, and what is not yet in place. **We claim no compliance with ISO 27001, the Personal Data Protection Act 2010, PETRONAS cybersecurity requirements or any other framework**, because we hold no documented evidence that would support such a claim.

Control	Status	Detail
Tenant isolation	Implemented, tested	Enforced in the data layer, not by interface filtering. Covered by automated tests that attempt cross-tenant access and assert refusal
Role-based access control	Implemented, tested	Six roles, with row-level scoping by site within a tenant
Health data restriction	Implemented	Injury type, body part and treatment are withheld from roles without a clinical need
Authentication	Implemented	Password hashing, short-lived access tokens, rotating refresh tokens with reuse detection, account lockout, forced password change on first sign-in
Audit trail	Implemented	Held separately from the records and not editable from the product. Every administrative action carries actor, timestamp and IP
Record immutability	Implemented	No hard delete. Archiving is a status change; incident records are versioned
Encryption in transit	Implemented, not yet live	TLS with automatic certificate renewal is configured and tested; it becomes live when hosted
Backup and recovery	Implemented, exercised	Scheduled database backup with a documented restore procedure that has been run

Control	Status	Detail
Data retention and deletion	Partially implemented	A retention policy per tenant exists. Deletion on exit needs to be defined contractually, not only technically
Encryption at rest	**Not yet in place**	Depends on the hosting chosen. Required before any industrial pilot
Independent security assessment	**Not done**	No penetration test or external review has been carried out
Vulnerability management	**Not formalised**	Dependencies are current; there is no documented scanning or patching schedule
Incident response procedure	**Not documented**	No written breach notification or response plan exists
Production hosting	**Not yet in place**	The product is not currently running in a production environment. Hosting location, including whether in Malaysia, is to be determined.
Personal data protection statement	**Not prepared**	A PDPA-aligned notice and consent position must be drafted before real personal data is held

Required before an industrial pilot

We would expect to complete these before any pilot involving real operational data, and we would welcome the participant's own security requirements shaping them:

1. Production hosting with encryption at rest, in a location agreed with the participant
2. An independent security assessment, with findings remediated
3. A documented incident response and breach notification procedure
4. A written personal data protection notice and a data processing position
5. A documented vulnerability management and patching schedule
6. Contractual terms on data ownership, access, return and deletion at exit

Data ownership. The participant's data is theirs. We would propose contractual terms stating that explicitly, with export in a usable format at any time and deletion on request after exit.

Honest limitation. The automated tests referred to above are ours. They demonstrate the behaviour they were written to check and are not independent assurance; we do not present them as such.

10. Competitive positioning

Established international HSE platforms are capable and well proven. We make no claim to match their breadth, their certification or their track record, and we offer no comparison of their pricing or market position because we have no verified information on either.

Where we believe SafeChain may be differentiated, for validation rather than assertion:

Area	The proposition	How it would be tested
Project and site-centred workflows	Built around Company → Project → Site because that is how a contractor organises work, rather than around a facility or a business unit	Whether a participant can map their own operation onto it without restructuring
Consolidated monthly reporting	One generated report covering incidents, inspections, actions, permits and trends, rather than several exports assembled by hand	Compare against the participant's current report for completeness and effort
Usability for HSE teams	Reporting from a phone at the scene in under a minute; a supervisor should need no training	Hand a supervisor a phone during the pilot with no instruction and time it
Local configurability	Classifications and workflows that follow Malaysian practice rather than a translated foreign model	Whether terminology and categories match the participant's own
Direct founder involvement	Onboarding, support and product changes handled by the person who builds it	Response time to issues raised during the pilot
Local support	Same time zone, same language, able to reach a Sarawak site	Measured informally during the pilot

Where we are weaker, stated plainly. No certification, no reference customers, no operating history, and a single-person team. An established vendor beats us on every one of those today. What a pilot would establish is whether the fit and the responsiveness outweigh them for a given operation — and for some operations the honest answer will be no.

11. Commercial model and sustainability

SafeChain intends to operate as a software-as-a-service business: a recurring subscription per company, covering hosting, support and continued development. No licence is sold and no installation is required.

Intended revenue streams, all subject to validation. None of these has yet been tested with a paying customer:

Stream	Basis	Status
Company subscription	Monthly, scoped by number of sites or operational scale	Defined, not validated
Enterprise plan	For larger organisations needing more sites and integration access	Defined, not validated
Onboarding and configuration	Where a participant needs data migration or workflow configuration beyond the standard	Not defined
Support	Included in the subscription at present	Not validated at scale

Indicative pricing has been set at two tiers. Figures are deliberately not stated at this stage: the pilot is intended to establish what the product is worth before a price is fixed.

What we do not present. No revenue forecast, no customer acquisition projection, no financial statements, no signed commitments. There are none, and a projection built on no customers is arithmetic rather than evidence.


Sustainability. The product is built and running; the recurring cost of operating it is hosting and the founder's time. The business becomes sustainable at a small number of paying customers rather than requiring scale — which is the practical argument for a pilot: one reference customer changes the position materially.

12. Implementation roadmap

Indicative, and dependent on securing a pilot. We have drawn the dependency rather than hiding it: stages 3 to 6 follow from stage 1, and if no pilot takes place the sequence stops.

A first pilot gates everything that follows

Indicative twelve-month sequence, not a commitment to dates



Stages 3 to 6 depend on a pilot taking place. Without one, the sequence stops at stage 2.

Indicative twelve-month roadmap · six stages, one gate

Stage	Objective	Key activities	Deliverable	Success measure	Dependency and risk
1 · Validation and first pilot	Establish whether the product solves a real problem for a real operation	Demonstrations to Sarawak companies; secure one pilot participant; run the thirty-day pilot	Written pilot evaluation	A completed pilot with measured results, favourable or not	Depends entirely on access to a willing participant. The principal risk to the whole plan
2 · Refinement	Fix what the pilot exposes	Address defects and usability issues found; adjust workflows to observed practice	Revised product	Issues from the pilot closed; participant confirms improvement	Requires stage 1 to have produced real usage, not a demonstration

Stage	Objective	Key activities	Deliverable	Success measure	Dependency and risk
3 · Security, privacy, reliability	Reach the standard an industrial participant requires	Production hosting with encryption at rest; incident response procedure; personal data notice; vulnerability management	Documented controls	Every item in Section 9's "required before an industrial pilot" list closed	Cost of hosting and assessment; founder time
4 · Independent assessment	Replace self-assertion with external evidence	Commission a security assessment; remediate findings; assess which certification is proportionate	Assessment report; certification decision	Findings remediated; a certification path chosen and begun	Cost. Certification may prove disproportionate at this scale, in which case we would say so
5 · Vendor eligibility	Become able to contract properly	Clarify registration and licensing requirements; assess whether incorporation is needed; put contractual terms in place	Vendor registration where applicable	Eligible to be appointed under the relevant category	Depends on guidance we are requesting in Section 14
6 · Commercialisation	Move from one customer to several	Onboard further customers; make onboarding repeatable without the founder	Documented onboarding; additional customers	A customer onboarded by someone other than the founder	Founder capacity is the binding constraint

Honest note on the dates. This is a twelve-month sequence assuming a pilot begins early. If a pilot takes six months to secure, every stage after it moves. We would rather present the dependency than a timeline that assumes the hardest step happens on schedule.

13. Risks and mitigation

Including the ones that count against us. A register that lists only manageable risks is not a register.

Risk	Likelihood	Impact	Mitigation
Early-stage product with no customer evidence	Certain today	High — the central weakness of this submission	A measured pilot is the only real answer. We propose one that is small, time-boxed and runs alongside existing processes, so the participant's exposure is limited while the evidence is produced
No independent security assurance	Certain today	High for an industrial participant	Section 9 lists what must be in place before a pilot with real data. We would welcome the participant's own security requirements being imposed on us
Data protection and personal data handling	Medium	High — safety records contain health information	Role-based restriction of medical detail is already implemented. A PDPA-aligned notice and processing position to be drafted before real data is held
User adoption fails — supervisors do not use it	Medium	High — a safety system nobody reports into is worse than none, because it looks like nothing is happening	Field capture designed for under a minute on a phone. Tested during the pilot by handing a supervisor a device with no instruction. If adoption fails, we would report that rather than present usage figures around it

Risk	Likelihood	Impact	Mitigation
Integration requirements exceed current capability	Medium	Medium	An API and outbound notifications exist. Any deeper integration would be assessed for feasibility before being agreed, not promised in advance
Regulatory interpretation — the product models a requirement incorrectly	Medium	High	The founder is studying OSH, which helps but is not authority. Mapping to statutory requirements would be reviewed with a qualified practitioner and, where possible, with PETRONAS HSE
Competition from established platforms	High	Medium	We do not compete on breadth or certification. We compete on fit, price for this market, and responsiveness — and accept that for some operations that will not be enough
Limited founder capacity — one person	Certain	High	The binding constraint on everything. Mitigated by keeping the first pilot small and by making onboarding repeatable (roadmap stage 6). Honestly, this does not resolve until there is revenue to hire against

Risk	Likelihood	Impact	Mitigation
Limited financial resources	Certain	Medium	The product is built, so the remaining cost is hosting and assessment rather than development. A small number of paying customers makes the business sustainable
Dependence on programme acceptance or pilot access	High	High	We are pursuing commercial customers in Sarawak in parallel and are not relying on this programme as the only route. If VDP InnoTech is not the right pathway, we would value being told so early

The risk we would highlight to an assessor. Everything above reduces to one thing: there is no evidence from real operational use yet, because there has been no opportunity to generate it. That is what we are asking for.

14. Support requested from PETRONAS

In order of how much it would help, and none of it assumed:

	Request	Why
1	**Guidance on eligibility and the correct pathway**	We are registered as a Malaysian enterprise rather than an incorporated company, and the programme materials do not state a required registration type. We would rather be told the right route than submit through the wrong one
2	**A technology assessment, and the feedback from it**	An assessment that concludes SafeChain is not suitable is still worth having. We would act on the findings either way

	Request	Why
3	**The opportunity to demonstrate the product**	Thirty minutes, live, against questions from people who know the operations. More useful to both sides than any document
4	**Help identifying a suitable operational use case**	We do not know which part of the value chain this fits best. People inside PETRONAS do
5	**Consideration for a controlled pilot**	With a business unit, asset, facility or participating industry partner, subject to all appropriate approvals and to the security conditions in Section 9 being met first
6	**Technical, commercialisation and industry mentorship**	Particularly on security expectations for vendors and on what an operator requires before adopting a system of this kind
7	**Guidance on vendor registration and licensing category**	If SafeChain is to supply the ecosystem, we need to know which category applies and what it requires

What we are not asking for. A contract, a purchase commitment, preferential treatment, or acceptance into the programme. Each of those follows an assessment rather than preceding it.

15. Conclusion and next steps

SafeChain is a working Malaysian digital safety platform at the point where it needs real operational use to become anything more. We have set out what it does, what it does not do, what we have verified and what we have not, because an assessment made on accurate information is worth more to us than a favourable impression that does not survive the first technical question.

We are not asking PETRONAS to adopt a product. We are asking for an assessment, a conversation, and if the assessment supports it a small, measured pilot that would tell both parties whether this is worth anything.

Proposed next steps

1. PETRONAS advises whether VDP InnoTech is the appropriate pathway for a software vendor, and whether an enterprise registration is eligible

2. A thirty-minute demonstration and technical discussion, at PETRONAS's convenience, in online
3. If there is interest, identification of a candidate use case and the conditions a pilot would have to meet
4. We complete the pre-pilot security requirements in Section 9 before any pilot involving real data
5. A thirty-day pilot, evaluated against criteria agreed in advance, with the results reported whatever they show

We would welcome a reply on step 1 alone, even if the answer is that this is the wrong programme.

16. Appendices and supporting evidence checklist

The following accompany this proposal. Where an item does not exist it is recorded as such rather than filled with something thin.

	Document	Status
A	SSM enterprise registration certificate	Attached
B	Founder profile and CV, including current OSH studies	Attached
C	SafeChain screenshots — incident, permit, dashboard, monthly report	Attached — six screens
D	Product architecture overview, one page	Attached — one page
E	Feature implementation status — Section 5's table, as a standalone sheet	Attached — also at §5
F	Security and privacy summary — Section 9's table	Attached — also at §9
G	Demonstration access — URL and a guest account	safechain.schain.workers.dev — sign in with any demonstration role
H	Pilot plan — Section 8 as a standalone document	Attached — also at §8
I	Sample monthly safety report, generated from demonstration data	Attached — August 2026, marked as sample data on every page

	Document	Status
J	Written expressions of interest from any company	None to date
K	Financial information	Available on request