

[Home](#) > [Products](#) >

[Warmbier 7100.PGT120 Combination Tester for Personal Grounding Equipment](#)

Warmbier 7100.PGT120 Combination Tester for Personal Grounding Equipment



- **TESTING:** Independently test the functioning of ESD footwear & wrist strap grounding products and signals if there is a problem
- **HANDS-FREE:** Automatically test footwear in hands-free mode
- **SIGNALS:** Audibly and visually signal a "Pass", "High-Fail" or "Low-Fail"
- **TIME SAVE:** Tests both feet simultaneously and independently to save time
- **ACCURATE:** Uses a 100volt test circuit (by default) which is the same voltage used for qualification tests. Adjustable to 30 or 50volts as well.
- **BARRIERS:** The PGT120 can integrate with a door/barrier system and trigger the barrier to open with a PASS test. Interested in a Turnstile? Learn more about our [AccessPRO turnstile system](#).


SKU: 7100.PGT120.US

Price: \$2,137.37

5 in stock (can be backordered)

1

Add to quote



Description

Documents

Additional Information

Ask A Question

The Warmbier 7100.PGT120 Combination Tester for Personal Grounding Equipment is an easy to use and complete test station for ESD shoes and wrist straps.

The personnel grounding tester is able to perform a quick and accurate control measurement of the ESD protection. The test results are indicated both with audible and visual signals. The PGT120 measures the left and right shoe separately.



PGT120 english HD Nov2016

WolfgangWarmbierGmbH



0:22 / 0:22



More videos



The shoes can even be measured in a hands-free mode which means that the staff members are tested automatically when standing on the foot plate. PGT 120 can be connected to an automatic door opening system.

Hands-Free Testing Video



Watch on

100volt Test Circuit

The PGT120 uses a 100volt test circuit (by default) which is the same voltage used for qualification tests. Using 100 volts allows the PGT120 to test all materials consistently. DIP switches on the PGT120 can adjust the voltage to either 30V or 50V.

The PGT 120 is supplied complete with footwear electrode, flexible cord, transformer with power cord.

PGT120 Features:

Dry Contact Relay

Passed Test can Trigger a Door/Turnstile/Barrier

Adjustable

Enable or Disable Test Modes, Adjust High and Low Limits.

3 Independant Tests

Test ESD Wrist Straps, Footwear And Jackets Simultaneously



Visual & Audible Signals

LED Lights and Buzzer Signal Pass, Hi-Fail, and Lo-Fail

100v Test Signal

For The Highest Test Accuracy. 30v and 50v is also Selectable



Hands Free Testing

Footwear Can Be Tested Hands Free! Just by Stepping on Footplate

PGT120 ESD Tester Installation Options

The PGT120 ESD Tester can be installed in your facility in several ways:

PGT120: Wall Mounted



Wall Mounted

To save valuable space, the PGT120 can be mounted to the wall. The wall mounting plates is **model number: 7100.PGT120.WK.**



Turnstile Integration

The PGT120 can be integrated into barrier systems such as a door, gate or turnstile. The PGT120 includes a NO/NC switch. If using the PGT120.COM with a data terminal, the system requires a relay module cable: **part number**

PGT120: Pedestal Mounted



7100.PGT120.TEST.12. Transforming Technologies offers a turnstile system. called the AccessPRO.



Turnstile Integration

The PGT120 can be integrated into barrier systems such as a door, gate or turnstile. The PGT120 includes a NO/NC switch. If using the PGT120.COM with a data terminal, the system requires a relay module cable: **part number**

7100.PGT120.TEST.12. Transforming Technologies offers a turnstile system. called the AccessPRO.



Accessories

The PGT 120 is supplied complete with footwear electrode, flexible cord, transformer with power cord.

Periodic Verification Unit

The PGT120 is factory calibrated and comes complete with a NIST traceable certificate. Calibration can be verified with the PGT120.CU. Recommended calibration verification interval is 24-months.(sold separately).

Foot Plate Mat

The footwear testing plate can fit inside an anti-fatigue mat with high visibility yellow borders. Part Number: 7100.PGT120.SM.(sold separately).

Walk Mounting Plate

The wall mounting plate: Part Number 7100.PGT120.WK (sold separately).

Part Number	Description: PGT120K100 SERIES - PGT120.US - NO DATA LOGGING	Unit of Measure
PGT120K110	PGT120.US, footplate, cables, wall mount	Each

Part Number	Description: PGT120K100 SERIES - PGT120.US - NO DATA LOGGING	Unit of Measure
PGT120K120	PGT120.US, footplate, cables, test stand	Each
PGT120K130	PGT120.US, footplate, cables, Standard turnstile	Each
PGT120K140	PGT120.US, footplate, cables, Fast Pass turnstile	Each

PGT120 ESD Tester Questionnaire.



The PGT120 is an easy to use and complete test station for ESD shoes and wrist straps. The PGT120 is a fully customizable system that we can build to suit your needs. Please fill out our questionnaire below to begin the process. We will review your answers, design a custom solution for your needs and send you a quote. If you would prefer to speak by phone, please call 419-841-9552.

Email*

Company Name*

First name*

Last name*

State/Region*

Phone number

How Many Test Stations Are Required?

How Many People Will Test Daily?

What ESD Devices Do You Test?

- ☐ Wrist Straps
- ☐ Smocks
- ☐ Footwear
- ☐ Gloves

Would You Like Your Test Data Logged Into A Database?*

- ☐ I Am Not Interested in Data Logging
- ☐ I Am Interested, But It Is A Low Priority
- ☐ I Want To Data Log In The Future, But Not Now
- ☐ I Definitely Want To Data Log

Would You Like Employee To Input IDs with a HID (Human Input Device)?*

Employees names can be logged with the test data. We can use a variety of HID's to input this information. What HID would you like to use?

- ☐ RFID
- ☐ Barcode Scanner
- ☐ Card Swipe
- ☐ Keypad
- ☐ Not Interested

Many USB connected card readers may be compatible with the system so you may be able use your existing system with our tester

Existing system with our tester.

☐ I Would Like To Use My Own HID

Make and Model of Your HID

We can check if your HID can work with your system. ***If you do not have this information now, that is OK. Leave Blank if you would like to our HIDs or do not require one.***

What Data Terminal Would You Like To Use?

A data terminal is required to collect test data. We offer three data terminals, each with their own unique features. Note: Data Terminal 2 is the standard system.

- ☐ Data Terminal 2 - Standard System
- ☐ Data Terminal 3 - Builtin RFID System
- ☐ Data Terminal TC18 - Touch Screen Computer
- ☐ If More Than One Tester - Use a Combination of Data Terminals
- ☐ Not Sure
- ☐ PGT130.DT Data Terminal

Optional Accessories?

Are you interested in any of the optional accessories that can be used with the ESD tester?

- ☐ Label Printer - Prints Test Results
- ☐ Light Tower - Signals Test Results
- ☐ Temperature & Humidity Sensor
- ☐ Anti-Fatigue Floor Mat for Footplate
- ☐ Calibration Verification Unit
- ☐ None

How Would You Like To Install the Tester?

The tester can be installed in facility in several ways:

- ☐ Wall Mounted
- ☐ Free Standing on a Pedestal
- ☐ Integrated with a Transforming Technologies Turnstile
- ☐ Integrated with a Your Current Turnstile
- ☐ Integrated with another type of Barrier, Door or Gate

Installation Date

Date you would like the tester to be installed, tested and running by:

☐ Would You Be Interested In Viewing A Demo Via Webinar?

Submit

