

Board of Examiners (BOE) Result Sheet - 2

Year & Semester: Year 4 Semester 1
Examination Type: End of Semester
Period: April/May 2022

Confidential

Sri Lanka Institute of Information Technology

BSc Engineering (Hons) in Electrical & Electronic Engineering - All Specialization

Malabe

Subject Legend

EC4012 - Power Electronics & Drives 1-Optional - GPA- (3)- CA - 40% - Final - 60%

EC4202 - Electrical Utility Engineering-Optional - GPA- (3)- CA - 60% - Final - 40%

EC4252 - Renewable Energy Systems-Optional - GPA- (3)- CA - 40% - Final - 60%

EC4260 - High Voltage Engineering-Optional - GPA- (3)- CA - 40% - Final - 60%

EC4421 - Network Design and Performance Evaluation-Optional - GPA- (3)- CA - 40% - Final - 60%

EC4632 - Communication Signal Processing-Optional - GPA- (3)- CA - 40% - Final - 60%

EC4702 - Models of Computations-Optional - GPA- (3)- CA - 40% - Final - 60%

EC4901 - Legal Framework and Sustainability in Electrical Engineering-Compulsory - GPA- (2)- CA - 40% - Final - 60%

EC4930 - Entrepreneurship Skills Development-Compulsory - GPA- (1)- CA - 0% - Final - 100%

ME4111 - Industrial Management and Marketing-Compulsory - GPA- (3)- CA - 50% - Final - 50%

| # | Regi.No | Name | Cont.Assessment | | | | | | | | | Final Marks | | | | | | | | | | | Overall Marks | | | | | | | | | | | Grade | | | | | | | | | |
|----|------------|----------------------------|-----------------|--------|--------|--------|--------|--------|--------|--------|--------|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----|
| | | | EC4012 | EC4202 | EC4252 | EC4260 | EC4421 | EC4632 | EC4702 | EC4901 | EC4930 | ME4111 | EC4012 | EC4202 | EC4252 | EC4260 | EC4421 | EC4632 | EC4702 | EC4901 | EC4930 | ME4111 | EC4012 | EC4202 | EC4252 | EC4260 | EC4421 | EC4632 | EC4702 | EC4901 | EC4930 | ME4111 | EC4012 | EC4202 | EC4252 | EC4260 | EC4421 | EC4632 | EC4702 | EC4901 | EC4930 | ME4111 | |
| 1 | EN16507234 | Majeed M.T.S. | | | 69.5 | | 69.0 | | 73.8 | | 68.6 | | | 32.0 | | 58.0 | | | 81.7 | 48.8 | 54.0 | | | 47.0 | | 62.4 | | | 78.5 | 48.8 | 61.3 | | | R | | B- | | | A- | C | B | | |
| 2 | EN17363594 | Vithanage M.V.D.T | | | | | 69.3 | 55.7 | | 80.0 | | 69.8 | | | | 54.0 | 50.0 | | 84.2 | 83.8 | 65.0 | | | | | 60.1 | 52.3 | | 82.5 | 83.8 | 67.4 | | | | | B- | C | | A | A | B | | |
| 3 | EN17406154 | Malshan M.B.G.P. | | 66.0 | | | 52.3 | | | 70.0 | | 62.6 | | 45.0 | | 56.0 | | | 58.3 | 70.3 | 45.0 | | 57.6 | | | 54.5 | | | 63.0 | 70.3 | 53.8 | | C+ | | | C+ | | | B- | B+ | C | | |
| 4 | EN18364552 | Dassanayake D.A.A.D.S.T. | | 82.0 | | | 75.3 | | | 77.5 | | 75.2 | | 54.0 | | 28.0 | | | 70.0 | 83.8 | 55.0 | | 70.8 | | | 46.9 | | | 73.0 | 83.8 | 65.1 | | B+ | | | R | | | B+ | A | B | | |
| 5 | EN18400014 | Tharshan M | | | | | 67.3 | 13.9 | | 80.0 | | 45.8 | | | | 6.00 | AB | | 62.5 | 17.5 | 42.0 | | | | | 30.5 | 5.50 | | 69.5 | 17.5 | 43.9 | | | | | D | F | | B+ | F | C- | | |
| 6 | EN19078892 | P.R.Kankanamge | | | | | 79.0 | 59.2 | | 78.8 | | 71.8 | | | | 53.0 | 61.0 | | 85.8 | 80.0 | 45.0 | | | | | 63.4 | 60.3 | | 83.0 | 80.0 | 58.4 | | | | | B- | B- | | A | A | C+ | | |
| 7 | EN19116020 | W W P W M R D B Gopallawa | | 57.7 | | 50.3 | | | | 75.0 | | 77.2 | | 61.0 | | 53.0 | | | 73.3 | 61.3 | 40.0 | | 59.0 | | 51.9 | | | | 74.0 | 61.3 | 58.6 | | C+ | | C | | | | B+ | B- | R | | |
| 8 | EN19145976 | Bodaragama G. R. | | | | | 87.8 | 66.6 | | 86.3 | | 75.0 | | | | 55.0 | 67.5 | | 90.0 | 77.5 | 70.0 | | | | | 68.1 | 67.2 | | 88.5 | 77.5 | 72.5 | | | | | B | B | | A | A- | B+ | | |
| 9 | EN19146034 | Wijesuriya G.S.A. | 59.0 | | | | | | 86.3 | 81.3 | | 65.0 | 67.0 | | | | | 96.0 | 78.3 | 84.0 | 50.0 | 63.8 | | | | | | 92.1 | 79.5 | 84.0 | 57.5 | B- | | | | | A+ | A | A | C+ | | | |
| 10 | EN19161020 | Perera W.L.U. | | | | | 85.5 | 57.5 | | 73.8 | | 70.6 | | | | 85.0 | IC | | 86.7 | 71.3 | 65.0 | | | | | 85.2 | 23.0 | | 81.5 | 71.3 | 67.8 | | | | | A | IC | | A | B+ | B | | |
| 11 | EN19350110 | Chandrasekara C.M.S.M. | 58.6 | | | | | | 82.5 | 77.5 | | 68.4 | 60.0 | | | | | 57.0 | 71.7 | 76.3 | 61.0 | 59.5 | | | | | 67.2 | 74.0 | 76.3 | 64.7 | | C+ | | | | | B | B+ | A- | B | | | |
| 12 | EN19350738 | Perera .H.R.T. | | | | | 68.5 | 56.3 | | 68.8 | | 66.2 | | | | 56.0 | 69.5 | | 67.5 | 80.0 | 52.0 | | | | | 61.0 | 64.2 | | 68.0 | 80.0 | 59.1 | | | | | B- | B- | | B | A | C+ | | |
| 13 | EN19353258 | Lakna A.A D | 68.3 | | | | | | 71.3 | 82.5 | | 72.2 | 65.0 | | | | | 51.0 | 83.3 | 83.8 | 71.0 | 66.3 | | | | | | 59.1 | 83.0 | 83.8 | 71.6 | B | | | | | | C+ | A | A | B+ | | |
| 14 | EN19353494 | Anistus G.H | | | | | 88.0 | | 90.0 | 83.8 | | 78.0 | | | | 69.0 | | 99.0 | 80.0 | 69.0 | 63.0 | | | | | 76.6 | | 95.4 | 81.5 | 69.0 | 70.5 | | | | | A- | | A+ | A | B | B+ | | |
| 15 | EN19357072 | Dinulak H.P.K. | | 79.7 | | 58.6 | | | | 70.0 | | 71.4 | | 73.0 | | 38.0 | | | AB | 74.3 | 19.0 | | | 77.0 | | 46.2 | | | | 28.0 | 74.3 | 45.2 | | A- | | R | | | | E | B+ | R | |
| 16 | EN19357140 | Jayasuriya A.D. | 72.8 | | | | 88.8 | | | 85.0 | | 77.8 | 76.5 | | | 76.0 | | | 86.7 | 75.0 | 60.0 | 75.0 | | | | 81.1 | | | 86.0 | 75.0 | 68.9 | A- | | | | | A | | | A | A- | B | |
| 17 | EN19357386 | Abeywardhana K.A.A.S | | 74.0 | | 55.5 | | | | 76.3 | | 67.8 | | 56.0 | | 50.0 | | | 68.3 | 73.8 | 42.0 | | 66.8 | | 52.2 | | | | 71.5 | 73.8 | 54.9 | | B | | C | | | | B+ | B+ | R | | |
| 18 | EN19358208 | Clarence A.J | | | | | 82.8 | 65.6 | | 86.3 | | 75.2 | | | | 53.0 | 80.5 | | 76.7 | 61.3 | 56.0 | | | | | 64.9 | 74.5 | | 80.5 | 61.3 | 65.6 | | | | | B | A- | | A | B- | B | | |
| 19 | EN19358758 | Salih A.F.S. | | | 67.0 | | 81.0 | | | 82.5 | | 71.2 | | | 55.0 | 58.0 | | | 88.3 | 75.0 | 71.0 | | | 59.8 | | 67.2 | | | 86.0 | 75.0 | 71.1 | | | B- | | B | | | | A | A- | B+ | |
| 20 | EN19359816 | Gunasekara.O.W.R.L. | | 77.7 | | | | | 65.0 | 78.8 | | 63.4 | | 77.0 | | | | 68.0 | 81.7 | 81.5 | 47.0 | | 77.4 | | | | | 66.8 | 80.5 | 81.5 | 55.2 | | A- | | | | | B | A | A | C+ | | |
| 21 | EN19361932 | Niroshan.S | | | | | | 66.4 | 76.3 | 83.8 | | 70.2 | | | | | 80.0 | 90.0 | 73.3 | 74.5 | 45.0 | | | | | | 74.5 | 84.5 | 77.5 | 74.5 | 57.6 | | | | | A- | A | A- | A- | C+ | | | |
| 22 | EN19362236 | Gammune T.C.D | 53.3 | 74.7 | | | | | | 75.0 | | 65.0 | 63.0 | 60.0 | | | | | 63.3 | 66.0 | 54.0 | 59.1 | 68.8 | | | | | | 68.0 | 66.0 | 59.5 | C+ | B | | | | | | B | B | B- | | |
| 23 | EN19365688 | Ekanayake W.E.M.K.D.D | | 72.3 | | | | 89.3 | | 82.5 | | 72.4 | | | | 56.0 | | | 75.8 | 79.3 | 46.0 | | 77.0 | | | 69.3 | | | 78.5 | 79.3 | 59.2 | | A- | | | B | | | A- | A- | C+ | | |
| 24 | EN19365824 | Banula Pawan Nandasena H.D | | 87.3 | | 62.0 | | | | 77.5 | | 68.0 | | 66.0 | | 46.0 | | | 81.7 | 74.3 | 36.0 | | 78.8 | | 52.4 | | | | 80.0 | 74.3 | 52.0 | | A- | | C | | | | A | B+ | R | | |
| 25 | EN19367286 | Fernando W.N.S | | 90.3 | | 69.5 | | | | 86.3 | | 68.4 | | 88.0 | | 66.0 | | | 82.5 | 88.0 | 66.0 | | 89.4 | | 67.4 | | | | 84.0 | 88.0 | 67.2 | | A | | B | | | | A | A | B | | |
| 26 | EN19368580 | Malinda G. D. C. | | 83.0 | | | | 88.3 | | 82.5 | | 72.0 | | 59.0 | | 71.0 | | | 84.2 | 66.8 | 70.0 | | 73.4 | | | 77.9 | | | 83.5 | 66.8 | 71.0 | | B+ | | | A- | | | A | B | B+ | | |
| 27 | EN19368894 | Nisansala J.V.P.D | | 80.7 | | 71.7 | | | | 87.5 | | 74.4 | | 70.0 | | 59.0 | | | 84.2 | 78.0 | 73.0 | | 76.4 | | 64.1 | | | | 85.5 | 78.0 | 73.7 | | A- | | B- | | | | A | A- | B+ | | |
| 28 | EN19373126 | Silva N.C.S. | 56.1 | | | | | | 50.0 | 80.0 | | 67.8 | 61.5 | | | | | 90.0 | 76.7 | 71.0 | 54.0 | 59.4 | | | | | | 74.0 | 78.0 | 71.0 | 60.9 | C+ | | | | | | B+ | A- | B+ | B- | | |
| 29 | EN19374048 | Perera H. L. C. B. | | 83.3 | | | | 81.3 | | 85.0 | | 65.6 | | 62.0 | | 59.0 | | | 78.3 | 69.5 | 52.0 | | 74.8 | | | 67.9 | | | 81.0 | 69.5 | 58.8 | | A- | | | B | | | A | B+ | C+ | | |
| 30 | EN19374352 | Gunawardana M.P.N.Y | | 78.0 | | 70.6 | | | | 78.8 | | 63.8 | | 56.0 | | 33.0 | | | 70.0 | 66.0 | 39.0 | | 69.2 | | 48.0 | | | | 73.5 | 66.0 | 51.4 | | B | | R | | | | B+ | B | R | | |
| 31 | EN19374802 | Ashfa A. N. F. | | | 78.0 | | 82.3 | | | 83.8 | | 70.4 | | | 72.0 | | 62.0 | | | 85.0 | 76.3 | 70.0 | | | 74.4 | | 70.1 | | | 84.5 | 76.3 | 70.2 | | | | B+ | | B+ | | | A | A- | B+ |
| 32 | EN19375038 | Kumarsinghe R. A. | 75.8 | | | | | | 85.0 | 83.8 | | 78.0 | 92.0 | | | | | 68.0 | 85.8 | 71.5 | 70.0 | 85.5 | | | | | | 74.8 | 85.0 | 71.5 | 74.0 | A | | | | | | A- | A | B+ | B+ | | |
| 33 | EN19375106 | Wattage W.E.A.R. | 54.9 | | | | | | 90.0 | 81.3 | | 72.0 | 85.5 | | | | | 70.0 | 62.5 | 80.3 | 64.0 | 73.2 | | | | | | 78.0 | 70.0 | 80.3 | 68.0 | B+ | | | | | | A- | B+ | A | B | | |
| 34 | EN19375274 | Yapa Y.A.D.R. | | 15.0 | | 25.0 | | | | 80.0 | | 62.8 | | 31.0 | | AB | | | | 79.2 | 80.3 | 70.0 | | 21.4 | | 10.0 | | | | 79.5 | 80.3 | 66.4 | | F | | F | | | | A | A | B | |

| CPA | Status | Remark |
|------|--------|---|
| 2.84 | Pass | - |
| 3.23 | Pass | - |
| 2.40 | Pass | - |
| 3.28 | Pass | - |
| 1.63 | Fail | R-ME4111(FF) R-EC4930 R-EC4421 R-EC4632(CFFF) |
| 3.00 | Pass | - |
| 2.37 | Fail | R-ME4111(FF) - |
| 3.40 | Pass | - |
| 3.43 | Pass | - |
| 3.59 | Pass | - |
| 3.14 | Pass | - |
| 2.78 | Pass | - |
| 3.43 | Pass | - |
| 3.66 | Pass | - |
| 2.17 | Fail | R-ME4111(FF) R-EC4901 R-EC4260(FF) |
| 3.63 | Pass | - |
| 2.67 | Fail | R-ME4111(FF) - |
| 3.42 | Pass | - |
| 3.40 | Pass | - |
| 3.33 | Pass | - |
| 3.33 | Pass | - |
| 2.90 | Pass | - |
| 3.23 | Pass | - |
| 3.06 | Fail | R-ME4111(FF) - |
| 3.67 | Pass | - |
| 3.56 | Pass | - |
| 3.63 | Pass | - |
| 3.19 | Pass | - |
| 3.26 | Pass | - |
| 2.63 | Fail | R-ME4111(FF) R-ME4260(FF) |
| 3.50 | Pass | - |
| 3.69 | Pass | - |
| 3.41 | Pass | - |
| 2.33 | Fail | R-EC4202(CFFF) R-EC4260(CFFF) |

Board of Examiners (BOE) Result Sheet - 2

Year & Semester: Year 4 Semester 1
Examination Type: End of Semester
Period: April/May 2022

Confidential

Sri Lanka Institute of Information Technology

BSc Engineering (Hons) in Electrical & Electronic Engineering - All Specialization

Malabe

Subject Legend

EC4012 - Power Electronics & Drives 1-Optional - GPA- (3)- CA - 40% - Final - 60%

EC4202 - Electrical Utility Engineering-Optional - GPA- (3)- CA - 60% - Final - 40%

EC4252 - Renewable Energy Systems-Optional - GPA- (3)- CA - 40% - Final - 60%

EC4260 - High Voltage Engineering-Optional - GPA- (3)- CA - 40% - Final - 60%

EC4421 - Network Design and Performance Evaluation-Optional - GPA- (3)- CA - 40% - Final - 60%

EC4632 - Communication Signal Processing-Optional - GPA- (3)- CA - 40% - Final - 60%

EC4702 - Models of Computations-Optional - GPA- (3)- CA - 40% - Final - 60%

EC4901 - Legal Framework and Sustainability in Electrical Engineering-Compulsory - GPA- (2)- CA - 40% - Final - 60%

EC4930 - Entrepreneurship Skills Development-Compulsory - GPA- (1)- CA - 0% - Final - 100%

ME4111 - Industrial Management and Marketing-Compulsory - GPA- (3)- CA - 50% - Final - 50%

| | | | Cont.Assessment | | | | | | | | | Final Marks | | | | | | | | | Overall Marks | | | | | | | | | | | | Grade | | | | | | | | | | | | |
|----|------------|---------------------------------|-----------------|--------|--------|--------|--------|--------|--------|--------|--------|-------------|--------|--------|--------|--------|--------|--------|--------|--------|---------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----|----|--|
| | | | EC4012 | EC4202 | EC4252 | EC4260 | EC4421 | EC4632 | EC4702 | EC4901 | EC4930 | ME4111 | EC4012 | EC4202 | EC4252 | EC4260 | EC4421 | EC4632 | EC4702 | EC4901 | EC4930 | ME4111 | EC4012 | EC4202 | EC4252 | EC4260 | EC4421 | EC4632 | EC4702 | EC4901 | EC4930 | ME4111 | EC4012 | EC4202 | EC4252 | EC4260 | EC4421 | EC4632 | EC4702 | EC4901 | EC4930 | ME4111 | | | |
| 35 | EN19375724 | Thihara R.G.I | 70.3 | 74.0 | | | | | | 68.8 | | 80.8 | 61.0 | 43.0 | | | | | | 74.2 | 71.8 | 57.0 | 64.7 | 61.6 | | | | | | 72.0 | 71.8 | 68.9 | B | R | | | | | | | B+ | B+ | B | | |
| 36 | EN19376332 | Karunadeera A.N.L.D | 63.0 | 72.0 | | | | | | 71.3 | | 60.2 | 61.0 | 65.0 | | | | | | 70.0 | 67.8 | 47.0 | 61.8 | 69.2 | | | | | | 70.5 | 67.8 | 53.6 | B- | B | | | | | | | B+ | B | C | | |
| 37 | EN19376578 | Abhayawardhana A.A.T.D | | 47.0 | | 56.0 | | | | 83.8 | | 67.4 | | 76.0 | | 54.0 | | | | 82.5 | 65.5 | 60.0 | | 58.6 | | | 54.8 | | | 83.0 | 65.5 | 63.7 | | C+ | | C+ | | | | | A | B | B- | | |
| 38 | EN19376882 | P.K. Bandara | 71.7 | | | | | | 100. | 83.8 | | 70.2 | 75.0 | | | | | | 91.0 | 79.2 | 78.5 | 63.0 | 73.7 | | | | | | 94.6 | 81.0 | 78.5 | 66.6 | B+ | | | | | | | A+ | A | A- | B | | |
| 39 | EN19376950 | M.A.L.I. Mampitiya | | 78.7 | | 58.5 | | | | 91.3 | | 74.4 | | 78.0 | | 62.0 | | | | 85.8 | 64.3 | 66.0 | | 78.4 | | | 60.6 | | | 88.0 | 64.3 | 70.2 | | A- | | B- | | | | | A | B- | B+ | | |
| 40 | EN19378008 | Samarawickrama Y Y | | 85.7 | | | 77.8 | | | 71.3 | | 74.0 | | 74.0 | | | 55.0 | | | 59.1 | 69.0 | 60.0 | | 81.0 | | | | 64.1 | | 64.0 | 69.0 | 67.0 | | A | | | B- | | | | B- | B | B | | |
| 41 | EN19378312 | Chandrasekara C.M.T.B. | 85.3 | | | | | | 92.5 | 86.3 | | 73.2 | 67.5 | | | | | | 90.0 | 64.2 | 72.5 | 70.0 | 74.6 | | | | | | 91.0 | 73.0 | 72.5 | 71.6 | A- | | | | | | | A+ | B+ | B+ | B+ | | |
| 42 | EN19378558 | Bopitiya B.D.P.S. | | 81.7 | | | 67.3 | | | 78.8 | | 75.6 | | 52.0 | | | 45.0 | | | 85.0 | 66.0 | 74.0 | | 69.8 | | | | 53.9 | | 82.5 | 66.0 | 74.8 | | B+ | | | C | | | | A | B | A- | | |
| 43 | EN19378626 | Tennekoon H.S. | | | | | 87.8 | 75.8 | | 92.5 | | 79.6 | | | | | 71.0 | 82.0 | | 85.8 | 72.8 | 81.0 | | | | | | 77.7 | 79.5 | | 88.5 | 72.8 | 80.3 | | | | | A- | A | | | A | B+ | A | |
| 44 | EN19378794 | Amarasinghe N.P.N.P. | | 57.3 | | 45.4 | | | | 0.00 | | 29.6 | | 13.0 | | 9.00 | | | | 33.3 | 15.0 | 18.0 | | 39.6 | | | 23.6 | | | 20.0 | 15.0 | 23.8 | | C- | | E | | | | | F | F | F | | |
| 45 | EN19379098 | T.M.Navodya Sandamini | | 81.7 | | | 80.0 | | | 73.8 | | 65.8 | | 58.0 | | | 53.0 | | | 71.7 | 86.0 | 54.0 | | 72.2 | | | | 63.8 | | 72.5 | 86.0 | 59.9 | | B+ | | | B- | | | | B+ | A | B- | | |
| 46 | EN19379616 | Jayatissa K.T.D. | | | | | 82.8 | 52.0 | | 80.0 | | 78.2 | | | | | 67.0 | 76.0 | | 75.8 | 74.8 | 60.0 | | | | | 73.3 | 66.4 | | 77.5 | 74.8 | 69.1 | | | | | B+ | B | | | A- | A- | B | | |
| 47 | EN19379784 | Panduka G.R.G. | | 79.0 | | 50.6 | | | | 85.0 | | 76.0 | | 64.0 | | 39.0 | | | | 76.7 | 72.0 | 50.0 | | 73.0 | | | 43.6 | | | 80.0 | 72.0 | 63.0 | | B+ | | C- | | | | | A | B+ | B- | | |
| 48 | EN19379920 | Indrakumara M. P. N. | 65.3 | | | | 82.0 | | | 80.0 | | 76.8 | 46.5 | | | | 45.0 | | | 82.5 | 62.0 | 61.0 | 54.0 | | | | | 59.8 | | 81.5 | 62.0 | 68.9 | C | | | | B- | | | | A | B- | B | | |
| 49 | EN19380124 | Ravindra P. D. | | 87.3 | | 59.3 | | | | 77.5 | | 64.6 | | 59.0 | | 39.0 | | | | 51.6 | 65.3 | 32.0 | | 76.0 | | | 47.1 | | | 62.0 | 65.3 | 48.3 | | A- | | R | | | | | B- | B | R | | |
| 50 | EN19381046 | Janidu S. A. S. | 48.1 | | | | | | 47.5 | 73.8 | | 72.4 | 51.0 | | | | | 49.0 | 88.3 | 71.0 | 51.0 | 49.8 | | | | | | | 48.4 | 82.5 | 71.0 | 61.7 | C | | | | | | | C | | A | B+ | B- | |
| 51 | EN19381664 | Wijerathna W.M.D.U. | | 80.7 | | 61.5 | | | | 80.0 | | 68.4 | | 65.0 | | 47.0 | | | | 68.3 | 77.0 | 50.0 | | 74.4 | | | 52.8 | | | 73.0 | 77.0 | 59.2 | | B+ | | C | | | | | B+ | A- | C+ | | |
| 52 | EN19381732 | K. P. T. Dasun | | 79.3 | | 79.3 | | | | 67.5 | | 57.4 | | 58.0 | | 45.0 | | | | 72.5 | 69.0 | 48.0 | | 70.8 | | | 58.7 | | | 70.5 | 69.0 | 52.7 | | B+ | | C+ | | | | | B+ | B | C | | |
| 53 | EN19381800 | Gajanayake G. M. T. S | | | | | 86.0 | 70.8 | | 83.8 | | 73.6 | | | | | 79.0 | 86.5 | | 85.8 | 72.5 | 64.0 | | | | | 81.8 | 80.2 | | 85.0 | 72.5 | 68.8 | | | | | | A | A | | | A | B+ | B | |
| 54 | EN19381978 | Wijerathne H.M.P.L.B | | | | | 83.3 | | 62.5 | 78.8 | | 65.4 | | | | | 66.0 | | 91.0 | 87.5 | 75.3 | 70.0 | | | | | 72.9 | | 79.6 | 84.0 | 75.3 | 67.7 | | | | | B+ | | A | | A | A- | B | | |
| 55 | EN19382272 | Perera V.P.A.S. | | 79.0 | | 52.0 | | | | 66.3 | | 57.8 | | 58.0 | | 53.0 | | | | 73.3 | 55.0 | 45.0 | | 70.6 | | | 52.6 | | | 70.5 | 55.0 | 51.4 | | B+ | | C | | | | | B+ | C+ | C | | |
| 56 | EN19382722 | Saranyan M. | | | | | 82.0 | 77.8 | | 77.5 | | 76.4 | | | | | 71.0 | 92.5 | | 85.0 | 56.3 | 75.0 | | | | | 75.4 | 86.6 | | 82.0 | 56.3 | 75.7 | | | | | A- | A | | | A | C+ | A- | | |
| 57 | EN19382968 | Gunaratne K. M. S. T. | | | | | 74.0 | 55.6 | | 78.8 | | 74.2 | | | | | 65.0 | 74.0 | | 83.3 | 73.3 | 58.0 | | | | | 68.6 | 66.7 | | 81.5 | 73.3 | 66.1 | | | | | B | B | | | A | B+ | B | | |
| 58 | EN19383408 | Wickrama W T D N | | 88.0 | | 55.0 | | | | 83.8 | | 64.0 | | 78.0 | | 45.0 | | | | 65.0 | 66.3 | 38.0 | | 84.0 | | | 49.0 | | | 72.5 | 66.3 | 51.0 | | A | | C | | | | | B+ | B | R | | |
| 59 | EN19384634 | Alwis P.L.L.R.I. | | | | | 80.8 | 49.3 | | 85.0 | | 76.0 | | | | | 48.0 | 58.5 | | 77.5 | 71.5 | 39.0 | | | | | 61.1 | 54.8 | | 80.5 | 71.5 | 57.5 | | | | | B- | C+ | | | A | B+ | R | | |
| 60 | EN19384702 | Kalugamage.D.K.P. | | 87.3 | | 67.6 | | | | 82.5 | | 68.4 | | 80.0 | | 65.0 | | | | 85.8 | 69.0 | 57.0 | | 84.4 | | | 66.0 | | | 84.5 | 69.0 | 62.7 | | A | | B | | | | | A | B | B- | | |
| 61 | EN19385006 | Gayasha K.K.P. | | | | | 76.0 | 62.3 | | 81.3 | | 70.2 | | | | | 48.0 | 70.0 | | 81.7 | 77.0 | 58.0 | | | | | 59.2 | 66.9 | | 81.5 | 77.0 | 64.1 | | | | | C+ | B | | | A | A- | B- | | |
| 62 | EN19385242 | Mendis N.D.A. | 59.5 | | | | 78.0 | | | 76.3 | | 57.0 | 64.5 | | | | 46.0 | | | 76.7 | 71.5 | 48.0 | 62.5 | | | | 58.8 | | | 76.5 | 71.5 | 52.5 | B- | | | | C+ | | | | A- | B+ | C | | |
| 63 | EN19385488 | Piyumal G. W. K. | | | | | | 61.0 | 82.5 | 81.3 | | 71.6 | | | | | | 80.5 | 81.0 | 84.2 | 69.0 | 80.0 | | | | | | 72.7 | 81.6 | 83.0 | 69.0 | 75.8 | | | | | | | | B+ | A | A | B | A- | |
| 64 | EN19385792 | M.G.G. Ravindu Vimukthi Malinda | | 74.7 | | 52.7 | | | | 73.8 | | 60.8 | | 27.0 | | 10.0 | | | | 76.7 | 66.8 | 40.0 | | 55.6 | | | 27.1 | | | 75.5 | 66.8 | 50.4 | | R | | E | | | | | A- | B | R | | |
| 65 | EN19385860 | J M L C B Jayathilaka | | | | | 74.3 | 53.9 | | 87.5 | | 66.0 | | | | | 75.0 | 69.0 | | 82.5 | 64.3 | 66.0 | | | | | | 74.7 | 63.0 | | 84.5 | 64.3 | 66.0 | | | | | A- | B- | | | A | B- | B | |
| 66 | EN19386096 | Jayakody J.A.J.C. | | | | | 81.8 | 70.3 | | 83.8 | | 75.0 | | | | | 71.0 | 61.5 | | 90.8 | 74.0 | 78.0 | | | | | 75.3 | 65.0 | | 88.0 | 74.0 | 76.5 | | | | | A- | B | | | A | B+ | A- | | |
| 67 | EN19386164 | Sellahewa S. M. | | | | | 77.8 | 60.4 | | 82.5 | | 72.4 | | | | | 60.0 | 66.0 | | 90.0 | 71.5 | 61.0 | | | | | 67.1 | 63.8 | | 87.0 | 71.5 | 66.7 | | | | | B | B- | | | A | B+ | B | | |
| 68 | EN19386300 | Ranasinghe M.C. | 74.0 | | | | | | 77.5 | 75.0 | | 77.6 | 80.5 | | | | | | 76.0 | 88.3 | 66.8 | 66.0 | 77.9 | | | | | | 76.6 | 83.0 | 66.8 | 71.8 | A- | | | | | | A- | A | B | B+ | B | | |

| GPA | Status | Remark |
|------|--------|--|
| 3.10 | Pass | - |
| 2.73 | Pass | - |
| 2.89 | Pass | - |
| 3.63 | Pass | - |
| 3.52 | Pass | - |
| 3.27 | Pass | - |
| 3.53 | Pass | - |
| 3.56 | Pass | - |
| 3.92 | Pass | Dean's list recognize |
| 0.57 | Fail | R-ME4111(CFFF) R-EC4901(CFFF) R-EC4930 R-EC4202(FF) R-EC4260(FF) |
| 3.18 | Pass | - |
| 3.33 | Pass | - |
| 3.26 | Pass | - |
| 3.09 | Pass | - |
| 2.73 | Fail | R-ME4111(FF) R-EC4260(FF) |
| 2.82 | Pass | - |
| 3.01 | Pass | - |
| 2.83 | Pass | - |
| 3.59 | Pass | - |
| 3.63 | Pass | - |
| 2.76 | Pass | - |
| 3.71 | Pass | Dean's list recognize |
| 3.26 | Pass | - |
| 2.97 | Fail | R-ME4111(FF) - |
| 2.72 | Fail | R-ME4111(FF) - |
| 3.46 | Pass | - |
| 3.20 | Pass | - |
| 2.76 | Pass | - |
| 3.79 | Pass | Dean's list recognize |
| 2.29 | Fail | R-ME4111(FF) R-EC4202(FF) - |
| 3.42 | Pass | - |
| 3.72 | Pass | Dean's list recognize |
| 3.26 | Pass | - |
| 3.56 | Pass | - |

Board of Examiners (BOE) Result Sheet - 2

Year & Semester: Year 4 Semester 1
Examination Type: End of Semester
Period: April/May 2022

Confidential

Sri Lanka Institute of Information Technology

BSc Engineering (Hons) in Electrical & Electronic Engineering - All Specialization

Malabe

Subject Legend

EC4012 - Power Electronics & Drives I-Optional - GPA- (3)- CA - 40% - Final - 60%

EC4202 - Electrical Utility Engineering-Optional - GPA- (3)- CA - 60% - Final - 40%

EC4252 - Renewable Energy Systems-Optional - GPA- (3)- CA - 40% - Final - 60%

EC4260 - High Voltage Engineering-Optional - GPA- (3)- CA - 40% - Final - 60%

EC4421 - Network Design and Performance Evaluation-Optional - GPA- (3)- CA - 40% - Final - 60%

EC4632 - Communication Signal Processing-Optional - GPA- (3)- CA - 40% - Final - 60%

EC4702 - Models of Computations-Optional - GPA- (3)- CA - 40% - Final - 60%

EC4901 - Legal Framework and Sustainability in Electrical Engineering-Compulsory - GPA- (2)- CA - 40% - Final - 60%

EC4930 - Entrepreneurship Skills Development-Compulsory - GPA- (1)- CA - 0% - Final - 100%

ME4111 - Industrial Management and Marketing-Compulsory - GPA- (3)- CA - 50% - Final - 50%

| | | | Cont.Assessment | | | | | | | | | Final Marks | | | | | | | | | Overall Marks | | | | | | | | | | | Grade | | | | | | | | | | | |
|-----|------------|---------------------------|-----------------|--------|--------|--------|--------|--------|--------|--------|--------|-------------|--------|--------|--------|--------|--------|--------|--------|--------|---------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----|
| | | | EC4012 | EC4202 | EC4252 | EC4260 | EC4421 | EC4632 | EC4702 | EC4901 | EC4930 | ME4111 | EC4012 | EC4202 | EC4252 | EC4260 | EC4421 | EC4632 | EC4702 | EC4901 | EC4930 | ME4111 | EC4012 | EC4202 | EC4252 | EC4260 | EC4421 | EC4632 | EC4702 | EC4901 | EC4930 | ME4111 | EC4012 | EC4202 | EC4252 | EC4260 | EC4421 | EC4632 | EC4702 | EC4901 | EC4930 | ME4111 | |
| 69 | EN19386546 | Sandaneth K. A. C. | | 84.0 | | 63.3 | | | | 85.0 | | 72.2 | | | 70.0 | | 63.0 | | | 90.8 | 73.3 | 77.0 | | 78.4 | | 63.1 | | | | 88.5 | 73.3 | 74.6 | | A- | | B- | | | | A | B+ | A- | |
| 70 | EN19386614 | Pathirana O.D.D. | | 87.3 | | 73.3 | | | | 88.8 | | 68.8 | | | 76.0 | | 60.0 | | | 88.3 | 67.3 | 62.0 | | 82.8 | | 65.3 | | | | 88.5 | 67.3 | 65.4 | | A | | B | | | | A | B | B | |
| 71 | EN19387086 | Jayawardena D.S | | | | | 56.6 | 45.2 | | 71.3 | | 66.0 | | | | | 26.0 | 51.0 | | 50.0 | 62.3 | 26.0 | | | | | 38.3 | 48.7 | | 58.5 | 62.3 | 46.0 | | | | | D+ | C | | C+ | B- | R | |
| 72 | EN19388212 | Senarathne G. D. L. H. | 58.4 | 79.0 | | | | | | 78.8 | | 69.0 | 45.0 | 62.0 | | | | | | 78.3 | 77.0 | 55.0 | 50.3 | 72.2 | | | | | | 78.5 | 77.0 | 62.0 | C | B+ | | | | | | A- | A- | B- | |
| 73 | EN19388458 | Rizma F.N.F. | | | | | 78.0 | 48.8 | | 78.8 | | 73.6 | | | | | 68.0 | 85.0 | | 85.0 | 72.8 | 75.0 | | | | | 72.0 | 70.5 | | 82.5 | 72.8 | 74.3 | | | | | B+ | B+ | | A | B+ | B+ | |
| 74 | EN19388526 | Bandarigoda R.H. | | 76.3 | | 76.5 | | | | 80.0 | | 71.4 | | 75.0 | | 33.0 | | | | 80.0 | 67.8 | 54.0 | | 75.8 | | 50.4 | | | | 80.0 | 67.8 | 62.7 | | A- | | R | | | | A | B | B- | |
| 75 | EN19388694 | . Jayawardene J.M.H.D | | 81.7 | | | 69.3 | | | 86.3 | | 70.2 | | 71.0 | | | 65.0 | | | 75.0 | 53.8 | 62.0 | | 77.4 | | | | 66.7 | | 79.5 | 53.8 | 66.1 | | A- | | | B | | | A | C | B | |
| 76 | EN19389066 | Kumarasinghe Y.B.S | | | | | 52.5 | 45.1 | | 81.3 | | 69.8 | | | | | 57.0 | 45.0 | | 84.2 | 69.0 | 60.0 | | | | | 55.2 | 45.0 | | 83.0 | 69.0 | 64.9 | | | | | C+ | C | | A | B | B | |
| 77 | EN19389134 | Weerasinghe N.R. | | | | | 81.3 | | 92.5 | 85.0 | | 74.0 | | | | | 86.0 | | 74.0 | 80.0 | 75.0 | 80.0 | | | | | 84.1 | | 81.4 | 82.0 | 75.0 | 77.0 | | | | | A | | A | A | A- | A- | |
| 78 | EN19389370 | Kavinda S.M.D.P.S | | | | 56.8 | 75.8 | | | 81.3 | | 67.4 | | | | 41.0 | 63.0 | | | 76.7 | 72.0 | 67.0 | | | | 47.3 | 68.1 | | | 78.5 | 72.0 | 67.2 | | | | | R | B | | A- | B+ | B | |
| 79 | EN19389684 | Nilendra W. A. R. | | 80.0 | | 51.6 | | | | 73.8 | | 64.0 | | 55.0 | | 29.0 | | | | 70.0 | 75.3 | 48.0 | | 70.0 | | 38.0 | | | | 71.5 | 75.3 | 56.0 | | B+ | | D+ | | | | B+ | A- | C+ | |
| 80 | EN19390338 | Sankajith T.A.D | | 79.0 | | 67.3 | | | | 80.0 | | 80.0 | | 66.0 | | 53.0 | | | | 90.0 | 77.3 | 60.0 | | 73.8 | | 58.7 | | | | 86.0 | 77.3 | 70.0 | | B+ | | C+ | | | | A | A- | B+ | |
| 81 | EN19390642 | Senanayaka V.P. | | | | | 74.0 | 46.6 | | 70.0 | | 76.8 | | | | | 31.0 | 61.5 | | 75.0 | 73.5 | 46.0 | | | | | 48.2 | 55.5 | | 73.0 | 73.5 | 61.4 | | | | | | R | C+ | | B+ | B+ | B- |
| 82 | EN19391182 | L.H.Kularathne | 56.5 | | | | 75.3 | | | 86.3 | | 70.8 | 50.5 | | | | 48.0 | | | 75.0 | 74.0 | 52.0 | 52.9 | | | | 58.9 | | | 79.5 | 74.0 | 61.4 | C | | | | | C+ | | | A | B+ | B- |
| 83 | EN19391564 | Walakuluarachchi E.I. | | | | | 76.3 | 49.0 | | 80.0 | | 69.6 | | | | | 56.0 | 64.5 | | 85.0 | 69.8 | 53.0 | | | | | 64.1 | 58.3 | | 83.0 | 69.8 | 61.3 | | | | | B- | C+ | | A | B+ | B- | |
| 84 | EN19391632 | Batheegama M.R. | 55.5 | | | | 69.8 | | | 77.5 | | 64.8 | 55.0 | | | | 49.0 | | | 85.8 | 73.8 | 68.0 | 55.2 | | | | 57.3 | | | 82.5 | 73.8 | 66.4 | C+ | | | | C+ | | | A | B+ | B | |
| 85 | EN19394084 | Jayawardena G.G.M.P. | 58.0 | | | | 77.0 | | | 78.8 | | 66.8 | 49.5 | | | | 32.0 | | | 80.0 | 71.3 | 50.0 | 52.9 | | | | 50.0 | | | 79.5 | 71.3 | 58.4 | C | | | | | R | | A | B+ | C+ | |
| 86 | EN19394602 | Umar F.R. | | | 81.0 | | 89.3 | | | 81.3 | | 68.4 | | | 46.0 | | 69.0 | | | 80.8 | 72.8 | 51.0 | | | | 60.0 | | 77.1 | | 81.0 | 72.8 | 59.7 | | | | B- | | A- | | | A | B+ | B- |
| 87 | EN19394916 | Jayathissa R.M.T.V | | 87.0 | | 71.4 | | | | 86.3 | | 65.2 | | 66.0 | | 49.0 | | | | 76.7 | 75.8 | 38.0 | | 78.6 | | 58.0 | | | | 80.5 | 75.8 | 51.6 | | A- | | | C+ | | | A | A- | R | |
| 88 | EN19396446 | H.G.I.Nawoda | | 81.0 | | | 76.0 | | | 86.3 | | 73.8 | | 82.0 | | | 69.0 | | | 92.5 | 79.5 | 67.0 | | 81.4 | | | 71.8 | | | 90.0 | 79.5 | 70.4 | | A | | | | B+ | | A+ | A | B+ | |
| 89 | EN19396996 | Gunarathna U. D. M. R. | | 83.3 | | 71.7 | | | | 81.3 | | 67.2 | | 53.0 | | 50.0 | | | | 72.5 | 67.3 | 41.0 | | 71.2 | | 58.7 | | | | 76.0 | 67.3 | 54.1 | | B+ | | C+ | | | | A- | B | R | |
| 90 | EN19398044 | Katakumbura K.G.I.S. | 58.0 | | | | 75.0 | | | 78.8 | | 64.6 | 67.0 | | | | 77.0 | | | 70.0 | 77.3 | 48.0 | 63.4 | | | | 76.2 | | | 73.5 | 77.3 | 56.3 | B- | | | | A- | | | B+ | A- | C+ | |
| 91 | EN19398730 | Senanayake S. R. M. K. A. | | | | | 86.0 | | 85.0 | 88.8 | | 74.4 | | | | | 77.0 | | 97.0 | 80.8 | 62.3 | 55.0 | | | | | 80.6 | | 92.2 | 84.0 | 62.3 | 64.7 | | | | | A | | A+ | A | B- | B | |
| 92 | EN19399898 | Gunasekara C.G.I.B. | | 81.0 | | 64.7 | | | | 83.8 | | 73.2 | | 86.0 | | 50.0 | | | | 76.7 | 76.3 | 67.0 | | 83.0 | | 55.9 | | | | 79.5 | 76.3 | 70.1 | | A | | | C+ | | | A | A- | B+ | |
| 93 | EN19399966 | Dassanayake B.D.I.P. | | | | | 67.3 | | 80.0 | 83.8 | | 72.6 | | | | | 67.0 | | 78.0 | 80.0 | 54.0 | 66.0 | | | | | 67.1 | | 78.8 | 81.5 | 54.0 | 69.3 | | | | | B | | A- | A | C | B | |
| 94 | EN19403120 | Liyanagama N.K | | 79.0 | | 60.6 | | | | 75.0 | | 73.4 | | 76.0 | | 52.0 | | | | 78.3 | 63.8 | 42.0 | | 77.8 | | 55.4 | | | | 77.0 | 63.8 | 57.7 | | A- | | | C+ | | | A- | B- | R | |
| 95 | EN19403434 | Hapuarachchi J. | | 71.3 | | 52.6 | | | | 67.5 | | 65.4 | | 62.0 | | 24.0 | | | | 71.7 | 62.3 | 35.0 | | 67.6 | | 35.4 | | | | 70.0 | 62.3 | 50.2 | | B | | | D+ | | | B+ | B- | R | |
| 96 | EN19403748 | Galpayage G. D. I. D. | 62.9 | | | 65.5 | | | | 78.8 | | 70.4 | 45.0 | | | 37.0 | | | | 79.2 | 65.3 | 49.0 | 52.1 | | | 48.4 | | | | 79.0 | 65.3 | 59.7 | C | | | | R | | | A- | B | B- | |
| 97 | EN19408620 | Govinna G.D.K.U | | | | 82.0 | 78.5 | | | 90.0 | | 76.0 | | | | 71.0 | 67.0 | | | 93.3 | 67.5 | 72.0 | | | | 75.4 | 71.6 | | | 92.0 | 67.5 | 74.0 | | | | | A- | B+ | | A+ | B | B+ | |
| 98 | EN19409160 | Sathiyendran. A | | | | | | 67.0 | 63.8 | 86.3 | | 74.4 | | | | | | 50.5 | 55.0 | 87.5 | 62.5 | 55.0 | | | | | | 57.1 | 58.5 | 87.0 | 62.5 | 64.7 | | | | | | | C+ | C+ | A | B- | B |
| 99 | EN19409474 | Dewmini M.S | | 69.3 | | | | 45.0 | | 90.0 | | 71.6 | | 63.0 | | | | 45.0 | | 85.0 | 80.0 | 51.0 | | 66.8 | | | 45.0 | | | 87.0 | 80.0 | 61.3 | | B | | | | | C | | A | A | B- |
| 100 | EN19803494 | Udara W.P.A. | | 77.0 | | | 81.5 | | | 85.0 | | 62.8 | | 73.0 | | | 53.0 | | | 91.7 | 70.3 | 63.0 | | 75.4 | | | 64.4 | | | 89.0 | 70.3 | 62.9 | | A- | | | | B- | | A | B+ | B- | |
| 101 | EN19804484 | Vithanage A.V.C.D. | | 82.3 | | | 68.5 | | | 85.0 | | 75.0 | | 60.0 | | | 45.0 | | | 80.0 | 71.3 | 55.0 | | 73.4 | | | 54.4 | | | 82.0 | 71.3 | 65.0 | | B+ | | | | C | | A | B+ | B | |

| GPA | Status | Remark |
|------|--------|-----------------------|
| 3.72 | Pass | Dean's list recognize |
| 3.56 | Pass | - |
| 2.04 | Fail | R-ME4111(FF) - |
| 3.23 | Pass | - |
| 3.46 | Pass | - |
| 3.36 | Pass | - |
| 3.34 | Pass | - |
| 2.99 | Pass | - |
| 3.87 | Pass | Dean's list recognize |
| 3.19 | Pass | Examination Offence |
| 3.01 | Pass | - |
| 3.50 | Pass | - |
| 2.77 | Pass | - |
| 2.92 | Pass | - |
| 3.06 | Pass | - |
| 3.02 | Pass | - |
| 2.69 | Pass | - |
| 3.39 | Pass | - |
| 3.10 | Fail | R-ME4111(FF) - |
| 3.77 | Pass | Dean's list recognize |
| 2.82 | Fail | R-ME4111(FF) - |
| 3.14 | Pass | - |
| 3.52 | Pass | - |
| 3.73 | Pass | Dean's list recognize |
| 3.34 | Pass | - |
| 2.92 | Fail | R-ME4111(FF) - |
| 2.60 | Fail | R-ME4111(FF) - |
| 2.72 | Pass | - |
| 3.56 | Pass | - |
| 2.96 | Pass | - |
| 3.23 | Pass | - |
| 3.39 | Pass | - |
| 3.36 | Pass | - |