Java resources/src/com.example.servletdemo/HelloWorldServlet.java

```java
package com.example.servletdemo;


import java.io.IOException;

import java.io.PrintWriter;


import javax.servlet.ServletException;

import javax.servlet.annotation.WebServlet;

import javax.servlet.http.HttpServlet;

import javax.servlet.http.HttpServletRequest;

import javax.servlet.http.HttpServletResponse;


/**
 * Servlet implementation class HelloWorldServlet
 */
@WebServlet("/HelloWorldServlet")
public class HelloWorldServlet extends HttpServlet {
        private static final long serialVersionUID = 1L;

  /**
   * @see HttpServlet#HttpServlet()
   */
  public HelloWorldServlet() {
    super();
    // TODO Auto-generated constructor stub
  }

        /**
         * @see HttpServlet#doGet(HttpServletRequest request, HttpServletResponse response)
         */
```

```java
protected void doGet(HttpServletRequest request, HttpServletResponse response) throws
ServletException, IOException {

        // Step: 1 - Set the content type

        response.setContentType("text/html");

        // Step: 2 - Get the printwriter

        PrintWriter out = response.getWriter();

        // Step: 3 - Generate HTML content

        out.println("<html><body>");

        out.println("<h2>Hello World</h2>");

        out.println("<hr>");

        out.println("Time on the server is: " + new java.util.Date());

        out.println("</body></html>");
    }

    /**
     * @see HttpServlet#doPost(HttpServletRequest request, HttpServletResponse response)
     */
    protected void doPost(HttpServletRequest request, HttpServletResponse response) throws
ServletException, IOException {
        // TODO Auto-generated method stub

        doGet(request, response);
    }
}
```

Java resources/src/com.example.servletdemo/StudentServlet.java

```java
package com.example.servletdemo;

import java.io.IOException;
import java.io.PrintWriter;

import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;

/**
 * Servlet implementation class StudentServlet
 */
@WebServlet("/StudentServlet")
public class StudentServlet extends HttpServlet {
        private static final long serialVersionUID = 1L;

  /**
   * @see HttpServlet#HttpServlet()
   */
  public StudentServlet() {
    super();
    // TODO Auto-generated constructor stub
  }

      /**
       * @see HttpServlet#doGet(HttpServletRequest request, HttpServletResponse response)
       */
```

```java
protected void doGet(HttpServletRequest request, HttpServletResponse response) throws
ServletException, IOException {

        // Step: 1. Set the content type
        response.setContentType("text/html");

        // Step: 2. get the printwriter
        PrintWriter out = response.getWriter();

        // Step: 3. Generate the html document
        out.println("<html><body>");

        out.println("The student is confirmed: " + request.getParameter("firstName") + " " +
                        request.getParameter("lastName"));

        out.println("</body></html>");

    }

    /**
     * @see HttpServlet#doPost(HttpServletRequest request, HttpServletResponse response)
     */
    protected void doPost(HttpServletRequest request, HttpServletResponse response) throws
ServletException, IOException {
        // TODO Auto-generated method stub
        doGet(request, response);
    }

}
```

Student-form.html

```html
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>Insert title here</title>
</head>
<body>

        <form action="StudentServlet" method="GET">stud
                First name: <input type="text" name="firstName">


                <br/><br/>


                Last name: <input type="text" name="lastName">


                <br/><br/>
                <input type="submit" value="Submit">
        </form>
</body>
</html>
```