Your Weight Loss Protocol Guide

Retatrutide

Everything you need to know about your weight loss medication — how it works, how to inject, and what to expect.

Type: Triple Receptor Agonist

Frequency: 1x per week

THE BASICS

What Is Retatrutide?

Retatrutide is a triple receptor agonist — it targets GLP-1, GIP, and glucagon receptors simultaneously. This three-pronged approach addresses hunger, metabolism, and fat burning from multiple angles.

While other medications target one or two pathways, retatrutide works on three. The addition of glucagon receptor activation means your body actively burns more fat for energy — on top of the appetite reduction and improved metabolism.

HOW IT WORKS

Three Pathways, One Medication

Each receptor plays a different role in weight management.

🧠 GLP-1 Receptor

Reduces appetite and slows stomach emptying. You feel full longer and eat less without fighting cravings.

⚡ GIP Receptor

Improves insulin sensitivity and nutrient processing. Your body handles food more efficiently and stores less fat.

🔥 Glucagon Receptor

Activates fat burning and increases energy expenditure. Your body uses stored fat for fuel — even at rest.

🎯 Together

Three biological pathways addressed simultaneously. Appetite reduction + improved metabolism + active fat burning = faster, more sustainable results.

PROTOCOLS

Dosing & Pricing

One injection per week. Standard protocol increases dose every 4 weeks. All-inclusive pricing — medication, supplies, monthly check-ins, dose adjustments, and nutrition guidance.

2 mg	$499/mo
4 mg	$599/mo
6 mg	$699/mo
8 mg	$749/mo
10 mg	$799/mo
12 mg	$859/mo

> 📋 **Baseline Labs Required**
>
> Before starting, we need baseline labs to ensure this medication is safe and appropriate for you. Essential Panel: $350 / Elite Panel: $750.

INSTRUCTIONS

How to Use Your Injections

We teach you at the clinic — most people self-inject at home in under a minute.

1. **Prep**

   Wash your hands. Clean the injection site with an alcohol pad. Take medication out of the fridge a few minutes early to reach room temperature.

2 **Inject**

Inject subcutaneously (just under the skin) into the abdomen, upper thigh, or back of the arm. Pinch the skin, insert at a 45° angle, inject slowly.

3 **Same Day Each Week**

Pick the same day each week for consistency. Set a phone reminder so you never miss a dose.

4 **Rotate Sites**

Don't inject in the same spot every week. Rotate between abdomen, thighs, and arms to prevent irritation.

> 💡 **Pro Tips**
>
> Titration is critical — standard protocol increases every 4 weeks. Stay hydrated. High-protein diet supports best results. If GI side effects occur, slow the titration. Store medication in the refrigerator.

TIMELINE

What to Expect

Clinical trials showed up to 24% body weight loss at 48 weeks at the highest doses.

Week 1–4

Starting dose (2mg). Body adjusts. Early appetite changes begin. Mild GI side effects may occur.

Week 5–8

Dose increases. Noticeable appetite suppression and early weight loss. Energy levels begin improving.

Month 3–6

Therapeutic dose reached. Consistent fat loss. Energy improving. Body composition visibly changing.

Month 6–12

Significant body composition changes. Approaching goal weight. Discuss maintenance plan with your provider.

SAFETY

Important Safety Information

Do Not Use If You:

- ✕ Are pregnant or breastfeeding
- ✕ Have a history of medullary thyroid cancer or MEN 2
- ✕ Have a history of pancreatitis
- ✕ Have severe gastrointestinal disease
- ✕ Are allergic to any ingredient

Possible Side Effects:

- Nausea (most common, usually temporary)
- Diarrhea or constipation
- Injection site reactions
- Decreased appetite (intended effect)
- Mild fatigue during initial adjustment

Retatrutide is currently used off-label/compounded and is not yet FDA-approved. Monitored closely by your provider. GI side effects typically resolve within 1–2 weeks of each dose increase.

Important: Individual results vary. These treatments are not FDA-approved to diagnose, treat, cure, or prevent any disease. All protocols are monitored by licensed providers.

Questions? We're Here.

Whether you need a dose adjustment or have questions about your protocol, our team can help.

Call (949) 997-3988

Text Us

1901 Westcliff Dr. Suite 10, Newport Beach, CA 92660