Your Weight Loss Protocol Guide

Tirzepatide

Everything you need to know about your weight loss medication — how it works, how to inject, and what to expect.

Type: GLP-1/GIP Dual Agonist

Frequency: 1x per week

THE BASICS

What Is Tirzepatide?

Tirzepatide is a dual GLP-1/GIP receptor agonist. It works on the hormones that control hunger, satiety, and metabolism — helping your body naturally want less food while improving how you process what you eat.

Unlike diet pills that rely on stimulants, tirzepatide works with your body's own hormone systems. It quiets the constant mental chatter about food — what many patients describe as "food noise" — and lets you eat less without feeling deprived.

HOW IT WORKS

Why Tirzepatide Works

Four mechanisms working together for consistent, sustainable weight loss.

🧠 Appetite Reduction

Works on the brain's hunger centers to naturally reduce appetite. You feel satisfied with less food — without willpower battles.

⏳ Slower Digestion

Slows stomach emptying so you feel full longer after meals. No more hunger pangs an hour after eating.

📉 Blood Sugar Control

Improves blood sugar and insulin sensitivity. Better glucose control means less fat storage and more stable energy.

📢 Quiets Food Noise

The constant mental chatter about food goes away. Patients report thinking about food less and making better choices effortlessly.

PROTOCOLS

Dosing & Pricing

One injection per week. We start low and titrate up based on your response. All-inclusive pricing — medication, supplies, monthly check-ins, dose adjustments, and nutrition guidance.

2.5 mg	$399/mo
5.0 mg	$549/mo
7.5 mg	$599/mo
10.0 mg	$649/mo
12.5 mg	$699/mo

> 📋 **Baseline Labs Required**
>
> Before starting, we need baseline labs to ensure this medication is safe and appropriate for you. Essential Panel: $350 / Elite Panel: $750.

INSTRUCTIONS

How to Use Your Injections

We teach you at the clinic — most people self-inject at home in under a minute.

1. **Prep**

   Wash your hands. Clean the injection site with an alcohol pad. Take medication out of the fridge a few minutes early to reach room temperature.

2. **Inject**

   Inject subcutaneously (just under the skin) into the abdomen, upper thigh, or back of the arm. Pinch the skin, insert at a 45° angle, inject slowly.

3 **Same Day Each Week**

Pick the same day each week for consistency. Set a phone reminder so you never miss a dose.

4 **Rotate Sites**

Don't inject in the same spot every week. Rotate between abdomen, thighs, and arms to prevent irritation.

> 💡 **Pro Tips**
>
> Start low and titrate up slowly to minimize GI side effects. Stay hydrated. Prioritize protein at every meal. If nausea occurs, eat smaller meals more frequently. Store medication in the refrigerator.

TIMELINE

What to Expect

Typical weight loss is 15–25% of body weight over 6–12 months, averaging 1–2 lbs per week.

Week 1–2

Start low dose. Body adjusts. Appetite begins to reduce. You may notice less food noise.

Week 3–4

Dose increases. Appetite suppression kicks in. Scale starts moving. Energy often improves.

Month 2–3

Optimal dose dialed in. Consistent 1–2 lb/week loss. Clothes start fitting differently.

Month 4–6

In a rhythm. Significant body composition changes. Labs improving. Confidence building.

Month 6–12

Approaching goal weight. Discuss maintenance plan with your provider to keep results long-term.

SAFETY

Important Safety Information

Do Not Use If You:

- ✕ Are pregnant or breastfeeding
- ✕ Have a history of medullary thyroid cancer or MEN 2
- ✕ Have a history of pancreatitis
- ✕ Have severe gastrointestinal disease
- ✕ Are allergic to any ingredient

Possible Side Effects:

- Nausea (most common, usually temporary)

- Diarrhea or constipation
- Injection site reactions
- Decreased appetite (intended effect)
- Mild fatigue during initial adjustment

GI side effects are most common when starting or increasing dose. They typically resolve within 1–2 weeks. If severe, contact us.

Important: Individual results vary. These treatments are not FDA-approved to diagnose, treat, cure, or prevent any disease. All protocols are monitored by licensed providers.

Questions? We're Here.

Whether you need a dose adjustment or have questions about your protocol, our team can help.

Call (949) 997-3988

Text Us

1901 Westcliff Dr. Suite 10, Newport Beach, CA 92660