


Analyzing Data using Table Calculations in Tableau

Task 1: Create a Running Total of Votes by City A Running Total calculates a cumulative sum



across a dimension (e.g., adding each city's votes to the running sum of all previous cities).

1. Open a new worksheet and rename it: **Running Total - Votes**.
2. From the Data Pane, drag listed_in(city) to the Rows shelf.
3. Drag votes to the Columns shelf. (Tableau will automatically aggregate it as SUM(votes)).



4. Convert to Quick Table Calculation: o Right-click the SUM(votes) pill on the Columns shelf. o Hover over Quick Table Calculation and select Running Total


Analyzing Data using Table Calculations in Tableau



5. Add Visual Context (Secondary Measure):

- Drag votes from the Data Pane again and drop it directly onto the Tooltip mark in the Marks cards .
- Result: Now when you hover over a bar, you will see both the individual city's vote count and the cumulative total up to that city.

Analyzing Data using Table Calculations in Tableau




Task 2: Create a Percent of Total across Categories

A Percent of Total transforms raw numbers into relative percentages of the entire view (summing to 100%).


1. Open a new worksheet and rename it: Percent of Total - Service Type.
2. Drag listed_in(type) (e.g., Buffet, Cafes, Delivery, Dining) to the Rows shelf.
3. Drag votes to the Columns shelf.

Analyzing Data using Table Calculations in Tableau




4. Right-click the SUM(votes) pill on the Columns shelf.

5. Hover over Quick Table Calculation and select Percent of Total.




Analyzing Data using Table Calculations in Tableau




6. Format as Percentage:

- ☐ Right-click the SUM(votes) pill again and select Format...
- ☐ Under the Pane tab on the left formatting panel, click Numbers $\rightarrow$ Percentage (set to 1 or 2 decimal places).



Analyzing Data using Table Calculations in Tableau

7. Drag SUM(votes) (with the table calculation icon Δ) onto the Label mark so the exact percentages display on top of each bar. **(NOTE: IF YOU WANT TO SEE THE BAR GRAPH TOO, YOU CAN DRAG SUM(votes) TO LABEL ICON BY HOLDING CTRL KEY)**



Why We Are Doing It Running Total:

- ☐ Crucial for tracking cumulative growth, target attainment over time, or Pareto analysis (80/20 rule). Percent of Total:
- ☐ Essential for understanding market share or contribution breakdown across business segments.



B: Create moving averages and cumulative metrics

Moving averages are used to smooth out short-term fluctuations and highlight longer-term trends or cycles in data.


Task 1: Create a Moving Average Calculation We will create a moving average to smooth out variations in pricing across restaurants based on vote counts or listing order.

1. Open a new worksheet and rename it: Moving Average - Avg Cost.
2. Drag listed_in(city) to the Rows shelf.
3. Drag approx_cost(for two people) to the Columns shelf. (Note: If Tableau imports this field as a String/Dimension due to commas, right-click the field in the Data Pane, select Change Data Type Number (whole), then drag it as AVG or after placing it on column it doesn't shows AVG right click on it Hover at Measure and click Average).

Analyzing Data using Table Calculations in Tableau




Analyzing Data using Table Calculations in Tableau




4. Convert to a Moving Average Quick Table Calculation:

- ☐ Right-click the AVG(approx_cost...) pill on the Columns shelf.
- ☐ Hover over Quick Table Calculation and select Moving Average.




Analyzing Data using Table Calculations in Tableau



5. Customize the Moving Window:

- o Right-click the modified AVG(approx_cost...) pill again (it now has a Δ symbol).
- o Select Edit Table Calculation.
- o In the configuration dialog, set Summarize values using: Average.




Analyzing Data using Table Calculations in Tableau

o Set Previous values: 2 and Next values: 0 (This calculates a 3-point moving average including the current city and 2 previous cities).

Task 2: Create a Custom Cumulative Metric via Calculated Field Instead of using


Quick Table Calculations, we can write a dedicated Table Calculation function formula directly.

1. Click the small drop-down arrow at the top right of the Data Pane (just next to the Search box) and select Create Calculated Field... Alternative shortcut: Right-click anywhere on a specific field or dimension in the Data Pane Create Calculated Field... (or press Alt + Analysis menu Create Calculated Field).
2. Name the field: Cumulative Votes (RUNNING_SUM).
3. Enter the following Table Calculation formula: `RUNNING_SUM(SUM([votes]))`



4. Click OK.
5. Open a new worksheet.
6. Drag cuisines to Rows (Filter to top 15 or 20 if the list is too long).
7. Drag your newly created Cumulative Votes (RUNNING_SUM) field onto Columns.

Analyzing Data using Table Calculations in Tableau



Why We Are Doing It

- **Moving Average:** Smooths out noise and anomalies in continuous data (e.g., smoothing daily volatile delivery orders or ratings over a 7-day rolling window). **Cumulative Functions (RUNNING_SUM):** Gives programmatic control inside larger custom logic formulas, allowing you to combine running metrics with dynamic parameters or IF/THEN statements.
-


C: Perform year-over-year growth analysis

Note: Since the raw Zomato dataset provides categorical dimensions rather than a built-in transaction date field, we will simulate a Year-over-Year / Period-over-Period growth calculation structure using ordinal categorical periods or numeric ranges, or apply Tableau's native YoY Table Calculation logic.

Task: Calculate Year-over-Year (YoY) / Period-over-Period Percent Growth


1. Open a new worksheet and rename it: YoY Growth Analysis
2. Place your time dimension (or ordinal grouped column like `listed_in(city)`) on the Columns shelf.
3. Drag `votes` (or `approx_cost`(for two people)) onto the Rows shelf as `SUM(votes)`.

Analyzing Data using Table Calculations in Tableau



4. Apply the Year-over-Year Growth Quick Table Calculation:


- ☐ Right-click the SUM(votes) pill on the Rows shelf.
- ☐ Hover over Quick Table Calculation select Percent Difference (or Year Over Year Growth if using a true Date field).



Analyzing Data using Table Calculations in Tableau

5. Configure the Growth Calculation Direction:


- ☐ Right-click the modified SUM(votes) pill (with the Δ icon).
- ☐ Hover over Compute Using select Table (across){In some cases it may have by selected by default}.



6. Add Visual Color Indicators:

- ☐ Hold down Ctrl (or Cmd on Mac), click and drag the SUM(votes) pill from the Rows shelf, and drop it directly onto the Color mark on the Marks card.
- ☐ Positive growth will appear in one color (e.g., Green/Blue) while negative performance dips will turn Red/Orange!

Analyzing Data using Table Calculations in Tableau



Why We Are Doing It & Usage

- Percent Difference / YoY Growth: Computes the percentage change between the current mark and the previous mark:
- $\% \text{ Growth} = \frac{\text{Current Period Value} - \text{Previous Period Value}}{\text{Previous Period Value}} \times 100$
- Usage: Essential in executive performance dashboards to track financial health, customer acquisition momentum, and seasonal fluctuations.



D: Use ranking functions (Top N, Bottom N)

Ranking table calculations evaluate each row's aggregate value relative to all other rows in the partition, assigning a numeric rank (1, 2, 3...).

Task 1: Create a Rank Calculation

1. Click the small drop-down arrow at the top right of the Data Pane and select Create Calculated Field...


Analyzing Data using Table Calculations in Tableau



Analyzing Data using Table Calculations in Tableau


Task 2: Build the Top N / Bottom N Ranked View

1. Open a new worksheet and rename it: Top & Bottom Restaurants.
2. Drag name (Restaurant Name) to the Rows shelf.
3. Drag votes to the Columns shelf.
4. Drag your newly created Restaurant Rank calculated field onto the Rows shelf, placing it to the left of name.




Analyzing Data Restaurants using Table Calculations in Tableau

5. Convert Restaurant Rank to a Discrete field:




o Right-click the Restaurant Rank pill on the Rows shelf and select Discrete. (The pill will turn blue, ordering the restaurants automatically from #1 onward).




Analyzing Data using Table Calculations in Tableau

Task 3: Filter Dynamically to Display Top N Only

1. Hold Ctrl (or Cmd on Mac), click and drag the Restaurant Rank pill from the Rows shelf, and drop it onto the Filters card.
2. In the filter dialog box, select a range of ranks (e.g., set the maximum to 10 to show only the Top 10 restaurants).
3. Click OK.



Analyzing Data using Table Calculations in Tableau



Why We Are Doing It & Usage

Ranking Functions: Unlike standard sorting, table calculation functions like `RANK()` and `RANK_DENSE()` assign explicit numeric positions to dimensions dynamically based on changing filters or metrics.

Usage: Indispensable for identifying top-performing assets (e.g., Top 10 revenue-generating locations, lowest-performing product lines, or leaderboards).

E: Implement window functions (`WINDOW_SUM`, `WINDOW_AVG`)

Window functions calculate aggregate metrics across a specific window of marks in the view without altering the level of detail on the sheet. Unlike standard aggregations, window functions allow you to compare individual data points directly against a summary metric calculated across the entire window (or a defined subset of it).

Task 1: Create a Window Average Calculation


1. Click the small drop-down arrow at the top right of the Data Pane (next to the Search bar) and select Create Calculated Field...

2. Name the field: City Window Avg Cost.

3. Input the following window function formula:


`WINDOW_AVG(AVG([approx_cost(for two people)]))`

Analyzing Data using Table Calculations in Tableau




Task 2: Build the Window Comparison Visualization

1. Open a new worksheet and rename it: Cost vs City Average.
2. Drag listed_in(city) to the Rows shelf.
3. Drag approx_cost(for two people) to the Columns shelf. Change its aggregation to Average (Right-click pill $\rightarrow$ Measure (Sum) $\rightarrow$ Average).




Analyzing Data using Table Calculations in Tableau

4. Drag your newly created City Window Avg Cost calculated field onto the Columns shelf (placing it right beside AVG(approx_cost...))




Task 3: Combine Measures into a Dual-Axis Reference View


1. Right-click the City Window Avg Cost pill on the Columns shelf and select Dual Axis.




Analyzing Data using Table Calculations in Tableau



2. Right-click the top horizontal axis in the visualization view and select Synchronize Axis




Analyzing Data using Table Calculations in Tableau




3. In the Marks card:
 - o Change the mark type for AVG(approx_cost...) to Bar.


Analyzing Data using Table Calculations in Tableau



o Change the mark type for City Window Avg Cost to Line (or Gantt Bar).



Analyzing Data using Table Calculations in Tableau




- Result: You will see individual city averages displayed as distinct bars, overlaid against a steady reference line that represents the overall average cost across the entire window of cities

Task 4: Create a Window Difference Metric (WINDOW_SUM)

1. Click the small drop-down arrow at the top right of the Data Pane and select Create Calculated Field...
2. Name the field: Difference from Window Sum.
3. Input the following expression to compare each city's vote count against the total sum of all votes in the visible window:

$$SUM([votes]) - WINDOW_AVG(SUM([votes]))$$

Analyzing Data using Table Calculations in Tableau




5. Apply it to the View:

o Open new Sheet

o Drag listed_in(city) to the Rows shelf and votes to the Columns shelf.

o Drag your new Difference from Window Sum calculated field onto the Color mark on the Marks card.



Analyzing Data using Table Calculations in Tableau

Result: Bars will be shaded along a color gradient based on how significantly each city contributes to or differs from the total window aggregate.

We Are Doing It

Window Functions (*WINDOW_SUM, WINDOW_AVG, WINDOW_MAX*): Allow you to perform computations across all displayed data points on the screen without using a fixed LOD expression or restructuring the underlying query.

Usage: Essential for constructing dynamic benchmark lines, bullet charts, deviations from overall means, and baseline comparisons across visible dimensions.

F: Customize addressing and partitioning


In Tableau table calculations, Partitioning and Addressing determine how and in what direction a calculation is computed across your view:

- Partitioning Fields (The Groupings): These define how the data is scoped or grouped. The calculation restarts for each partition (e.g., recalculating from 1 for every city).
- Addressing Fields (The Direction): These define the dimensions along which the calculation moves (e.g., ranking restaurants from top to bottom within that city).

Task 1: Build a Nested View for City and Service Type


1. Open a new worksheet and rename it: Addressing vs Partitioning.
2. Drag `listed_in(city)` to the Rows shelf.
3. Drag `listed_in(type)` to the Rows shelf, placing it right next to `listed_in(city)` (creating a two-level nested hierarchy).
4. Drag `votes` to the Columns shelf as `SUM(votes)`.

Analyzing Data using Table Calculations in Tableau




Task 2: Apply Partitioning via "Compute Using" Options

1. Right-click the SUM(votes) pill on the Columns shelf, hover over Quick Table Calculation, and select Rank.



Analyzing Data using Table Calculations in Tableau





2. Right-click the SUM(votes) pill again and hover over Compute Using:

o Select Table (down): Tableau addresses the entire table from top to bottom. It ranks every single row relative to the whole sheet (Partition = Entire Table).

➤ Select Pane (down): Tableau partitions the calculation by listed_in(city). The ranking now restarts at 1 for the service types inside each individual city!


Analyzing Data using Table Calculations in Tableau



Task 3: Manually Define Addressing with Specific Dimensions For precise control over complex visual structures, use the Specific Dimensions settings:

Analyzing Data using Table Calculations in Tableau

1. Right-click the SUM(votes) pill (with the Δ icon) on the Columns shelf and select Edit Table Calculation...



2. Under Compute Using, select the radio button for Specific Dimensions.

3. Observe the checked vs. unchecked boxes:

- o Checked boxes = Addressing fields: Tableau computes along these dimensions.

- o Unchecked boxes = Partitioning fields: Tableau restarts the calculation whenever this dimension changes.

4. Uncheck listed_in(city) and leave listed_in(type) checked.

5. Close the Table Calculation dialog box.

Why We Are Doing It & Usage

Addressing & Partitioning: Understanding this distinction is what turns table calculations into flexible analytical tools. Without setting your partitions properly, rank and percent-of-total calculations will produce inaccurate totals across multi-level views.


Usage: Critical when creating nested rank boards (e.g., Top 5 products per region), running totals that reset each fiscal year, or percent-of-total calculations computed across sub-categories within a parent category.

Analyzing Data using Table Calculations in Tableau

G: Create dynamic titles and labels using table calculations



Dynamic titles and annotations automatically update based on table calculation outputs, selected filters, or parameter toggles. This ensures your dashboard headers always reflect the context of the displayed data without manual editing.

- **Task 1: Create a Dynamic Label Parameter**
- 1. Right-click anywhere in the Data Pane and select Create Parameter... or click on small triangle drop down button next to search on data pane and select Create Parameter
- 2. Name the parameter: Top N Threshold.
- 3. Set Data type to Integer.
- 4. Set Current value to 5.
- 5. Under Allowable values, select Range:
 - o Minimum: 3
 - o Maximum: 20
 - o Step size: 1
- 6. Click OK



Analyzing Data using Table Calculations in Tableau

7. Right-click Top N Threshold in the Data Pane and select Show Parameter Control.



Analyzing Data using Table Calculations in Tableau