IFS Cloud

Process Inventory and Where Our DI Fits in the Pipeline

1. Purpose and Scope

This document combines two things: what IFS Cloud publishes about how its processes work, and where our Circularity decision intelligence (DI) would sit in an IFS customer's pipeline. Part A is the IFS process inventory and product landscape. Part B describes our DI as built in the proof of concept. Part C maps the two and proposes where the DI reads from IFS, where it makes a recommendation, and where it sends an instruction back.

> **What the sources are**
>
> IFS side: IFS's own public documentation at docs.ifs.com (releases 25R2 and 26R1), plus IFS product pages and press releases. Customer-hosted copies and IFS Community posts are labelled where used. Source tags S1 to S81.
>
> DI side: the proof-of-concept front end (index.html, README and change log). It is a simulation: no data is real and no system is connected. Source tags P1 to P3. The IFS mapping in Part C is our proposal, not something IFS or the POC states.

2. Summary

> **The short answer**
>
> IFS runs the work; our DI would decide what the work should be. IFS already contains small, rule-based decisions (receive, scrap, repair, sell, transfer). Our DI adds an economic choice across seven routes, six eligibility gates, pool-level allocation and a learning loop, and then writes the approved instruction into the IFS process that carries it out.

- **IFS is organized into thirteen process areas.** Four matter most for returned assets: Parts and Equipment Management (rental and repair), Demand Processing, Planning and Execution [S1].
- **Five IFS decision points are natural hooks:** return authorization approval, the disposition shop order, the material review board, fixed asset disposal and the shop order requisition [S15, S26, S38, S47, S28].

- **Evidence in, instruction out, outcome back.** The DI would read service objects, work orders, serial parts, MRB and disposition results, orders and contracts, and write repair RMAs, component repair orders, shop order requisitions, orders, rental events and disposals.
- **The POC lists IFS only as an EAM and field-service option.** Its ERP, warehouse and repair vendor lists do not include IFS, even though IFS covers those processes [P1].
- **One IFS system replaces several POC sources.** The POC models ERP, EAM, warehouse, repair and field service as separate systems, so some of its conflict rules would not arise inside IFS [P1].
- **IFS is more than IFS Cloud.** Section 9 covers Copperleaf, Ultimo, Maintenix, Softeon, Loops and the other IFS products. Copperleaf (investment planning) and Loops (agents) are the two strategic touchpoints for our DI [S54, S71].
- **IFS now has its own asset decision capability.** Continuous Asset Decision Intelligence (CADI), unveiled with AVEVA in October 2026, recommends repair, defer or replace for assets in service [S78, S79]. It overlaps with parts of our DI, so our claim should be narrow: choosing and allocating the best compliant recovery route for returned assets (Section 20).
- **Not yet confirmed:** IFS API names, status transitions in a live system, and whether IFS holds a grade or life-assessment field. Section 22 lists the gaps.

Part A (Sections 3 to 9) is the IFS process inventory and product landscape. Part B (Section 10) is our DI. Part C (Sections 11 to 22) is the fit, including the overlap with IFS and a data checklist.

PART A. IFS PROCESSES

3. How IFS Structures Its Processes

IFS Cloud documentation is process oriented and built on a three-level model [S1, S2]:

Level	What it contains
Level 1: Main process models	Generic main business processes that give an overview of a whole business, such as make-to-stock manufacturing. They are built from a library of main processes, each sorted into a functional area [S1]
Level 2: Process models	Detail a main process, including the business objects that control it and the resources it uses [S1]
Level 3: Activity diagrams	Show how an input becomes an output in IFS Cloud, with links to the forms where each activity is done. Basic Data Requirement (BDR) diagrams describe the setup needed first [S1]

The IFS Business Model organizes capabilities along a value-creation flow: information flows from the customer through the company to the supplier, and the physical flow runs the other way. It contains an End-to-End Processes area (product-oriented and solution-oriented) plus thirteen numbered areas [S1]:

Area	What it handles	Example processes named by IFS
End-to-End Processes	Models describing aspects of a whole product or solution	Product-oriented and solution-oriented processes
1 Enterprise Management	Initial data setup and configuration	Company and site, persons, resources, calendars, setup for finance, asset design, service and maintenance

Area	What it handles	Example processes named by IFS
2 Financial Management	All financial capabilities	Journal entry, period reconciliation, accounting, receivables and payables, reporting
3 Supplier Relationship Management	Supplier relationship and master data	Supplier agreements, quotations, sub-contract management
4 Customer Relationship Management	Customer relationship and master data	Customer management, campaigns, sales, support, service contract management
5 Parts and Equipment Management	Information on all kinds of assets: parts, equipment objects, fleet	Part data, engineering of products, rental and repair
6 Demand Processing	First information step: what must be delivered or executed	Service order demand, customer order or quotation, component repair request
7 Planning	Second information step: planning the work	Make-to-order and make-to-stock planning, rough-cut capacity, shop order, work order, project, fleet maintenance and CRO work scope planning
8 Procurement	Third information step: all procurement needs	Purchase orders, supplier schedules and claims, business-to-business procurement
9 Inbound Logistics and Warehouse Management	First physical step: receipts and warehouse	Receipt and inventory management
10 Execution	Second physical step: creating the value	Shop order and production schedule manufacturing, kanban, work order execution, project execution and deliverables
11 Outbound Logistics	Third physical step: delivery	Customer order delivery, shipment delivery
12 Human Capital Management	Organization and employees	Employee administration, time and attendance, health and safety
13 Cross Application Processes	Functions used across the application	Quality management, risk management, document management, reporting and analysis, support and case management

4. Service and Maintenance Processes

Process	What it does	Key steps, statuses and rules	Source
Work order processing (internal maintenance)	Runs maintenance work with the company's own employees	Evaluate service requests and fault reports; prepare the work order with budget estimates; optionally schedule through the PSO scheduling engine; create a repair work order for a broken serial object; send tasks to mobile devices; execute and issue parts through pick lists; report actions, time, tools, expenses and returned parts; create a voucher; conclude the tasks and then the order	S5

Process	What it does	Key steps, statuses and rules	Source
Work order creation and statuses	Administers work orders for maintenance and service tasks, planned or unplanned	A work order comes from a PM action, a fault report or a service request. New orders start as Work Request or Fault Report. Later statuses include Observed, Under Preparation, Prepared, Released, Work Started and Work Done	S3, S4, S9
Repair work order	Repairs a broken serial object or a non-serial part	The object can go to the facility, the repair workshop or inventory. A repaired non-serial part returns to inventory, and the part must be scrapped or moved to inventory before the repair order can finish	S5
Preventive maintenance (PM action and plan)	Generates future work orders from a template	A PM action defines a task needing materials, work lists and resources, and one action can generate many work orders. Generation can be calendar-based, event-based or condition-based. A new action revision starts as Preliminary and must be active and valid to generate orders. A PM plan lists the orders to be generated over its horizon	S6, S7
Operational status for PM	Records the state an asset must be in during a PM task	Examples are Full operation, Reduced speed and Total shutdown. Each status is either Obstructive or Non Obstructive	S8
Maintenance planning board	Schedules work orders and PM occurrences against resources	Loads orders with statuses from Fault Report to Work Started, and active PM actions. It considers only the orders and resources loaded at that time and finite or infinite resource capacity	S9
Mobile work order	Lets technicians process assignments in the field	Service requests created in the app start with status New and a scope. Back office prepares and schedules them	S10
Service object (installed base)	Holds a physical asset that needs maintenance or repair	Classified as Functional or Serial; can be linked to a model, part and serial number; keeps a history of actions such as In Operation and Out of Operation	S11
Service order management	Handles service requests from intake to dispatch	New request from the service catalog, appointment booking, scope with checklists and planned costs, and dispatch to the best technician	S13
Service contracts and warranties	Models commercial terms at asset level	A contract can be invoiced through a work task, a work order or a PM action, once the work task is transferred to a customer order	S12, S14

5. Repair, Return and Remanufacturing Processes

These are the processes closest to what our DI decides, because they handle assets that come back or are taken apart.

Process	What it does	Key steps, statuses and rules	Source
Return material authorization (customer orders)	Authorizes a customer's return of delivered parts, with or without a known order	A coordinator approves or denies the request. Line statuses are Planned, Released, Partially Received, Received, Completed and Denied. Returned material goes back to inventory or is scrapped, and the customer can be credited. A return to another site creates a second receipt RMA. Receipt moved to Register Arrivals from 22R2	S15, S16, S53
Repair RMA (depot repair)	Authorizes and tracks returns and repairs	Each unit is identified by serial or asset number and can be tracked as a Service Object. A serialized unit can appear on one open RMA at a time. The return reason drives the next step: for Repair Pool Swap the item is received from the customer, for Advance Replace a different item is shipped first	S17
Depot repair, as described by IFS	Handles returns, repairs and warranty claims	Runs from return authorization through inbound shipping, repair, outbound shipping and billing	S18
Component repair order (CRO)	Authorizes repair or modification of a part and links all related objects	Header plus repair and exchange lines. States are Planned, Released, Completed and Closed. Parts on one order must belong to one customer. Associated objects are customer order, inventory, repair order, part service contract, cost lines and sales lines	S19
CRO exchange	Handles part exchanges at the customer	Exchange type is single, double or loan. Exchanges can be added while the CRO is Released	S20
CRO line actions	Moves a line through repair	Release to shop order, work order or external service order; generate task list; sign off tasks; calculate cost lines; generate and transfer sales lines to a customer order; scrap received parts; return to repair; cancel; close or reopen	S21, S23, S24
CRO receive order	Receives parts into the repair flow, based on a purchase order	Status is Released, then Arrived (quality control and receipt remain), Received for a partial quantity, and Closed when fully received	S22
Repair shop order (MRO)	Repairs items inside the maintenance, repair and overhaul flow	Created from discrepancy or modification codes found at disposition or receipt. Statuses follow other shop orders, but material is not unreserved when parked in the MRO supply type	S25
Disposition shop order	Inspects items from disassembly to decide their fate	Follows disassembly and is followed by repair and assembly shop orders. After inspection each item is received into inventory, scrapped, or marked for repair or modification	S26
Disassembly shop order	Takes a product, often a worn-out core, apart into components	Released in IFS Cloud 23R1. It can also be used generally, for example to return components to stock or to sell them as spare parts. A customer-owned part can be disassembled	S27, S30

Process	What it does	Key steps, statuses and rules	Source
Remanufacturing shop order	Restores a part to like-new condition	Uses a remanufacturing product structure that can mix new and used components and produce by-products and disassembly components. It can receive an existing serial number, with automatic serial rename between parts	S27, S29, S31
Shop order requisition	Preliminary proposal for manufacturing, remanufacturing or disassembly	Created by planning calculations, direct order needs or manually. Remanufacturing and disassembly requisitions create one shop order each. Pegged direct supply creates linked disassembly and remanufacturing requisitions, and MRP can use that supply to reduce the planned need for new components	S28
Material review board (MRB) case	Decides what happens to nonconforming parts	Can be raised against an inventory part in a location, a purchase order receipt, or a shop order including co-products and disassembly components. Parts are isolated, and the board decides disposition such as scrap or rework	S38

6. Manufacturing Shop Order Processes

Process	What it does	Key steps, statuses and rules	Source
Shop order lifecycle	Authorizes and tracks making a part	Statuses are Planned, Parked, Released, Reserved, Started, Closed and Cancelled. Users cannot change status manually; the system sets it from actions. A new order starts as Planned or Released depending on site settings	S32
Shop order sources	Creates the order	Manual entry, shop order requisition, dynamic order processing (DOP), batch balancing, customer order, project deliverable or kanban	S32
Shop order process type events	Automates early steps	Release shop order requisitions, then release shop orders (Planned to Released), then reserve material. Reservation is sequenced by priority, revised start date and order number	S33
Reservations and availability checks	Secures material and checks delivery dates	Material is identified when the order is entered and reserved from Released status. An availability check re-tests promised dates whenever stock or reservations change	S34
Operations	Defines work steps	An operation is a step to manufacture, repair, disposition or disassemble. Lead time includes queue time, and operations come from routings or order structures	S35

Process	What it does	Key steps, statuses and rules	Source
Closing a shop order	Completes the order and revalues cost	Closes by auto close within tolerance, forced closure on receipt, or manually. Remaining WIP products block closure unless issued. Receipts and WIP scrap are revalued for some valuation methods. MRO orders from a work scope close only from the interim order structure	S36
Shop order planning model (process 7.9)	Plans the order before release	Requisition and component availability, material and resource availability, finite scheduling, then release. Includes planning boards and a link to creating an MRB case	S37

7. Procurement, Orders, Rental and Asset Disposal

Process	What it does	Key steps, statuses and rules	Source
Purchase order	Buys parts and services	The header starts as Planned and is released to Released, and new lines acquire Released status. Authorization rules can require approval first. Ownership on a line can be company-owned, consignment, customer-owned or supplier-loaned	S39, S40
Direct delivery	Ships from a supplier to the customer	When the direct delivery is recorded, the purchase order closes and the customer order becomes Delivered so it can be invoiced	S41
Customer order	Sells and delivers parts	Release moves it from Planned to Released after a credit check. The order type decides which steps are automatic (release, pick list, report picking, deliver, invoice) and which stop for manual action. Line statuses reported by users include Planned, Released, Reserved, Picked, Delivered, Invoiced/Closed and Blocked	S42, S43, S44
Rental management	Handles renting in and renting out	Rental events generate rental transactions, which become rental vouchers used to match supplier invoices (rent in) or invoice customers (rent out). Preliminary cost can be reported to work tasks	S45, S46
Fixed asset disposal	Removes an asset from the books	Dispose Object has three routes: sell, scrap and transfer to another company. Status changes from Active or Allow Scrap to Scrapped, or from Active to Transferred. Each route posts accounting entries using defined posting types. Rotable pool objects have their own posting types	S47
Voucher posting	Moves financial effects to the ledger	Vouchers from any module go to a hold table in Accounting Rules and are then updated to the general ledger	S5

8. Cross-Application, Integration and Intelligence Layer

Capability	What IFS publishes	Source
Quality management	A main process under Cross Application Processes, including the MRB case described above	S1, S38
Reporting and analysis	Information Sources give a business view of data in a star-schema form (a fact plus dimensions) for reporting and BI tools. Most work in Online mode on live data or Data Mart mode on stored data refreshed on a schedule	S48
Integration	The technical documentation lists RESTful OData APIs, IFS Connect and a PL/SQL access provider as integration routes	S49
Business process automation	Workflow tooling based on Business Process Model and Notation (documented for release 21R2)	S50
Planning and scheduling optimization	Maintenance and service work can be scheduled by the PSO scheduling engine, which returns a plan that can assign work to a suggested employee	S5
Copperleaf and Loops	IFS completed the Copperleaf acquisition for asset investment planning, and acquired theLoops to launch an industrial AI workforce	S51, S52

9. IFS Product Landscape

IFS Cloud is the platform, but IFS sells and owns more than that. This section lists the other IFS products and acquisitions, what each does, and why each matters to our DI. The sources are IFS product pages and press releases where available, and trade press, aggregators and partner sites where not, as the source list flags. Process-level documentation was collected only for IFS Cloud (Sections 3 to 8); for the products below it is product-page level.

9.1 Portfolio overview

Product	What it is	Origin and date	Source
IFS Cloud	Composable platform spanning ERP, EAM, supply chain, ITSM and field service, with embedded AI. Its processes are Sections 3 to 8	IFS's core platform. Release 25R1 added 200+ AI-driven capabilities	S77
IFS Continuous Asset Decision Intelligence (CADI)	AI-native capability, developed with AVEVA, that connects operational intelligence, enterprise execution and capital planning to decide what to repair, defer or replace. Demonstrated live at IFS Unleashed in October 2026; presenters described it as still being developed	Unveiled 2026 with AVEVA	S78, S79
IFS Copperleaf (Portfolio, Asset, Value)	Asset investment planning. It evaluates all investments on a common economic scale with a Value Framework, optimizes plans under funding, resource and risk constraints, and runs what-if scenarios. Asset adds risk views and bundling of interventions	Acquisition completed 2024 (CAN$1 billion)	S54, S55, S56, S57

Product	What it is	Origin and date	Source
IFS Ultimo	AI-embedded cloud EAM for maintenance, safety and asset performance, with preventive maintenance planning, release conditions and cost tracking	Acquired July 2022	S58, S57
IFS Maintenix and IFS Cloud Aviation Maintenance	Aviation maintenance, repair and overhaul for airframes, engines, landing gear, components and ground support, from line to heavy maintenance and depot overhaul. Maintenix adds fleet and line planners, and a partner source says serviceable and unserviceable stock is tracked through disassembly, repair and reassembly	Maintenix is the IFS aviation product; the IFS Cloud edition is sold as IFS Cloud Aviation Maintenance	S59, S60, S61, S62
EmpowerMX	AI-powered airframe MRO software with electronic task cards and logbooks	Acquired July 2024. Trade press says IFS did not say whether it stays separate	S63, S69
IFS Field Service Management and related acquisitions	Scheduling and dispatch, mobile workforce, service contracts and warranties. Built through Field Service Management Ltd and WorkWave (2017), Astea (2019) and Clevest (2020)	Acquisitions 2017 to 2020; current product names may differ	S66, S67
IFS Softeon	Warehouse management, warehouse execution and distributed order management, to be joined with manufacturing operations and robotics	Announced December 2025; completion reported 2 March 2026	S64, S65
7bridges	AI logistics network planning and automation with simulation. The vendor claims about 8% lower transport cost and 90% less manual data entry	Acquired August 2025	S70
IFS Loops (Digital Workers, Agent Studio)	Agent platform. Governed digital workers carry decisions through to execution, for example field dispatch, supplier coordination and inventory replenishment, and Agent Studio configures and monitors them. A trade report says Loops now offers "digital crews" that chain workers across a process	TheLoops acquired June 2025	S71, S72, S74, S67
IFS Nexus Black	AI engineering team and accelerator for complex, high-stakes industrial problems, including scenario analysis and intelligence for regulated or safety-critical processes	Launched April 2025	S73, S67
IFS Industrial Intelligence (IFS.ai)	Embedded AI in IFS Cloud. IFS describes three engines: Industrial Intelligence, Loops Digital Workers and Nexus Black	Part of IFS Cloud	S73
Falkonry	Self-learning anomaly detection on time-series data from assets, machines and processes	Acquisition agreed August 2023. One trade report says IFS did not confirm it closed	S68, S69
Poka	Connected worker platform for factory and field workers	Acquired 2023	S57, S67
Axios Systems	Enterprise service management and ITSM	Acquired 2021	S66

Product	What it is	Origin and date	Source
Customerville	Listed as an IFS acquisition. Its function was not verified here	Acquired July 2021	S57
IFS Energy and Resources (formerly P2)	Upstream oil and gas software, including Merrick, BOLO, Excalibur, Tobin and Qbyte	Acquired from P2 Energy Solutions	S75
Other IFS Cloud modules	Human capital management, project management and supply chain management applications appear in IFS application lists. Their process detail is summarized only in Section 3	Part of IFS Cloud	S76, S1

9.2 Why each product matters to our DI

This is our assessment, not an IFS statement.

Product	Why it matters	Priority
CADI	The closest IFS capability to our DI. It recommends repair, defer or replace for assets in service and drives the approved change into IFS and Copperleaf. Our DI works on assets that have come back, so the two meet where an asset leaves service. Section 20 compares them	**High, strategic**
Copperleaf	It decides where to invest in assets that stay in service. Our DI decides what happens to assets that leave service. They meet at retirement and replacement: a Copperleaf plan to retire or replace assets is an early signal of expected returns, and our DI could pass expected recovery values back into the plan	**High**
IFS Loops, Nexus Black and IFS.ai	IFS's own agent and AI layer. Our decision service could be called as a governed tool by a Loops digital worker, or it could overlap, because IFS describes Loops as carrying decisions through to execution	**High, strategic**
Ultimo	A separate EAM with its own asset and work order history. A customer that runs Ultimo instead of IFS Cloud EAM needs its own source definition	**High, customer dependent**
Maintenix, Aviation Maintenance and EmpowerMX	Aircraft and component maintenance, with unserviceable parts and engines going through disassembly and repair. Relevant when returned assets are aircraft components	**High for aviation**
Softeon	Warehouse stock, reservations, putaway and order management for returned assets. It would be an inventory source and a handoff target where a customer adopts it	**Medium to high**
IFS Field Service Management products	Service demand, visit outcomes and parts consumed. Feeds repair evidence and cost actuals	**Medium**
7bridges	Transport cost and lead-time simulation could feed the logistics cost in our route economics	**Medium**
Falkonry	Anomaly detection could supply condition evidence for the condition gate	**Medium**
Poka	Execution feedback from workers; limited direct link	**Low**

Product	Why it matters	Priority
Axios, Customerville, P2 and HCM or project modules	Little direct link to returned-asset decisions	**Low**

9.3 What this changes in the rest of the document

- **The IFS source definition (Section 16) is for IFS Cloud.** A customer on Ultimo, Maintenix or Softeon would need a variant, with the same fields but different inputs and authority.
- **The POC vendor lists need more IFS options** (Section 19): Ultimo and Maintenix under EAM, and IFS Softeon under warehouse management.
- **Copperleaf, CADI and Loops are the strategic touchpoints.** Copperleaf and CADI supply planned retirements and overlap on repair-or-replace decisions, and Loops is a place where our decision service could be called.
- **Depth is uneven.** Only IFS Cloud has process-level documentation here. The others are covered by product pages, press releases and, in places, trade press and partner sites.

PART B AND C. OUR DI AND WHERE IT FITS

10. What Our DI Does (from the POC)

The proof of concept is a clickable front end for the Circularity Decision Workbench. Everything in it is synthetic, and its connectors are simulated [P1, P2]. The design it shows is what matters here.

10.1 The ten-step journey

Step	Who does it	What happens
1 Supply evidence	Enterprise systems	EAM inspection and history, PLM and quality eligibility, ERP and warehouse cost and stock [P1]
2 Build alternatives	DI	Retrieve and link evidence, check internal and external demand, define eligible treatments
3 Predict outcomes	DI	Predict price, sale likelihood, timing, repair cost and success, and claims exposure
4 Optimize plan	DI	Compare net economic value across routes, timing and capacity and select the plan
5 Plan approval	Human	A person reviews the rationale and approves options, spend and sale terms
6 Send instruction	DI	Send the approved plan to the owning systems and track acknowledgements
7 Create execution work	Enterprise systems	EAM repair work order, ERP parts and stock reservation, sales task
8 Repair and certify	Enterprise systems	Perform repairs and tests; record results and certification
9 Action and return outcome	Enterprise systems	Process the action and send status, receipts, actual costs and proceeds back

Step	Who does it	What happens
10 Reconcile and learn	DI	Link actuals to the decision, compare with forecasts, validate model improvements

10.2 Routes, gates and orchestration

Element	Content in the POC [P1]
Seven routes	Redeploy; whole-asset resale; internal recovered-part use; re-lease; material recovery; external parts sale; responsible exit
Six gates	Condition and life; post-intervention; policy and certification; demand fit; economics; sustainability. A failed gate shows the route as restricted with the reason, and an agent cannot waive it
Ten orchestration stages	Start (a return is received or a contract nears expiry); pull data; data preparation; evaluate gates; ML predictions; optimise plan; recommendation; present for approval; hand off to the enterprise system; retrieve actual outcome
Seven canonical models	Asset and component; condition and eligibility; demand opportunity; intervention; route candidate; decision; outcome. Each is versioned and every source maps into them
Agents and tools	Five agents (Evidence Assembler, Opportunity Finder, Gap Requester, Handoff Coordinator, Reconciler) and ten governed tools, six that read and four that write. Writes that commit stock, spend or price stop for human approval
Event handling	Messages carry idempotency keys; duplicates are ignored, late and out-of-order events are reordered, and conflicts between systems are queued with the authoritative system named

10.3 How the POC describes a connected system

Each source in the POC's Source map is defined the same way, which is the template an IFS source would follow [P1]:

Field	Example from the POC (an EAM source)
Type and vendor	EAM, IBM Maximo
Inputs	Installed base, asset registry, work orders, failure history, criticality
Read and write calls	Read asset, work order and failure report; write work order create and update
Steps it serves	1, 6, 7, 8, 9
Authority	The fields this system is the master for: asset identity and work order status
Health	Mode (API, events, polling), freshness, completeness, confidence, owner

11. Where the DI Sits in the IFS Pipeline

This follows the POC's ten orchestration stages from start to finish and shows what each one touches in IFS. It is a proposed mapping.

Orchestration stage	IFS process or object it touches	Direction	IFS signal to watch
Start	A customer-order RMA or a repair RMA is raised or received; a serialized part arrives; a service object goes out of operation; a service contract or rental ends [S15, S17, S11, S12, S45]	Read (event)	RMA status Released or Received; receipt at Register Arrivals
Pull data	Service object and work order history, PM history, MRB cases, disposition lines, part serial position and ownership, inventory, orders and requisitions, fixed asset record, contracts and warranties	Read	Online or data-mart information sources
Data preparation	Link service object, part serial and fixed asset object into one asset identity; resolve conflicts with outside sources such as lease and quality systems	DI	Conflict queue
Evaluate gates	Uses IFS status, MRB and disposition results, and contract terms as evidence for each gate	DI	None
ML predictions	IFS repair history, cost lines and sales prices are training and calibration data	DI	None
Optimise plan	IFS demand (customer orders, shop order requisitions, planned requirements) and capacity (shop floor and work center load) act as constraints	DI	None
Recommendation	Ranks routes and explains the choice	DI	None
Present for approval	A person approves in the DI. IFS objects can be created in a planned state until approval	DI, optional IFS	Planned status on order, CRO or shop order
Hand off	Creates the repair RMA, component repair order, shop order requisition, work order, customer or purchase order, rental event or disposal that carries the route out	Write	IFS record ID and status returned
Retrieve actual outcome	Status changes, cost lines, sales lines, closing revaluation, voucher postings and disposal entries	Read	Closed or completed states; vouchers

12. Evidence In: POC Models to IFS Objects

The POC's seven canonical models are filled from source systems. This table shows where an IFS customer's data would come from. "Not found" means I did not see a matching field in the IFS documentation I read.

Canonical model	POC fields (examples)	Likely IFS source
Asset and component	asset ID, source references, owner tenant, parent asset, configuration, BOM reference, location, availability	Service object or equipment object (functional or serial); part and serial number; fixed asset object; ownership on the part (company-owned, customer-owned, consignment, supplier-loaned); object structure; current position such as in facility, repair workshop or inventory [S11, S40, S5]

Canonical model	POC fields (examples)	Likely IFS source
Condition and eligibility	inspection reference, grade, life assessment, qualification, certificates, policy version	Work order findings and PM history; MRB case and disposition line results; CRO sign-off. A single grade and a life assessment: not found, likely from inspection, quality or engineering sources [S38, S26, S21]
Demand opportunity	demand ID, type, buyer, quantity, location, need-by date, confirmed or forecast	Customer order lines; shop order requisitions and MRP planned requirements; purchase requisitions; PM material needs. Released orders map to confirmed and planned items to forecast [S42, S28]
Intervention	process, predicted condition, cost, duration, success probability, capacity, tests	Repair or remanufacturing product structure and routing (cost and time); CRO lines; work center capacity. Success probability is DI output [S29, S19]
Route candidate	components, channel, demand, intervention, timing, expected net	Built by the DI; not stored in IFS
Decision	route, allocation, alternatives, evidence snapshot, approval reference, model version	Built by the DI; the approval reference can be stored on the IFS record it creates (field to be confirmed)
Outcome	action taken, execution reference, receipts, costs, avoided spend, service results	CRO cost and sales lines; shop order closing revaluation; work order reporting; customer order invoices; voucher postings; disposal entries [S24, S36, S5, S47]

13. Instructions Out: Routes to IFS Processes

The POC already defines the handoff steps for each route against generic systems (ERP order management, EAM, warehouse, CRM, recycler) [P1]. This table swaps in the IFS process that would do that work. It is proposed, and IFS object names need confirming.

Route	POC handoff steps (generic systems)	Proposed IFS equivalent	Status to track
Redeploy	Redeployment order (ERP); refurbishment work order (EAM); transfer to site (warehouse); outcome reported (ERP)	Customer order for the receiving site; repair shop order, CRO or work order for refurbishment; inventory transfer and receipt	Customer order Planned to Delivered; shop order or CRO states; receive order
Whole-asset resale	Reserve unit; sale task (CRM); ship to buyer; receipts (ERP)	Reservation on a customer order line; customer order; shipment; invoice. Fixed asset sell if the unit is on the asset register	Customer order Reserved, Picked, Delivered, Invoiced; asset status
Re-lease	Refurbishment work order; putaway; lease contract; finance outcome	Repair work order or CRO; receipt into stock; rental management (rent out) or a service contract. A separate lease system may keep the contract	Rental transactions and vouchers; CRO states

Route	POC handoff steps (generic systems)	Proposed IFS equivalent	Status to track
Internal recovered-part use	Teardown work order; parts putaway; parts allocation; outcome	Disassembly shop order, with a disposition shop order for inspection; receive disassembly components to stock; reserve them for shop orders or work orders, or peg them to a remanufacturing requisition	Shop order status; produced-part receipts; closing revaluation
External parts sale	Teardown work order; reserve parts; sale task; receipts	Disassembly shop order; receive and reserve components; customer order lines; invoice	As above, plus customer order status
Material recovery and responsible exit	Release to partner; collection; processing; certificate returned	Scrap through the disposition line, inventory scrap or fixed asset scrap. The recycler and certificate stay outside IFS	Fixed asset status Scrapped; disposition outcome
Hold or return to stock	Return to stock; hold until review; re-evaluate	Register arrivals into inventory, or RMA receive, then a planned review	RMA Received or Completed

Sources for the IFS side: RMA [S15, S16], repair RMA and CRO [S17, S19, S20], shop orders [S26, S28, S32], rental [S45], fixed assets [S47], orders [S42, S43].

14. IFS Decision Hooks

These are places where IFS already asks a person to choose among a few outcomes. They are the cleanest points to insert a DI recommendation, because the workflow already stops there.

IFS decision point	What IFS does today	What the DI adds	Write back
Return authorization approval	A coordinator approves or denies a return. Received material goes back to inventory or is scrapped [S15, S16]	Recommends the route and expected value before the coordinator decides	Coordinator note; follow-on repair RMA or CRO
Repair RMA return reason	The reason, such as Repair Pool Swap or Advance Replace, decides the next step [S17]	Chooses between repair, swap and other routes with economics	Return reason and follow-on records
Disposition shop order line	Each inspected item is received, scrapped, repaired or modified [S26]	Recommends per item using gates and demand for the recovered part	Disposition line decision
Material review board	The board decides disposition such as scrap or rework [S38]	Adds economic and demand context to the case	Board input; disposition
Fixed asset disposal	Sell, scrap or transfer, each with its own postings [S47]	Compares sale, redeploy and parts value before the asset is dispositioned	Disposal route and amount
Shop order requisition	Manufacturing, remanufacturing or disassembly proposal; pegged supply reduces new-part need [S28]	Decides whether to remanufacture or disassemble given demand and capacity	Requisition type and quantity
Contract or rental end	Service contracts and rental management track terms and ends [S12, S45]	Predicts likely outcome and expected return (the POC's Expected returns)	Planned return and route

15. Status, Acknowledgement and the Learning Loop

15.1 Events the DI would track

POC event	IFS signal that could drive it	Source
instruction.sent	The DI creates or releases the IFS record and receives its ID	S39, S42
stock.reserved	Material or serial reserved for a shop order, CRO line or customer order line	S34, S21
workorder.created	Repair work order, CRO line released to shop order or work order, or shop order requisition converted	S5, S21, S28
movement.confirmed	Receive order moves through Released, Arrived, Received and Closed; arrivals registered	S22, S53
outcome.reported	Customer order invoiced, CRO or shop order closed, rental transaction vouchered, asset scrapped or transferred	S36, S45, S47

The POC also handles duplicate, late and out-of-order messages with idempotency keys [P1]. Whether IFS supports idempotent writes through its APIs is not confirmed.

15.2 Reconcile and learn by cost line

In the POC, when Finance confirms an outcome each cost line gets an actual, and a named model learns from the difference: preparation and fees feed the prep-cost-time model, sale and residual values feed resale-price, service feeds service-exposure, and avoided purchase uses the ERP price [P3]. The IFS sources for those actuals would be:

POC cost line	IFS source of the actual	Source
Preparation and fees (prep-cost-time)	CRO cost lines; repair or disassembly shop order costs at closing; work order reported time, parts and external costs	S19, S36, S5
Sale, parts and residual value (resale-price)	CRO sales lines transferred to a customer order; customer order invoice lines	S24, S42
Service exposure	Service contract and warranty costs on later work orders	S12
Avoided purchase	Purchase order price for the part that was not bought	S39
Lease and rental value	Rental transactions and vouchers	S46

16. IFS as a Source in the POC

The POC defines each source by inputs, read and write calls, steps served, authority and owner [P1]. An IFS customer would register IFS as two sources, because IFS spans the POC's separate ERP, EAM, field service, warehouse and repair types. Call names are left open until confirmed against IFS metadata.

Field	IFS Cloud · Service and asset	IFS Cloud · Supply chain and finance
Covers POC types	EAM, field service management, repair management	ERP, warehouse management, procurement
Inputs	Service objects, work orders, PM actions, fault reports, service requests, repair RMAs, component repair orders, disposition and MRB results	Part serials and inventory position, ownership, purchase and customer orders, shop orders and requisitions, fixed assets, vouchers and costs, rental
Read	Entities listed in Inputs (call names to confirm)	Entities listed in Inputs (call names to confirm)
Write	Repair RMA, CRO, repair or work order, disassembly or remanufacturing requisition	Customer or purchase order, reservation, transfer, rental event, fixed asset disposal
Steps served	1, 6, 7, 8, 9	1, 6, 9
Authority (proposed)	Asset identity, work order and repair status, repair cost, resulting state	Cost, purchase baseline, valuation, stock position and reservations

17. Integration Mechanisms and Authority Rules

Mechanism	What IFS publishes	POC layer that would use it
REST APIs (OData projections)	REST APIs built on projections, with API Explorer in IFS Cloud. Event Actions or custom code handle outbound messages [S49, S81]	Ingest and outbound workflows
IFS Connect	Message routing, message queues for asynchronous processing, archiving, envelopes and transformers written in XSL or Java [S80]	Event stream and acknowledgements
Information Sources	Business views for reporting, in Online mode on live data or Data Mart mode refreshed on a schedule [S48]	Evidence pull at scale and model training
Business process automation	BPMN-based workflow tooling, documented for 21R2 [S50]	A place to trigger the DI or to hold releases pending approval
Planning and scheduling optimization	PSO scheduling engine for work orders [S5]	Capacity input to the optimizer

Retry policy and dead-letter handling for IFS queues were not verified, so the POC's resilience behaviour should not be assumed to match.

Authority rules. The POC resolves conflicts by naming the authoritative system, for example lease management over ERP for ownership, quality over EAM for qualification, and the warehouse over ERP for availability [P1]. Inside IFS, ERP, EAM and warehouse data live in one product, so the second and third kinds of conflict would arise less often. The conflicts that remain are IFS against outside systems: a separate lease system, a separate quality system, and market and dealer data.

18. Phased Adoption Path

This is a proposal for how to start with one IFS customer.

Phase	Scope	IFS touchpoints	Exit test
1 Shadow	Read-only. Recommend routes for one asset class and compare with what coordinators actually decide	Information sources or OData reads; RMA, service object, work order history	Recommendations match or beat decisions in a sample of closed cases
2 One route, with approval	Send instructions for one route, for example repair through a repair RMA and CRO, or disassembly	Repair RMA, CRO, disassembly shop order; statuses read back	Approved instructions create the right records with no manual rework
3 Closed loop	Reconcile actual against forecast by cost line and validate models	CRO cost and sales lines; shop order closing; vouchers	Forecast error falls over successive model versions
4 Widen	Add redeploy, resale, rental and pool optimization; add conflict handling with outside systems	Customer orders, rental, fixed asset disposal, requisitions	Pool allocation prevents double commitment in live data

19. Changes Needed in the POC

These come from reading the code. Names in the first column are the identifiers in index.html [P1].

POC element	Today	Proposed change
SRC_TYPES.eam and fsm	IFS Cloud EAM and IFS Field Service Management are listed as vendor options	Keep. Add IFS Ultimo and IFS Maintenix as separate EAM options, and the process detail from Section 16 behind them (Section 9)
SRC_TYPES.erp	SAP S/4HANA, Oracle Fusion Cloud ERP, NetSuite, Dynamics 365 Finance, Infor CloudSuite	Add IFS Cloud ERP (supply chain and finance)
SRC_TYPES.wms	Manhattan, SAP EWM, Blue Yonder, Oracle, Körber	Add IFS Cloud inventory and IFS Softeon
SRC_TYPES.repair	Fixably, RepairShopr, ServiceMax Repair, Oracle Depot Repair	Add IFS Depot Repair and component repair
SOURCES	19 seeded sources, none from IFS	Add the two IFS sources in Section 16 with their inputs, steps and authority
MAPPINGS	Field mappings per source, such as EAM asset number to asset ID	Add IFS rows: service object ID to asset ID, part serial position to location, RMA reference to return reference, order lines to demand
HANDOFF_MODEL and STEP_TPL	Targets read ERP Order Management, EAM Diagnostic and Repair, WMS putaway and similar	Show IFS wording when an IFS source is selected (customer order, repair RMA or CRO, disassembly shop order, register arrivals)
hoKind (references)	Returns SO, WO, TR, FUL, INV style references	Add IFS references such as RMA, CRO, shop order and customer order numbers
Workflows	One ingest workflow per source and one outbound workflow per target system	Add ingest and outbound workflows for the IFS sources

20. Where Our DI Overlaps IFS and Where It Differs

This compares the POC's design with what IFS publishes, including IFS's new Continuous Asset Decision Intelligence (CADI). Overlap ratings are our assessment.

What CADI is

IFS and AVEVA unveiled Continuous Asset Decision Intelligence at IFS Unleashed in October 2026. IFS describes it as connecting operational intelligence, enterprise execution and capital planning to decide what to repair, defer or replace [S78]. In the live demo it traced a sensor anomaly to a work order in IFS and a capital plan in Copperleaf, with a person approving each change [S79].

The presenters called it a glimpse of a solution still being developed [S79]. It addresses assets in service. I found nothing saying it chooses between routes for returned assets.

Capability	Our DI (POC)	IFS today	Overlap
Asset lifecycle records	Canonical asset model with identity, configuration, location and evidence [P1]	IFS Cloud EAM manages assets from operational design to decommissioning [S59, S78]	**High**
Repair, defer or replace decisions	Compares repair and refurbishment against other routes for returned assets	CADI recommends repair, defer or replace for assets in service [S78, S79]	**High in concept, different asset state**
Return and repair execution	Sends instructions; execution stays in the owning system	Depot repair, component repair and remanufacturing processes (Sections 5 and 6) [S18]	**Execution overlap; no route comparison found**
Constrained optimization	Pool optimizer allocates assets and parts across competing demand [P1]	Copperleaf optimizes investment plans under funding, resource and risk constraints [S55]	**Similar method, different problem**
Approval, action and audit loop	Human approval, then governed instruction and evidence snapshot [P1]	CADI drafts changes that a person approves before the work order updates [S79]	**High**
Agents and execution	Five role-scoped agents and ten governed tools [P1]	Loops digital workers and Agent Studio [S71, S72]	**Medium to high**
Probabilistic forecasts of recovery outcomes	P10 to P90 predictions of price, cost, timing and success [P1]	Predictive maintenance and anomaly detection [S68, S73]. Resale price or time-to-sell forecasting: not found	**Low**
Seven-route comparison with a hold option	Redeploy, resale, internal parts, re-lease, material recovery, external parts, exit [P1]	Not found	**Low**
Six eligibility gates before price	A failed gate excludes a route whatever its price [P1]	Not found as route gating	**Low**
External recovery evidence	Market, dealer, recycler and carbon sources [P1]	Not found	**Low**

Capability	Our DI (POC)	IFS today	Overlap
Pool allocation of returned assets	Allocates assets and components so nothing is promised twice [P1]	MRP pegging links remanufacturing supply to demand [S28]. Returned-asset pool allocation: not found	**Low to medium**
Learning by cost line	Predicted against actual for each cost line, feeding named models [P3]	CADI describes a continuous loop; detail on learning from outcomes not available [S79]	**Unknown**

20.1 Where our DI can differ, and what still needs proof

- **Choosing among routes for assets that have come back,** including resale, re-lease, parts and material recovery, on one economic basis.
- **Eligibility gates applied before price,** so a high price cannot rescue a route that fails condition, certification or policy.
- **Allocating recovered assets and components to competing demand,** inside and outside the company.
- **External recovery evidence** such as dealer prices, recycler rates and carbon factors.
- **Learning from actual recovery outcomes** line by line.

All five are present in the POC design. None is proven: the POC is a simulation with synthetic data, and CADI and Copperleaf may widen their scope. The claim should therefore be narrow: choosing and allocating the best compliant recovery route for returned assets, not general asset decision-making.

20.2 Claims to treat with caution

- **"Standard ERP and EAM only use static costs."** IFS publishes predictive maintenance, anomaly detection and AI-driven scheduling [S68, S73]. What I did not find is forecasting of resale or recovery outcomes.
- **"IFS allocates first come, first served."** IFS reserves shop order material by priority, then revised start date, then order number [S33]. The POC's "per-asset greedy" is its own comparison baseline, not a description of IFS [P1].
- **Uplift figures** such as the POC's extra net recovery come from synthetic demo data and are not evidence of results [P2].
- **"Native IFS connectors."** The POC lists IFS Cloud EAM and IFS Field Service Management as vendor options, but its seeded sources use other vendors (Maximo and ServiceNow) [P1].
- **Technical parity with IFS integration.** The POC's retry, idempotency and dead-letter behaviour is simulated. IFS publishes message queues, routing and transformers, but I did not verify retry and dead-letter handling [S80].

21. Data Collection Checklist for an IFS Environment

This is the list of data to collect from a live IFS system. Object names follow the IFS documentation collected in Sections 3 to 8. Field lists are requirements, not verified column names, and must be confirmed in the customer's release (for example through API Explorer [S81]). Other IFS areas such as customer relationship management, projects, workforce, documents and human capital management matter less to the DI and are not itemized.

Area	IFS objects to inspect	Data to collect
Assets and equipment	Service object, equipment object, part serial, fixed asset object [S11, S47]	ID, serial, model, location or current position, ownership, parent and child structure, in-operation status and history, acquisition cost and book value
Maintenance	Work orders, PM actions and plans, fault reports [S3, S5, S6, S7]	Order ID, type, status and status history, asset, planned and actual dates, labor and time, parts, external costs, causes and actions, PM trigger and last completion
Service and warranty	Service requests, service contracts, service lines, warranties [S12, S13]	Request ID, contract, coverage dates, response and resolution terms, invoicing route, warranty claims
Returns and repair	RMA, repair RMA, component repair order, repair shop order, disposition lines, MRB cases [S15, S17, S19, S25, S26, S38]	IDs, return reason, serial, status and receipt condition, repair scope, cost lines, sales lines, exchange type, disposition outcome, board decision
Teardown and remanufacturing	Disassembly and remanufacturing shop orders, requisitions, product structures, disassembly components [S28, S29, S30, S31]	Structure and revision, components recovered and received, replacement parts, serial renames, closing revaluation
Inventory, orders and demand	Part serial and inventory position, reservations, purchase orders and lines, customer orders and lines, shipments [S34, S39, S40, S42]	Quantity, location, lot or serial, ownership type, reservations, prices, promised dates, status
Rental	Rental events and transactions, rent in and rent out [S45, S46]	Contract, asset, period, rate, transactions, vouchers, return dates
Finance	Vouchers in the hold table, fixed asset disposals, CRO sales lines, invoices [S5, S47, S24]	Amounts, accounts, posting types, currency, dates, disposal route and value
Integration and events	Application messages, message queues, status history [S80]	Message ID, source, destination, status, timestamps, errors

21.1 Fields to collect on every record

- **Identity and links:** record ID, business object, parent record, related asset, part, order, customer, supplier.
- **Status and time:** current and previous status, closure reason, created, updated, transaction and completion dates.
- **Quantity and cost:** planned and actual quantity, unit, unit and total cost, currency, accounting reference.
- **Location and ownership:** site, warehouse or storage location, responsible person, team or supplier.
- **Audit and quality:** change history where available, source system, nulls, duplicate IDs and missing links. Keep the original field name, type, unit and value.

21.2 Extraction inventory

For each source object, record: IFS release and installed modules; entity name; exact field names and descriptions; endpoint or approved export; available date range and record count; extraction date and refresh

frequency; permissions and sensitive fields; and whether history and audit trail exist. IFS exposes data through REST APIs built on projections, and IFS Connect handles messages and files [S80, S81].

22. Gaps and Open Questions

- **No live IFS environment.** API projection names, field names and status transitions are unconfirmed. Request a test system or IFS metadata.
- **Grade and life assessment.** I did not find a single grade or life-assessment field in the IFS documentation I read. These may need to come from inspection, quality or engineering sources.
- **Idempotent writes.** The POC relies on idempotency keys. Whether IFS integration supports them is not confirmed.
- **Return authorization limits.** An IFS Community discussion says the customer-order RMA handles company-owned stock, and customer-owned parts go through a CRO. This is user discussion, not IFS policy, and should be verified [S53].
- **Release differences.** IFS pages come from 25R2 and 26R1, and some customer-hosted pages are older.
- **POC status.** The POC is a simulation. Its README lists real sign-in, server-side access control, storage and live connectors as work still to do [P2].
- **Other IFS products.** Copperleaf, Ultimo, Maintenix, Softeon, Loops and the others in Section 9 are covered at product-page and press-release level. Process-level documentation was not collected for them.
- **Areas only summarized on the IFS side:** finance, projects and human capital management.

Suggested next step: obtain an IFS demo environment and map each activity in Sections 4 to 7 to its API projection, then build the two IFS sources in the POC.

Appendix. Sources

S1 to S81: IFS Cloud documentation, IFS publications and, for the wider product portfolio, trade press and aggregators (docs.ifs.com is the primary source for IFS Cloud). P1 to P3: the Circularity proof of concept. Quality notes appear in brackets.

S1 IFS Business Models (IFS Cloud 25R2 documentation). Structure and the thirteen process areas. *[Primary]*
https://docs.ifs.com/ifsclouddocs/25r2/OnlineDoc/IFSBusinessModels.htm

S2 IFS Cloud documentation, Document Types and Structure (24R2). *[Primary]*
https://docs.ifs.com/ifsclouddocs/24r2/OnlineDoc/DocumentTypesAndStructureNew.htm

S3 IFS Cloud 25R2, Work Order. *[Primary]*
https://docs.ifs.com/ifsclouddocs/25r2/WorkProcessing/AboutWorkOrder.htm

S4 IFS help, Work Order (status descriptions). *[Customer-hosted docs]*
https://wssifshelp.wilhelmsen.com/ifsdoc/documentation/en/WorkProcessing/AboutWorkOrder.htm

S5 IFS Cloud 25R2, Work Order Processing. *[Primary]*
https://docs.ifs.com/ifsclouddocs/25r2/WorkProcessing/ProcessWOProcessing.htm

S6 IFS Cloud 25R2, PM Action. *[Primary]*
https://docs.ifs.com/ifsclouddocs/25r2/PMProcessing/AboutPMAction.htm

S7 IFS Cloud 25R2, PM Plan. *[Primary]*
https://docs.ifs.com/ifsclouddocs/25r2/lang/en/PMProcessing/AboutPMPlan.htm

S8 IFS Cloud 25R2, Create Operational Status. *[Primary]*
https://docs.ifs.com/ifsclouddocs/25r2/PMProcessing/ActivityCreateOperStat.htm

S9 IFS Cloud 25R2, Scheduling with Maintenance Planning Board. *[Primary]*
https://docs.ifs.com/ifsclouddocs/25r2/lang/en/Mpbint/AboutSchedulingwithMPB.htm

S10 IFS Cloud 23R2, Mobile Work Order. *[Primary, older release]*
https://docs.ifs.com/ifsclouddocs/23r2/WorkProcessing/AboutMobileWorkOrder.htm?StandAlone=true

S11 IFS Cloud 26R1, About Service Object. *[Primary]*
https://docs.ifs.com/ifsclouddocs/26r1/lang/en/InstalledBase/AboutServiceObject.htm

S12 IFS Cloud 25R2, Service Contract. *[Primary]*
https://docs.ifs.com/ifsclouddocs/25r2/ServiceContracts/AboutServiceContract.htm

S13 IFS Blog, Service Management in IFS Cloud: Service Program Management. *[IFS blog]*
https://blog.ifs.com/service-management-in-ifs-cloud-service-program-management/

S14 IFS, Service Order Management in IFS Cloud. *[IFS product page]*
https://www.ifs.com/en/insights/assets/service-order-management-in-ifs-cloud

S15 IFS Cloud 25R2, Return Material Authorization. *[Primary]*
https://docs.ifs.com/ifsclouddocs/25r2/Shipment/AboutRMA.htm

S16 IFS help (V10), Return Material Authorization (status values). *[Customer-hosted, older version]*
https://ifshelp.avcweb.com.br/IFSV10/documentation/en/Shipment/AboutRMA.htm?StandAlone=true

S17 IFS Cloud 26R1, About Repair RMA Initiation. *[Primary]*
https://docs.ifs.com/ifsclouddocs/26r1//DepotRepair/AboutRepairRMAInitiation.htm

S18 IFS, Depot Repair and Service Logistics. *[IFS product page]*
https://www.ifs.com/en/products/fsm/service-logistics-and-repair

S19 IFS Cloud 26R1, Component Repair Order. *[Primary]*
https://docs.ifs.com/ifsclouddocs/26r1/lang/en/ComponentRepair/AboutComponentRepairOrder.htm

S20 IFS Cloud 26R1, Enter CRO Exchange. *[Primary]*
https://docs.ifs.com/ifsclouddocs/26r1/ComponentRepair/ActivityEnterExchangeLine.htm

S21 IFS help, Component Repair Order/CRO Lines. *[Customer-hosted docs]*
https://wssifshelp.wilhelmsen.com/ifsdoc/documentation/en/Cromfg/tbwCroLine.htm?StandAlone=true

S22 IFS help, Create CRO Receive Order. *[Customer-hosted docs]*
https://wssifshelp.wilhelmsen.com/ifsdoc/documentation/en/ComponentRepair/ActivityCROCreateReceiveOrder.htm

S23 IFS Cloud 24R1, Generate CRO Task List. *[Primary, older release]*
https://docs.ifs.com/ifsclouddocs/24r1/ComponentRepair/ActivityCROGenerateTaskList.htm

S24 IFS Cloud 26R1, Transfer Sales Lines to Customer Order. *[Primary]*
https://docs.ifs.com/ifsclouddocs/26r1/lang/en/ComponentRepair/ActivityCROTransferSalesLinesToCO.htm

S25 IFS Cloud 25R2, Repair MRO Shop Orders. *[Primary]*
https://docs.ifs.com/ifsclouddocs/25r2/DocExecuteWS/AboutRepairMROShopOrder.htm

S26 IFS Cloud 25R2, Disposition Shop Order. *[Primary]*
https://docs.ifs.com/ifsclouddocs/25r2/DocExecuteWS/AboutDispositionShopOrder.htm

S27 IFS Community, Disassemble Shop Orders (and Reuse a Serial Number for the remanufacturing reference). *[User discussion]*
https://community.ifs.com/products-manufacturing-products-engineering-40/disassemble-shop-orders-44789

S28 IFS Cloud 25R2, Shop Order Requisition. *[Primary]*
https://docs.ifs.com/ifsclouddocs/25r2/Manufacturing/AboutShopOrderRequisition.htm

S29 IFS Cloud 25R2, Product Structures. *[Primary]*
https://docs.ifs.com/ifsclouddocs/25r2/MfgStandard/AboutProductStructures.htm

S30 IFS Cloud 25R2, Disassembly Components. *[Primary]*
https://docs.ifs.com/ifsclouddocs/25r2/MfgStandard/AboutDisassemblyComponents.htm

S31 IFS Cloud 25R2, Receive Shop Order. *[Primary]*
https://docs.ifs.com/ifsclouddocs/25r2/Manufacturing/ActivityReceiveShopOrder.htm

S32 IFS Cloud 25R2, Manufacturing Shop Order. *[Primary]*
https://docs.ifs.com/ifsclouddocs/25r2/Manufacturing/AboutMfgShopOrder.htm

S33 IFS Cloud 25R2, Enter Shop Order Process Type. *[Primary]*
https://docs.ifs.com/ifsclouddocs/25r2/Manufacturing/ActivityEnterProcessTypes.htm

S34 IFS Cloud 25R2, Shop Order Reservations. *[Primary]*
https://docs.ifs.com/ifsclouddocs/25r2/Manufacturing/AboutSOReservations.htm

S35 IFS Cloud 25R2, Shop Order Operation. *[Primary]*
https://docs.ifs.com/ifsclouddocs/25r2/Manufacturing/AboutShopOrderOperation.htm

S36 IFS Cloud 26R1, Close Shop Order. *[Primary]*
https://docs.ifs.com/ifsclouddocs/26r1/lang/en/Manufacturing/ActivityCloseSO.htm

S37 IFS Cloud 25R2, Shop Order Manufacturing Planning (process model 7.9). *[Primary]*
https://docs.ifs.com/ifsclouddocs/25r2/ProcessModels/Process_Model/ShopOrderPlanning.htm

S38 IFS Cloud 25R2, Create MRB Case. *[Primary]*
https://docs.ifs.com/ifsclouddocs/25r2/MaintainInventory/ActivityCreateMrbCase.htm

S39 IFS Cloud 25R2, Release Purchase Order. *[Primary]*
https://docs.ifs.com/ifsclouddocs/25r2/Procurement/ActivityPurchPORelease.htm

S40 IFS Cloud 25R2, Enter Purchase Order Line. *[Primary]*
https://docs.ifs.com/ifsclouddocs/25r2/Procurement/ActivityPurchPOLinePartEnterNew.htm

S41 IFS Cloud 23R2, Direct Delivery. *[Primary, older release]*
https://docs.ifs.com/ifsclouddocs/23r2/Receipt/AboutDirectDelivery.htm?StandAlone=true

S42 IFS Cloud 25R2, Release Customer Order. *[Primary]*
https://docs.ifs.com/ifsclouddocs/25r2/Sales/ActivityOrdCORelease.htm

S43 IFS Cloud 25R2, Customer Order Type. *[Primary]*
https://docs.ifs.com/ifsclouddocs/25r2/Sales/AboutOrderType.htm

S44 IFS Community, customer order line statuses. *[User discussion]*
https://community.ifs.com/supply-chain-251/customer-order-status-delivered-does-not-changed-when-invoiced-32269

S45 IFS Cloud 26R1, Rental Management. *[Primary]*
https://docs.ifs.com/ifsclouddocs/26r1/lang/en/RentalManagement/AboutRentalManagement.htm

S46 IFS help, Generate Rental Transactions. *[Customer-hosted docs]*
https://ifs-train.westsidecorporation.com/ifsdoc/documentation/en/RentalManagement/ActivityGenerateRentalTrans.htm

S47 IFS Cloud 26R1, Dispose Object (fixed assets). *[Primary]*
https://docs.ifs.com/ifsclouddocs/26r1/lang/en/FixedAssetsAccounting/ProcessDisposeObject.htm

S48 IFS technical documentation 25R1, Information Sources. *[Primary]*
https://docs.ifs.com/techdocs/25r1/050_reporting/020_data/010_information_sources/

S49 IFS technical documentation 24R2, development and integration (IFS Cloud Business Components). *[Primary]*
https://docs.ifs.com/techdocs/24r2/060_development/024_integration/280_ifs_applications_business_components

S50 IFS technical documentation 21R2, extending and integration (Business Process Automation). *[Primary, older release]*
https://docs.ifs.com/techdocs/21r2/060_tailoring/550_extending_and_integration/

S51 IFS, "IFS completes acquisition of Copperleaf". *[Primary]*
https://www.ifs.com/news/corporate/ifs-completes-copperleaf-acquisition

S52 IFS, "IFS acquires TheLoops to launch the Industrial AI workforce" (June 2025). *[Primary]*
https://www.ifs.com/news/corporate/ifs-acquires-theloops-to-launch-the-industrial-ai-workforce

S53 IFS Community, Return material authorization (receipt through Register Arrivals). *[User discussion]*
https://community.ifs.com/supply-chain-251/return-material-authorization-63759

S54 IFS, Asset Investment Planning (Copperleaf). *[IFS product page]*
https://www.ifs.com/en/products/alm/asset-investment-planning

S55 Copperleaf, Asset Investment Planning Software (Portfolio, Asset and Value). *[Vendor site]*
https://www.copperleaf.com/solutions/asset-investment-planning-software/

S56 Copperleaf, Asset risk management. *[Vendor site]*
https://www.copperleaf.com/solutions/asset-investment-planning-software/copperleaf-asset-risk-management/

S57 PrivSource, IFS acquisitions and investments (Copperleaf, Ultimo, Poka, Falkonry, EmpowerMX, Customerville). *[Aggregator]*
https://www.privsource.com/firms/ifs-aorg_q72MoqspEd

S58 IFS, IFS Ultimo Enterprise Asset Management. *[IFS product page]*
https://www.ifs.com/en/products/alm/eam/ifs-ultimo

S59 IFS, Enterprise Asset Management Software Solutions (IFS Cloud EAM, Ultimo, Maintenix). *[IFS product page]*
https://www.ifs.com/en/products/alm/eam

S60 IFS Cloud Aviation Maintenance (ICAM), Microsoft marketplace listing. *[Marketplace listing]*
https://marketplace.microsoft.com/en-us/product/saas/ifs.ifs_cloud_aviation_maintenance_icam?tab=overview

S61 IFS, Maintenance Repair and Overhaul Software. *[IFS product page]*
https://www.ifs.com/en/products/aviation-maintenance/mro

S62 Astra Canyon, Aerospace ERP Buyers Guide (Maintenix planners; inventory states). *[Partner site]*
https://www.astracanyon.com/blog/aerospace-erp-buyers-guide

S63 IFS, IFS Acquires EmpowerMX (10 July 2024). *[Primary]*
https://www.ifs.com/en/insights/news/ifs-acquires-empowermx

S64 IFS, IFS to Acquire Softeon (17 December 2025). *[Primary]*
https://www.ifs.com/en/insights/news/ifs-to-acquire-softeon

S65 Supply Chain 24/7, IFS company profile (Softeon completion, 2 March 2026). *[Trade press]*
https://www.supplychain247.com/company/ifs

S66 TechTarget, IFS acquires Axios Systems to boost ESM capability (also lists FSM acquisitions). *[Trade press]*
https://www.techtarget.com/searcherp/news/252498482/IFS-acquires-Axios-Systems-to-boost-EMS-capability

S67 Wikipedia, IFS AB (acquisitions, Nexus Black, TheLoops, 7bridges). *[Secondary]*
https://en.wikipedia.org/wiki/IFS_AB

S68 CIO, IFS acquires Falkonry to offer AI-based enterprise asset management services. *[Trade press]*
https://www.cio.com/article/650830/ifs-acquires-falkonry-to-offer-ai-based-enterprise-asset-management-services.html

S69 Aviation Week, Eyeing AI Synergies, IFS Acquires EmpowerMX (notes Falkonry closing not confirmed). *[Trade press]*
https://aviationweek.com/mro/emerging-technologies/eyeing-ai-synergies-ifs-acquires-empowermx

S70 diginomica, IFS acquires 7bridges for AI-powered supply chain logistics planning and automation. *[Trade press]*
https://diginomica.com/ifs-acquires-7bridges-ai-powered-supply-chain-logistics-planning-automation

S71 IFS, IFS Loops Industrial Agentic AI Platform. *[IFS product page]*
https://www.ifs.com/en/products/ai/agentic-ai

S72 IFS, IFS Loops digital workers news release. *[Primary]*
https://www.ifs.com/en/insights/news/ifs-loops

S73 IFS Blog, Industrial AI. Applied: How does IFS Industrial AI work? *[IFS blog]*
https://blog.ifs.com/industrial-ai-applied-how-does-ifs-industrial-ai-work/

S74 SMBTech, IFS Unleashed keynote report (Loops digital crews, Nexus Black). *[Trade press]*
https://smbtech.au/news/ifs-unleashed-keynote-ifs-intelligence-cadillac-f1-siemens-partnership-william-grant-whisky-industrial-ai/

S75 IFS, P2 Energy Solutions is now IFS (IFS Energy and Resources). *[IFS page]*
https://www.ifs.com/solutions/energy-and-resources-software/p2-energy-solutions-is-now-ifs

S76 AppsRunTheWorld, IFS applications list. *[Aggregator]*
https://www.appsruntheworld.com/customers-database/vendors/view/ifs

S77 IFS, IFS surges ahead in H1 2025 (IFS Cloud 25R1, acquisitions). *[Primary]*
https://www.ifs.com/en/insights/news/ifs-surges-ahead-in-h1-2025

S78 IFS, Asset Lifecycle Management (Continuous Asset Decision Intelligence). *[IFS product page]*
https://www.ifs.com/en/products/alm

S79 SMBtech, IFS Unleashed: IFS and AVEVA partner to eliminate unplanned industrial asset failures (15 October 2026). *[Trade press]*
https://smbtech.au/news/ifs-unleashed-ifs-and-aveva-partner-to-eliminate-unplanned-industrial-asset-failures/

S80 IFS technical documentation, IFS Connect architecture. *[Primary]*
https://docs.ifs.com/techdocs/Foundation1/010_overview/240_integration/060_connect/090_connect_architecture

S81 IFS technical documentation 24R1, Decision Guide for integration options (REST APIs, API Explorer). *[Primary]*
https://docs.ifs.com/techdocs/24R1/040_tailoring/300_extensibility/100_which_integration_suits_me

P1 Circularity Decision Workbench proof of concept, index.html (front-end simulation; source definitions, canonical models, handoff model, orchestration stages, tools and agents). *[Internal POC, synthetic data]*
https://github.com/ranilmukesh-artizent/Circularity-ui

P2 Circularity-ui README (product guide, roles, journey, open points). *[Internal POC]*
https://github.com/ranilmukesh-artizent/Circularity-ui/blob/main/README.md

P3 Circularity-ui CHANGES.md (release notes, including journey steps and line-item learning). *[Internal POC]*
https://github.com/ranilmukesh-artizent/Circularity-ui/blob/main/CHANGES.md

Research synthesis from public IFS sources and the Circularity POC as of 20 October 2026.