Page No.
Date 6/02/24

Lab 8 programs:-

```
import java.util.*;
import java.io.*;

class B extends Thread {
        public void run() {
            try {
                for(int i=0; i<3; i++){
                System.out.println("BMS");
                Thread.sleep(10000);
                }
                catch (InterruptException e).
                {
                    System.out.println(e);
                }
            }
    }
class C extends Thread {
    public void run() {
     try {
         for(int i=0; i<3; i++)
         {
          System.out.println("CSE");
          Thread.sleep(12000);
         }
     }.
    catch (InterruptionException e) {
            System.out.println(e);
        }
    }
}.
```

Page No.
Date

```
class Thread Main {
    public static void main (String args[])
    {
        B b = new B();
        C c = new C();
        b.start();
        c.start();
    }
}
```

Output :-

BMS
CSE
CSE
CSE
BMS
BMS

x x x x

```
class A {
    Synchronized void foo(B b)
    {
        String name = Thread.currentThread().getName();
        System.out.println(name + "entered A foo");
        try {
            Thread.sleep(10000);
        }
        catch (Exception e)
        {
            System.out.println("A Interrupted");
        }
        System.out.println(name + "trying to call B.last()");
        b.last();
    }
```

```
void last()
{
    System.out.println("Inside A.last");
}
}
class B {
    synchronized void bar(A a)
    {
        String name = Thread.currentThread().getName();
        System.out.println(name + "enter B.bar");
        try
        {
            Thread.sleep(1000);
        }
        catch (Exception e)
        {
            System.out.println("B Interrupted");
        }
        System.out.println(name + "trying to call A.last()");
        a.last();
}
void last()
{
    System.out.println("Inside A.last");
}
}
class Deadlock implements s
A a = new A();
B b = new B();
Deadlock()
{
```

```
Thread.currentThread().setName("Main Thread");
Thread t = new Thread(this, "Racing Thread");
t.start();
a.foo(b);
System.out.println("Back in main thread");
}
public void run()
{
b.bar(a);
System.out.println("Back in main thread");
}
public static void main(String args[])
{
new Deadlock();
}
}
```

output :-

Main Thread entered A.foo
Racing Thread entered B.bar
Main Thread trying to call B.last()
Inside A.last
Back in main thread.
Racing thread trying to call A.last().
Inside A.last
Back in other thread.