Select a definition Booking API v1

Microservicio Booking API

v1 OAS 3.0

/swagger/v1/swagger.json

API REST v1 — Gestión de Usuarios, Roles y Autenticación

Authorize

Auth

POST /api/v{version}/auth/login

Parameters

Cancel

Name	Description
version * required string *(path)*	version

Request body

application/json

```
{
  "username": "string",
  "password": "string"
}
```

Execute

Responses

Code	Description	Links
200	OK Media type **text/plain** Controls `Accept` header. **Example Value** Schema	*No links*

```
{
  "success": true,
  "message": "string",
  "data": {
    "usuarioGuid": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "username": "string",
    "correo": "string",
    "activo": true,
    "roles": [
      "string"
    ],
    "token": "string",
    "expirationUtc": "2026-04-29T11:50:14.256Z"
  }
}
```

400	Bad Request Media type **text/plain** **Example Value** Schema	*No links*

```
{
  "success": true,
  "message": "string",
  "errors": [
    "string"
  ]
}
```

401	Unauthorized Media type **text/plain** **Example Value** Schema	*No links*

```
{
  "success": true,
  "message": "string",
  "errors": [
    "string"
```

Code	Description	Links

```
  ]
}
```

POST /api/v{version}/auth/registro

Parameters Try it out

Name	Description
version * required `string` *(path)*	version

Request body application/json

Example Value Schema

```
{
  "username": "string",
  "correo": "string",
  "password": "string",
  "nombreRol": "string",
  "creadoPorUsuario": "string",
  "tipoIdentificacion": "string",
  "numeroIdentificacion": "string",
  "nombres": "string",
  "apellidos": "string",
  "razonSocial": "string",
  "telefono": "string",
  "direccion": "string"
}
```

Responses

Code	Description	Links
201	Created Media type **text/plain** Controls `Accept` header. **Example Value** Schema	*No links*

```
{
  "success": true,
```

Code	Description	Links


```
  "message": "string",
  "data": {
    "usuarioGuid": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "username": "string",
    "correo": "string",
    "estadoUsuario": "string",
    "activo": true,
    "fechaRegistroUtc": "2026-04-29T11:50:14.261Z",
    "roles": [
      "string"
    ]
  }
}
```


400 Bad Request *No links*

Media type

text/plain

Example Value Schema


```
{
  "success": true,
  "message": "string",
  "errors": [
    "string"
  ]
}
```


Clientes

GET `/api/v{version}/clientes/{guidCliente}`

Parameters Try it out

Name	Description
guidCliente * required `string($uuid)` *(path)*	guidCliente
version * required `string` *(path)*	version

Responses

Code	Description	Links
200	OK Media type **text/plain** Controls `Accept` header. **Example Value** Schema	*No links*


```
{
  "success": true,
  "message": "string",
  "data": {
    "guidCliente": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "nombres": "string",
    "apellidos": "string",
    "razonSocial": "string",
    "tipoIdentificacion": "string",
    "numeroIdentificacion": "string",
    "correo": "string",
    "telefono": "string",
    "direccion": "string",
    "estado": "string",
    "creadoPorUsuario": "string",
    "fechaRegistroUtc": "2026-04-29T11:50:14.264Z",
    "modificadoPorUsuario": "string",
    "fechaModificacionUtc": "2026-04-29T11:50:14.264Z"
  }
}
```


404	Not Found Media type **text/plain** **Example Value** Schema	*No links*


```
{
  "success": true,
  "message": "string",
  "errors": [
    "string"
  ]
}
```


PUT `/api/v{version}/clientes/{guidCliente}`

Parameters Try it out

Name	Description
guidCliente * required `string($uuid)` *(path)*	guidCliente

Name	Description
version * required `string` *(path)*	version

Request body **application/json**

Example Value Schema


```
{
  "guidCliente": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "nombres": "string",
  "apellidos": "string",
  "razonSocial": "string",
  "tipoIdentificacion": "string",
  "numeroIdentificacion": "string",
  "correo": "string",
  "telefono": "string",
  "direccion": "string",
  "estado": "string",
  "modificadoPorUsuario": "string",
  "modificacionIp": "string",
  "servicioOrigen": "string"
}
```


Responses

Code	Description	Links
200	OK Media type **text/plain** Controls `Accept` header. **Example Value** Schema	*No links*


```
{
  "success": true,
  "message": "string",
  "data": {
    "guidCliente": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "nombres": "string",
    "apellidos": "string",
    "razonSocial": "string",
    "tipoIdentificacion": "string",
    "numeroIdentificacion": "string",
    "correo": "string",
    "telefono": "string",
    "direccion": "string",
    "estado": "string",
    "creadoPorUsuario": "string",
    "fechaRegistroUtc": "2026-04-29T11:50:14.268Z",
```

Code	Description	Links


```
    "modificadoPorUsuario": "string",
    "fechaModificacionUtc": "2026-04-29T11:50:14.269Z"
  }
}
```


400 Bad Request *No links*

Media type

text/plain

Example Value Schema


```
{
  "success": true,
  "message": "string",
  "errors": [
    "string"
  ]
}
```


404 Not Found *No links*

Media type

text/plain

Example Value Schema


```
{
  "success": true,
  "message": "string",
  "errors": [
    "string"
  ]
}
```


DELETE `/api/v{version}/clientes/{guidCliente}`

Parameters Try it out

Name	Description
guidCliente * required `string($uuid)` *(path)*	guidCliente
version * required `string` *(path)*	version

Responses

Code	Description	Links

200	OK
	Media type
	text/plain
	Controls Accept header.
	Example Value Schema
	{
	"success": true,
	"message": "string",
	"data": "string"
	}
		No links

404	Not Found
	Media type
	text/plain
	Example Value Schema
	{
	"success": true,
	"message": "string",
	"errors": [
	"string"
	]
	}
		No links

GET /api/v{version}/clientes/usuario/{usuarioGuid}

Parameters Try it out

Name	Description
usuarioGuid * required string($uuid) *(path)*	usuarioGuid
version * required string *(path)*	version

Responses

Code	Description	Links
200	OK Media type text/plain Controls `Accept` header. **Example Value** Schema	*No links*


```
{
  "success": true,
  "message": "string",
  "data": {
    "guidCliente": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "nombres": "string",
    "apellidos": "string",
    "razonSocial": "string",
    "tipoIdentificacion": "string",
    "numeroIdentificacion": "string",
    "correo": "string",
    "telefono": "string",
    "direccion": "string",
    "estado": "string",
    "creadoPorUsuario": "string",
    "fechaRegistroUtc": "2026-04-29T11:50:14.275Z",
    "modificadoPorUsuario": "string",
    "fechaModificacionUtc": "2026-04-29T11:50:14.275Z"
  }
}
```


404	Not Found Media type text/plain **Example Value** Schema	*No links*


```
{
  "success": true,
  "message": "string",
  "errors": [
    "string"
  ]
}
```


GET `/api/v{version}/clientes/identificacion/{tipoIdentificacion}/{numeroIdentificacion}`

Parameters Try it out

Name	Description
tipoIdentificacion * required `string` *(path)*	tipoIdentificacion

Name	Description
numeroIdentificacion * required `string` *(path)*	numeroIdentificacion
version * required `string` *(path)*	version

Responses

Code	Description	Links
200	OK Media type **text/plain** Controls `Accept` header. **Example Value** Schema	*No links*

```
{
  "success": true,
  "message": "string",
  "data": {
    "guidCliente": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "nombres": "string",
    "apellidos": "string",
    "razonSocial": "string",
    "tipoIdentificacion": "string",
    "numeroIdentificacion": "string",
    "correo": "string",
    "telefono": "string",
    "direccion": "string",
    "estado": "string",
    "creadoPorUsuario": "string",
    "fechaRegistroUtc": "2026-04-29T11:50:14.278Z",
    "modificadoPorUsuario": "string",
    "fechaModificacionUtc": "2026-04-29T11:50:14.278Z"
  }
}
```

404	Not Found Media type **text/plain** **Example Value** Schema	*No links*

```
{
  "success": true,
  "message": "string",
  "errors": [
    "string"
```

Code	Description	Links

```
  ]
}
```

POST /api/v{version}/clientes/buscar

Parameters Try it out

Name	Description
version * required `string` *(path)*	version

Request body application/json

Example Value Schema

```
{
  "nombres": "string",
  "apellidos": "string",
  "razonSocial": "string",
  "correo": "string",
  "tipoIdentificacion": "string",
  "numeroIdentificacion": "string",
  "estado": "string",
  "paginaActual": 0,
  "tamanioPagina": 0
}
```

Responses

Code	Description	Links
200	OK Media type **text/plain** Controls `Accept` header.	*No links*

Example Value Schema

```
{
  "success": true,
  "message": "string",
  "data": {
    "items": [
```

Code	Description	Links


```
    {
      "guidCliente": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "nombres": "string",
      "apellidos": "string",
      "razonSocial": "string",
      "tipoIdentificacion": "string",
      "numeroIdentificacion": "string",
      "correo": "string",
      "telefono": "string",
      "direccion": "string",
      "estado": "string",
      "creadoPorUsuario": "string",
      "fechaRegistroUtc": "2026-04-29T11:50:14.283Z",
      "modificadoPorUsuario": "string",
      "fechaModificacionUtc": "2026-04-29T11:50:14.283Z"
    }
  ],
  "paginaActual": 0,
  "tamanoPagina": 0,
  "totalRegistros": 0,
  "totalPaginas": 0,
```


POST /api/v{version}/clientes

Parameters Try it out

Name	Description
version * required string *(path)*	version

Request body application/json

Example Value Schema


```
{
  "idUsuario": 0,
  "nombres": "string",
  "apellidos": "string",
  "razonSocial": "string",
  "tipoIdentificacion": "string",
  "numeroIdentificacion": "string",
  "correo": "string",
  "telefono": "string",
  "direccion": "string",
  "creadoPorUsuario": "string",
  "modificacionIp": "string",
  "servicioOrigen": "string"
}
```

Responses

Code	Description	Links
201	Created Media type **text/plain** Controls `Accept` header. **Example Value** Schema	*No links*


```
{
  "success": true,
  "message": "string",
  "data": {
    "guidCliente": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "nombres": "string",
    "apellidos": "string",
    "razonSocial": "string",
    "tipoIdentificacion": "string",
    "numeroIdentificacion": "string",
    "correo": "string",
    "telefono": "string",
    "direccion": "string",
    "estado": "string",
    "creadoPorUsuario": "string",
    "fechaRegistroUtc": "2026-04-29T11:50:14.287Z",
    "modificadoPorUsuario": "string",
    "fechaModificacionUtc": "2026-04-29T11:50:14.287Z"
  }
}
```


400	Bad Request Media type **text/plain** **Example Value** Schema	*No links*


```
{
  "success": true,
  "message": "string",
  "errors": [
    "string"
  ]
}
```


PATCH `/api/v{version}/clientes/{guidCliente}/estado/{nuevoEstado}`

Parameters

Try it out

Name	Description
guidCliente * required `string($uuid)`	guidCliente

Name	Description
(path)	
nuevoEstado * required `string` *(path)*	nuevoEstado
version * required `string` *(path)*	version

Responses

Code	Description	Links
200	OK Media type **text/plain** Controls `Accept` header. **Example Value** Schema	*No links*

```
{
  "success": true,
  "message": "string",
  "data": {
    "guidCliente": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "nombres": "string",
    "apellidos": "string",
    "razonSocial": "string",
    "tipoIdentificacion": "string",
    "numeroIdentificacion": "string",
    "correo": "string",
    "telefono": "string",
    "direccion": "string",
    "estado": "string",
    "creadoPorUsuario": "string",
    "fechaRegistroUtc": "2026-04-29T11:50:14.291Z",
    "modificadoPorUsuario": "string",
    "fechaModificacionUtc": "2026-04-29T11:50:14.291Z"
  }
}
```

400	Bad Request Media type **text/plain** **Example Value** Schema	*No links*

```
{
  "success": true,
  "message": "string",
```

Code	Description	Links

```
  "errors": [
    "string"
  ]
}
```

404 Not Found — *No links*

Media type

text/plain

Example Value Schema

```
{
  "success": true,
  "message": "string",
  "errors": [
    "string"
  ]
}
```

GET `/api/v{version}/clientes/disponibilidad/correo/{correo}`

Parameters — Try it out

Name	Description
correo * required `string` *(path)*	correo
version * required `string` *(path)*	version

Responses

Code	Description	Links
200	OK Media type **text/plain** Controls `Accept` header. **Example Value** Schema	*No links*

Code	Description	Links
	{ "success": true, "message": "string", "data": "string" }	

GET /api/v{version}/clientes/disponibilidad/ci/{numero}

Parameters Try it out

Name	Description
numero * required string *(path)*	numero
version * required string *(path)*	version

Responses

Code	Description	Links
200	OK Media type **text/plain** Controls `Accept` header. **Example Value** Schema { "success": true, "message": "string", "data": "string" }	*No links*

GET /api/v{version}/clientes/disponibilidad/ruc/{numero}

Parameters Try it out

Name	Description
numero * required `string` *(path)*	numero
version * required `string` *(path)*	version

Responses

Code	Description	Links
200	OK Media type **text/plain** Controls `Accept` header. **Example Value** Schema `{ "success": true, "message": "string", "data": "string" }`	*No links*

GET `/api/v{version}/clientes/disponibilidad/pasaporte/{numero}`

Parameters

Try it out

Name	Description
numero * required `string` *(path)*	numero
version * required `string` *(path)*	version

Responses

Code	Description	Links
200	OK Media type text/plain Controls `Accept` header. **Example Value** Schema	*No links*

```
{
  "success": true,
  "message": "string",
  "data": "string"
}
```

GET `/api/v{version}/clientes/disponibilidad/extranjero/{numero}`

Parameters

Try it out

Name	Description
numero * required `string` *(path)*	numero
version * required `string` *(path)*	version

Responses

Code	Description	Links
200	OK Media type text/plain Controls `Accept` header. **Example Value** Schema	*No links*

```
{
  "success": true,
  "message": "string",
```

Code	Description	Links

```
  "data": "string"
}
```

Facturacion

GET	/api/v{version}/facturacion/{guidFactura}
PUT	/api/v{version}/facturacion/{guidFactura}
DELETE	/api/v{version}/facturacion/{guidFactura}
GET	/api/v{version}/facturacion/numero/{numeroFactura}
POST	/api/v{version}/facturacion/buscar
POST	/api/v{version}/facturacion

LogAuditoria

POST	/api/v{version}/log-auditoria/buscar
POST	/api/v{version}/log-auditoria

Roles

GET	/api/v{version}/roles
POST	/api/v{version}/roles
GET	/api/v{version}/roles/{rolGuid}
DELETE	/api/v{version}/roles/{rolGuid}
GET	/api/v{version}/roles/usuario/{usuarioGuid}

GET /api/v{version}/roles/usuario/{usuarioGuid}/asignaciones

POST /api/v{version}/roles/asignar

POST /api/v{version}/roles/revocar

Servicios

TipoServicios

GET /api/v{version}/tipos-servicio

POST /api/v{version}/tipos-servicio

GET /api/v{version}/tipos-servicio/activos

GET /api/v{version}/tipos-servicio/por-nombre

GET /api/v{version}/tipos-servicio/{guid}

PUT /api/v{version}/tipos-servicio/{guid}

DELETE /api/v{version}/tipos-servicio/{guid}

Usuarios

GET /api/v{version}/usuarios/{usuarioGuid}

Parameters

Try it out

Name	Description
usuarioGuid * required `string($uuid)` *(path)*	usuarioGuid
version * required `string` *(path)*	version

Responses

Code	Description	Links
200	OK Media type **text/plain** Controls `Accept` header. **Example Value** Schema	*No links*

```
{
  "success": true,
  "message": "string",
  "data": {
    "usuarioGuid": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "username": "string",
    "correo": "string",
    "estadoUsuario": "string",
    "activo": true,
    "fechaRegistroUtc": "2026-04-29T11:50:14.401Z",
    "roles": [
      "string"
    ]
  }
}
```

404	Not Found Media type **text/plain** **Example Value** Schema	*No links*

```
{
  "success": true,
  "message": "string",
  "errors": [
    "string"
  ]
}
```

PUT `/api/v{version}/usuarios/{usuarioGuid}`

Parameters

Try it out

Name	Description
usuarioGuid * required `string($uuid)` *(path)*	usuarioGuid
version * required `string` *(path)*	version

Request body **application/json**

Example Value Schema

```
{
  "usuarioGuid": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "username": "string",
  "correo": "string",
  "modificadoPorUsuario": "string"
}
```

Responses

Code	Description	Links
200	OK Media type **text/plain** Controls `Accept` header. **Example Value** Schema	*No links*
400	Bad Request	*No links*

```
{
  "success": true,
  "message": "string",
  "data": {
    "usuarioGuid": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "username": "string",
    "correo": "string",
    "estadoUsuario": "string",
    "activo": true,
    "fechaRegistroUtc": "2026-04-29T11:50:14.403Z",
    "roles": [
      "string"
    ]
  }
}
```

Code	Description	Links

Media type

text/plain

Example Value Schema

```
{
  "success": true,
  "message": "string",
  "errors": [
    "string"
  ]
}
```

404	Not Found	*No links*

Media type

text/plain

Example Value Schema

```
{
  "success": true,
  "message": "string",
  "errors": [
    "string"
  ]
}
```

DELETE `/api/v{version}/usuarios/{usuarioGuid}`

Parameters Try it out

Name	Description
usuarioGuid * required `string($uuid)` *(path)*	usuarioGuid
version * required `string` *(path)*	version

Responses

Code	Description	Links
200	OK Media type text/plain Controls `Accept` header. **Example Value** Schema `{ "success": true, "message": "string", "data": "string" }`	*No links*
404	Not Found Media type text/plain **Example Value** Schema `{ "success": true, "message": "string", "errors": [ "string" ] }`	*No links*

GET `/api/v{version}/usuarios/disponibilidad/{username}`

Parameters Try it out

Name	Description
username * required `string` *(path)*	username
version * required `string` *(path)*	version

Responses

Code	Description	Links
200	OK Media type **text/plain** Controls `Accept` header.	*No links*

Example Value Schema

```
{
  "success": true,
  "message": "string",
  "data": "string"
}
```

POST `/api/v{version}/usuarios/buscar`

Parameters Try it out

Name	Description
version * required `string` *(path)*	version

Request body **application/json**

Example Value Schema

```
{
  "termino": "string",
  "estadoUsuario": "string",
  "nombreRol": "string",
  "pageNumber": 0,
  "pageSize": 0
}
```

Responses

Code	Description	Links
200	OK Media type	*No links*

Code	Description	Links

text/plain

Controls `Accept` header.

Example Value Schema


```
{
  "success": true,
  "message": "string",
  "data": {
    "items": [
      {
        "usuarioGuid": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "username": "string",
        "correo": "string",
        "estadoUsuario": "string",
        "activo": true,
        "fechaRegistroUtc": "2026-04-29T11:50:14.405Z",
        "roles": [
          "string"
        ]
      }
    ],
    "paginaActual": 0,
    "tamanoPagina": 0,
    "totalRegistros": 0,
    "totalPaginas": 0,
    "tienePaginaAnterior": true,
    "tienePaginaSiguiente": true
  }
}
```


POST `/api/v{version}/usuarios`

Parameters Try it out

Name	Description
version * required `string` *(path)*	version

Request body **application/json**

Example Value Schema


```
{
  "username": "string",
  "correo": "string",
  "password": "string",
  "nombreRol": "string",
  "creadoPorUsuario": "string",
  "tipoIdentificacion": "string",
  "numeroIdentificacion": "string",
  "nombres": "string",
```

```
  "apellidos": "string",
  "razonSocial": "string",
  "telefono": "string",
  "direccion": "string"
}
```

Responses

Code	Description	Links
201	Created Media type **text/plain** Controls `Accept` header. **Example Value** Schema	*No links*
400	Bad Request Media type **text/plain** **Example Value** Schema	*No links*

```
{
  "success": true,
  "message": "string",
  "data": {
    "usuarioGuid": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "username": "string",
    "correo": "string",
    "estadoUsuario": "string",
    "activo": true,
    "fechaRegistroUtc": "2026-04-29T11:50:14.407Z",
    "roles": [
      "string"
    ]
  }
}
```

```
{
  "success": true,
  "message": "string",
  "errors": [
    "string"
  ]
}
```

Schemas

ActualizarClienteRequest

ActualizarFacturacionRequest

ActualizarServicioRequest

ActualizarTipoServicioRequest

ActualizarUsuarioRequest

ApiErrorResponse

AsignarRolRequest

ClienteFiltroRequest

ClienteResponse

ClienteResponseApiResponse

ClienteResponseDataPagedResult

ClienteResponseDataPagedResultApiResponse

CrearClienteRequest

CrearFacturacionRequest

CrearLogAuditoriaRequest

CrearRolRequest

CrearServicioRequest

CrearTipoServicioRequest

CrearUsuarioRequest

FacturacionFiltroRequest

FacturacionResponse

FacturacionResponseApiResponse

FacturacionResponseDataPagedResult

FacturacionResponseDataPagedResultApiResponse

LogAuditoriaFiltroRequest

LogAuditoriaResponse

LogAuditoriaResponseApiResponse

LogAuditoriaResponseDataPagedResult

LogAuditoriaResponseDataPagedResultApiResponse

LoginRequest

LoginResponse

LoginResponseApiResponse

ObjectApiResponse

RolResponse

RolResponseApiResponse

RolResponseIReadOnlyListApiResponse

ServicioResponse

ServicioResponseApiResponse

StringApiResponse

TipoServicioResponse

TipoServicioResponseApiResponse

TipoServicioResponseIReadOnlyListApiResponse

UsuarioFiltroRequest

UsuarioResponse

UsuarioResponseApiResponse

UsuarioResponseDataPagedResult

UsuarioResponseDataPagedResultApiResponse

UsuarioRolResponse

UsuarioRolResponseIReadOnlyListApiResponse