
1BM22CS219 RANJAN DEVI

VE	
2) Date	:
Page No	-

	1AB-2
	import java util . Scanner:
	class Subject
	S
	int marks;
	int coedity;
	int grade; in in in.
	3 Mariana Talana 1: The
	class Student
	Stant 1 124, 1
10	1. Subject sub[];
	String name;
	String ush;
· Fara	Scanner 5
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Student ()
	o his first the state of the
	int;
	Sub = new Subject [8];
	for(i=0:: (8:5)++)
	Sub[i] = neur Subject();
	Sinew Scanner (Systemin);
	9
	1 1 1 4
	void get Details ()
	System.out. printler ("Enter student name:");
	name = Si nextlinel);
/	System out . printly ("Finter student usn:");
	usn = s. nextline();
	J. D. Marie D. Const. D. Const.

Dale ! Page No :

	void get Marks ()
	\$
	int i;
	for (i=0; i < 8; i++)
	5
	System out printle ("Enter marks:");
	Sub[i] marks = sinext Int();
	System. out . println ("Enter credit:");
	sub[i]. credits = 5.nextInt();
	if (sub[i]-marks < 40)
	sub[i]-goade = 0; else if (sub[i]. marks >=40 fd sub[i].
	marks < 60
	sub[i] · grade = 6;
	else if (sub[i]. marks >= 70 ff sub[i].
	marks < 80)
	Sub[i] grade = 7;
	else if (sub[i]. marks 7=80) ff sub[i].
	marks < 90)
	sub[i] grade=9;
	else if (subfi) marks > = 90) of of
	Sub[i]. marks=<100)
	sub[i].grade=10;
	else
	sub[i] · grade = 05
-	- Similar L
	7
Mark A. A. C.	the second secon
1001	double compute SGPA ()
	int i;
	Int n-sum=0, d-sum=0;



-	int numerator	·;	11111	
-	for (i=0; i < 8	<u>; i++)</u>		
		Comple tablite		
	numero	ton = sub [i]. ()	edits * su	46(i).
		1 10 10 1/		
	n-sum	= h-rum + inu	merator	
		= d-sum + su		
	3		41	
	56PA = n-14	m/ d-sums	1. st	
	return (slipe	•	(2)	
3-72	- Emilia Esqu		1.1	
7			2.5	
Elan	mainclass			
5	The Carlo			
L	ublic static vo	· 1 : (1sh:	and and ?)
1	sione state vi	main ()Thing	wyst)	
	-		latel	
{	student sl	= new Studen	latel	
{	student sl Sl. get Detail	= new Studen b();	t();;	
{	Student sl Sl. get Detail Sl. get Marks	= new Studen ls();	t();;	
{-	Student sl Sl. get Detail Sl. get Marks	= new Studen ls(); (); vintln("SGPA =	t();:	empute
2.2	Student sl Sl. get Detail Sl. get Marks	= new Studen ls();	t();:	empute
33	Student sl Sl. get Detail Sl. get Marks	= new Studen ls(); (); vintln("SGPA =	t();:	empute
33	Student sl Sl. get Detail Sl. get Marks	= new Studen ls(); (); vintln("SGPA =	t();:	empute
33	Student sl Sl. get Detail Sl. get Marks	= new Studen Us(); wintln("SGPA =	t();:	empute
33	Student sl Sl. get Detail Sl. get Marks	= new Studen ls(); (); vintln("SGPA =	t();:	empute
33	Student sl Sl. get Detail Sl. get Marks	= new Studen Us(); wintln("SGPA =	t();:	empute
33	Student sl Sl. get Detail Sl. get Marks	= new Studen Us(); wintln("SGPA =	t();:	empute
33	Student sl Sl. get Detail Sl. get Marks	= new Studen (s(); (i); vintln("SGPA =	t();:	empute
33	Student sl Sl. get Detail Sl. get Marks	= new Studen (s(); (i); vintln("SGPA =	t();:	empute
33	Student sl Sl. get Detail Sl. get Marks	= new Studen (s(); (i); (iii); (ii	t();:	empute
33	Student sl Sl. get Detail Sl. get Marks	= new Studen (s(); (i); (iii); (ii	t();:	



	OUTPUT:
	Terri Zasi Main ant
	Enter student name:
. [::]	Ranjan
	Enter student usn:
	1BM22CS219
	Enter marks:
	95
	Enter Coedity:
	4 . 100,000 400.000
	Enter marks:
	93
	Enter credita:
	4
Į.	Enter muiks:
	28
	Enter credito:
	3 .(\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	Enter marks:
1	92
W.F.	Enter credits:
	3
	Enter marks:
	91
	Enter gredits:
	3
	Enter march:
	90
	Enter eredits:
	1
	Enter mark:
	92



	Enter credits:
	- Train Cream.
	Enter marks: 1
	4
1.4	94
	Enter exedity:
	at the state of th
	SGPA = 9.8
)' \(\(\)
	A de la maria della maria dell
Man to	()
	19:
, tr	so stars in the sound of the so