IBM Project Name: Real-Time Communication System Powered by AI for Specially Abled

import numpy as np

from tensorflow.keras.models import load_model

from tensorflow.keras.preprocessing import image

from keras.models import Sequential

from keras.layers import Dense

from keras.layers import Convolution2D

from keras.layers import MaxPooling2D

from keras.layers import Dropout

from keras.layers import Flatten

model=Sequential()

model.add(Convolution2D(32,(3,3),activation="relu",input_shape=(64,64,3)))

TEAM ID: PNT2022TMID30475

model.add(MaxPooling2D(pool_size=(2,2)))

model.add(Flatten())

model.add(Dense(200,activation='relu'))

model.add(Dense(9,activation="softmax"))

model.compile(loss="categorical_crossentropy",metrics=["accuracy"],optimizer='adam')

len(x_train)

NameError

Traceback (most recent call last)

in

----> 1 len(x_train)

```
NameError: name 'x_train' is not defined
len(x_test)
model.fit(x_train,epochs=10,validation_data=x_test,steps_per_epoch=len(x_train)//10,validation
_steps=len(x_test))
model.save("aslpng.h5")
Testing the model
from keras.models import load_model
import numpy as np
import cv2
from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image
import numpy as np
model=load_model('asl_model_84_54.h5')
img=image.load\_img(r'E:\Projects\SmartBridge\ModelGen\Dataset\test\_set\D\2.png',
          target_size=(64,64)
model=load_model("aslpng.h5")
img = image.load_img(r"/content/drive/MyDrive/IBM
project/test_set/D/10.png",target_size=(64,64))
img
x = image.img_to_array(img)
Χ
x.shape
x = np.expand_dims(x,axis=0)
x.shape
pred = model.predict(x)
```

```
pred
class_name=["A","B","C","D","E","F","G","H","I"]
pred_id = pred.argmax(axis=1)[0]
pred_id
print("the alphabet is ",str(class_name[pred_id]))
```