Assignment01_RanjanVikas

March 21, 2021

```
[1]: '''Trains a simple deep NN on the MNIST dataset.
     Gets to 98.40% test accuracy after 20 epochs
     (there is *a lot* of margin for parameter tuning).
     2 seconds per epoch on a K520 GPU.
     from tensorflow import keras
     from tensorflow.keras.datasets import mnist
     from tensorflow.keras.models import Sequential
     from tensorflow.keras.layers import Dense, Dropout
     from tensorflow.keras.optimizers import RMSprop
     batch_size = 128
     num_classes = 10
     epochs = 20
     # the data, split between train and test sets
     (x_train, y_train), (x_test, y_test) = mnist.load_data()
     x_train = x_train.reshape(60000, 784)
     x_{test} = x_{test.reshape}(10000, 784)
     x_train = x_train.astype('float32')
     x_test = x_test.astype('float32')
     x_train /= 255
     x_test /= 255
     print(x_train.shape[0], 'train samples')
     print(x_test.shape[0], 'test samples')
     # convert class vectors to binary class matrices
     y_train = keras.utils.to_categorical(y_train, num_classes)
     y_test = keras.utils.to_categorical(y_test, num_classes)
     model = Sequential()
     model.add(Dense(512, activation='relu', input_shape=(784,)))
     model.add(Dropout(0.2))
     model.add(Dense(512, activation='relu'))
     model.add(Dropout(0.2))
```

```
model.add(Dense(num_classes, activation='softmax'))
model.summary()
model.compile(loss='categorical_crossentropy',
         optimizer=RMSprop(),
         metrics=['accuracy'])
history = model.fit(x_train, y_train,
             batch_size=batch_size,
             epochs=epochs,
             verbose=1,
             validation_data=(x_test, y_test))
score = model.evaluate(x_test, y_test, verbose=0)
print('Test loss:', score[0])
print('Test accuracy:', score[1])
Downloading data from https://storage.googleapis.com/tensorflow/tf-keras-
datasets/mnist.npz
60000 train samples
10000 test samples
Model: "sequential"
Layer (type) Output Shape
                                   Param #
______
dense (Dense)
                  (None, 512)
                                    401920
-----
dropout (Dropout) (None, 512)
dense_1 (Dense)
              (None, 512)
                                   262656
dropout_1 (Dropout) (None, 512)
dense_2 (Dense) (None, 10) 5130
_____
Total params: 669,706
Trainable params: 669,706
Non-trainable params: 0
       ______
Epoch 1/20
accuracy: 0.8622 - val_loss: 0.1076 - val_accuracy: 0.9667
Epoch 2/20
accuracy: 0.9677 - val_loss: 0.0872 - val_accuracy: 0.9740
Epoch 3/20
```

```
accuracy: 0.9766 - val_loss: 0.0746 - val_accuracy: 0.9773
Epoch 4/20
accuracy: 0.9821 - val_loss: 0.0776 - val_accuracy: 0.9792
Epoch 5/20
accuracy: 0.9838 - val_loss: 0.0809 - val_accuracy: 0.9819
Epoch 6/20
469/469 [============= ] - 4s 9ms/step - loss: 0.0408 -
accuracy: 0.9878 - val_loss: 0.0758 - val_accuracy: 0.9827
Epoch 7/20
accuracy: 0.9897 - val_loss: 0.0727 - val_accuracy: 0.9831
accuracy: 0.9908 - val_loss: 0.0964 - val_accuracy: 0.9807
accuracy: 0.9916 - val_loss: 0.0883 - val_accuracy: 0.9818
Epoch 10/20
accuracy: 0.9918 - val_loss: 0.0958 - val_accuracy: 0.9832
Epoch 11/20
accuracy: 0.9925 - val_loss: 0.0943 - val_accuracy: 0.9821
Epoch 12/20
accuracy: 0.9933 - val_loss: 0.1014 - val_accuracy: 0.9826
Epoch 13/20
469/469 [============ ] - 4s 9ms/step - loss: 0.0211 -
accuracy: 0.9939 - val_loss: 0.0938 - val_accuracy: 0.9842
Epoch 14/20
469/469 [============= ] - 4s 9ms/step - loss: 0.0209 -
accuracy: 0.9942 - val_loss: 0.1021 - val_accuracy: 0.9837
Epoch 15/20
469/469 [============= ] - 4s 9ms/step - loss: 0.0174 -
accuracy: 0.9950 - val_loss: 0.1150 - val_accuracy: 0.9814
Epoch 16/20
accuracy: 0.9945 - val_loss: 0.1140 - val_accuracy: 0.9849
Epoch 17/20
469/469 [============= ] - 4s 8ms/step - loss: 0.0218 -
accuracy: 0.9935 - val_loss: 0.1035 - val_accuracy: 0.9830
Epoch 18/20
accuracy: 0.9958 - val_loss: 0.1021 - val_accuracy: 0.9857
Epoch 19/20
```

Test loss: 0.12620897591114044

Test loss: 0.12620897591114044
Test accuracy: 0.982699990272522

[]:[