

## **POST EMBRYO TRANSFER**

Embryo transfer done under all aseptic precautions

To take normal diet

## Please strike out whichever is not applicable

ck x	Medication	Dosage	Route	Times	Timings	When to Start	How Many Days
	Tab Doxycycline	100 mg	Oral	Twice daily	After meals	Immediately	one day
	Tab Taxim O	200mg	oral	Twice daily	After meals	immediately	Two day
	Tab Ceftum	500 mg	oral	Twice daily	After meals	immediately	Two days
	Cap Pantoprazole	40 mg	Oral	Once daily	Befoer meals	Immediately	If gastritis
	Tab Crocin	500 mg	Oral	SOS Maximum three times(if required)	After meals	If pain	If required
	Syrup cremaffin	Oral	One tsf	After dinner	SOS(if constipation		
	Tab Estrabet	2mg	Oral	Twice/thrice/four times daily	After meals	Immediately	sixteen days
	Tab Ecosprin	75 mg	Oral	Once daily	After meals	Immediately	Sixteen days
	Injection Gestone	100 mg	intramuscular	Once daily	After meals	Immediately	Sixteen days
	Tab wysolone/ omnacortil	5 mg	oral	Once daily	After meals	Immediately	sixteen days
	Crinone/gestone gel	8%	vaginal	Once daily	Before going to sleep	Immediately	Sixteen days
	Tablet Duphaston	10 mg	oral	Thrice daily	After meals	Immediately	Sixteen days
	Cap Lycopene/ Biophil-L	4000 mcg	Oral	Once daily	After meals	immediately	Sixteen days
	Bio Large / L Arginine sachet		oral	Once /twice daily	After meals	Immediately	Sixteen days
	Cap Vit D3	60000 IU	oral	weekly	After meals	immediately	Sixteen days
	Tab Calcium	500 mg	oral	Once daily	After meals	immediately	Sixteen days
	Injection clexane	40 mg	subcutaneous	Once daily /alternate day	After meals	Immediately	Sixteen days
	Injection Puborjen Jo	7500	subcutaneous	biweekly	After meals	Immediately	One week aft embryo transfer ther stop
	Cap Biophil Vita		oral	Once daily	After meals	immediately	Twenty eigh days
	Cap Biophil Q		oral	Once daily	After meals	immediately	Twenty eigh days
	Cap Biophil O3		Oral	Once daily	After meals	immediately	Ninety days
	Cap Evion	400 mg	Oral	Once daily	After meals	immediately	Ninety days

Continue thyroid /antihypertensive/ diabetes medications as have been taking previously

Serum beta HCG blood test 15days after embryo transfer

To report in emergency of the hospital immediately if patient has abdominal pain/vaginal bleeding/ fever /excessive cough /giddiness /vomiting

For appointment call on <u>9560733352</u> (Delhi) / <u>9870108418</u> (Noida) / <u>8766344624</u> (Gurgaon)