Student Name: Ranjeet Kumar Sharma

Batch: June

Course: Data Analytics with AI


Assignment: SQL Subquery Assignment

Submission Date:- 11-08-2026


Email_id: Ranjeet Kumar (Sharma)

➔ **Write the Question and Answers.**


Employee_dataset:-



Department_dataset:-




Sales_dataset:-



- **Basic Level**

1. Retrieve the names of employees who earn more than the average salary of all employees.


Ans:- select name
from employee_dataset
where salary > (select avg(salary)
from employee_dataset);



2. Find the employees who belong to the department with the highest average salary.

Ans:- select * from employee_dataset
where department_id
in (select department_id
from employee_dataset
group by department_id


```
having avg(salary) >=
all (select avg(salary)
from employee_dataset
group by department_id)
);
```



3. List all employees who have made at least one sale.


Ans:-

```
select *
from employee_dataset
where emp_id in (select emp_id from sales_dataset);
```




4. Find the employee with the highest sale amount.

Ans:- select name, salary
from employee_dataset
where emp_id = (select emp_id
from sales_dataset
order by sale_amount desc limit 1);



5. Retrieve the names of employees whose salaries are higher than Shubham's salary.


Ans:- select name, salary
from employee_dataset
where salary > (select salary
from employee_dataset
where name = 'Shubham');



- **Intermediate Level**


1. Find employees who work in the same department as Abhishek.

Ans:-
```
select name, department_id
from employee_dataset
where department_id = (
        select department_id
        from employee_dataset
        where name = 'Abhishek'
);
```




2. List departments that have at least one employee earning more than ₹60,000.

Ans:- select *
from department_dataset
where department_id in (
select department_id
from employee_dataset
where salary > 60000
);




3. Find the department name of the employee who made the highest sale.

Ans:-select Department_name
from department_dataset
where department_id = (
select department_id
from employee_dataset
where emp_id = (
select emp_id
from sales_dataset
order by sale_amount desc
limit 1)
);




4. Retrieve employees who have made sales greater than the average sale amount.

Ans:- select e.name, s.sale_amount
from employee_dataset e
join sales_dataset s
on e.emp_id = s.emp_id
where s.sale_amount > (
select avg(sale_amount)
from sales_dataset
);



5. Find the total sales made by employees who earn more than the average salary.


Ans:- select sum(sale_amount) as total_sales
FROM sales_dataset
where emp_id in (
select emp_id
from employee_dataset
where salary > (select avg(salary) from employee_dataset)
);



- **Advanced Level**

1. Find employees who have not made any sales.

Ans:- select *
from Employee_dataset
where emp_id not in (
select emp_id
from sales_dataset
);




2. List departments where the average salary is above ₹55,000.

Ans:-select department_id

from employee_dataset


group by department_id

having avg(salary) > 55000;




3. Retrieve department names where the total sales exceed ₹10,000.

Ans:-



4. Find the employee who has made the second-highest sale.

Ans:-
```
select e.name, s.sale_amount
 from employee_dataset e
 join sales_dataset s
on e.emp_id = s.emp_id
where sale_amount = (
        select max(sale_amount)
        from sales_dataset
        where sale_amount < (
        select max(sale_amount)
         from sales_dataset )
);
```



5. Retrieve the names of employees whose salary is greater than the highest sale amount recorded.

Ans:-
```
select name, salary
from Employee_dataset
where salary > (
    select max(sale_amount)
    from sales_dataset
);
```

