



| #  | Part Number     | Description                                  | lb    | Qty | Each     |
|----|-----------------|--|-------|-----|----------|
| 01 | 46 51 2 335 888 | REAR FRAME                                   | 14.20 | 1   | NA 🔁     |
| 02 | 46 51 2 330 429 | LIFTING DEVICE                               | 1.28  | 1   | \$273.77 |
| 03 | 07 11 9 900 514 | FILLISTER HEAD WITH WASHER - M6X20-SB-Z1-8.8 | 0.02  | 2   | \$5.50▶≒ |
| 04 | 07 12 9 905 166 | ISA SCREW - M10X45                           | 0.07  | 2   | \$6.36   |





## ONLY APPLIES TO :

-- **83 19 2 210 339** THREAD LOCK, MEDIUM-STRENGTH - 10ML 0.02 X \$37.98





Loctite 243 Liquid Seal. Designed for the locking and sealing of threaded fasteners which require normal disassembly with standard hand tools. The product cures when confined in the absence of air between close fitting metal surfaces and



prevents loosening and leakage from shock and vibration. Particularly suitable for applications on less active substrates such as stainless steel and plated surfaces, where disassembly with hand tools is required for servicing.

|    |                 |                             | •    |   | •       |
|----|-----------------|-----------------------------|------|---|---------|
|    | 07 11 9 902 046 | WASHER - 10,5               |      | Χ | NA®     |
|    | 07119902046 wa  | s superseded by 07119906132 | •    |   |         |
| 05 | 07 11 9 905 230 | SPLIT PIN - 2X16            |      | 1 | \$3.64  |
|    | 1               |                             |      |   |         |
| 06 | 07 11 9 904 168 | WASHER - 10-200 HV-ZNNIV    | 0.01 | 1 | \$5.29  |
|    | 0               |                             |      |   |         |
| 07 | 46 51 2 330 432 | RETAINER SPRING             | 0.02 | 1 | \$13.86 |
| 08 | 46 51 2 330 434 | PIN - B10H11X50             | 0.08 | 1 | \$21.94 |
|    |                 |                             |      |   |         |