


33_1019 - REAR WHEEL SWINGING ARM













© BMW AG



00044950

PARTS

#	Part Number	Description	lb	Qty	Each
01	33 17 2 338 126	REAR WHEEL SWINGING ARM, SILVER	6.55	1	\$1352.83
02	33 17 2 338 103	FIT BUSH	0.03	1	\$43.15
03	33 17 2 332 993	RUBBER BOOT	0.17	1	\$96.42
04	33 17 2 311 527	SNAP RING	0.01	1	\$14.03

					
05	33 17 2 311 729	TAPERED ROLLER BEARING - 17X40X13,25	0.18	2	\$71.14 
					
06	33 17 2 335 118	PIVOT PIN	0.09	2	\$57.08 
					
07	33 17 2 335 110	PIVOT PIN	0.08	2	\$57.08 
					
08	33 17 2 335 111	COLLAR NUT - M24X1,25-ZNNIV	0.08	2	\$26.96 
		Tightening torque: 145 Nm.			
09	07 12 9 907 435	ISA SCREW - M10X80-10.9-MK	0.12	1	\$10.39 



10	33 17 1 452 504	RUBBER BOOT	0.18	1	\$105.23	
----	-----------------	-------------	------	---	----------	--



Rubber bellow on cardan, K1 - K1200RS;
R80GS - R1150RT.



11	33 17 2 335 139	CABLE TIE - L=450MM	0.01	2	\$4.76	
----	-----------------	---------------------	------	---	--------	--



12	33 17 2 331 095	ADHESIVE LOCTITE 2701 - 10ML	0.03	1	\$39.93	
----	-----------------	------------------------------	------	---	---------	--



Used to permanently secure and seal threaded joints, high-strength. Particularly suitable for passive materials and for applications where maximum resistance to hot oil is required.