GitHub Copilot in the CLI (`gh copilot`)

> **Question:** A DevOps engineer is working over SSH on a headless Linux server without an IDE installed and needs to translate a natural-language goal ("find all log files modified in the last 24 hours larger than 50MB and compress them") into an exact shell command. Which GitHub CLI extension subcommand accomplishes this?

A. `gh copilot explain`

B. `gh copilot suggest` **[CORRECT ANSWER]**

C. `gh copilot audit`

D. `gh pr create --copilot-auto`

Explanation & Exam Rationale

GitHub Copilot in the CLI (installed as the `gh-copilot` extension for the official GitHub CLI) brings AI-powered command generation and explanation directly into terminal environments. Running `gh copilot suggest` prompts you to pick a target domain (generic shell, `git`, or `gh`) and interactively lets you execute, revise, or explain the proposed command before running it.

CLI Command	Target Domain / Options	Function
`gh copilot suggest`	`-t shell`, `-t git`, `-t gh`	Generates a shell, Git, or GitHub CLI command from a natural-language prompt
`gh copilot explain`	Any shell, Git, or CLI command string	Breaks down complex flags, pipes, and subcommands into plain English
`gh copilot config`	Usage analytics & default settings	Configures optional CLI telemetry and default shell preferences

Key Exam Takeaway: `gh copilot suggest` never executes generated shell commands silently—it always presents an interactive confirmation menu (Execute, Revise, Explain, Copy, or Exit) to prevent unintended destructive actions.