## Question 35

GH-300: Model Selection & Architecture

**What feature allows GitHub Copilot Chat users to switch between different underlying LLMs (such as GPT-4o, Claude 3.5 Sonnet, or Gemini 1.5 Pro) within the chat interface?**

A. Automatic model fallback

✔ **B. Multi-model selection dropdown in Copilot Chat**

C. Dynamic weight compilation

D. Local inference override

### Correct Answer: B

GitHub Copilot Chat allows users (subject to enterprise policy configuration) to select their preferred underlying model (e.g., GPT-4o, Claude 3.5 Sonnet, Gemini 1.5 Pro) directly via a dropdown picker in the Chat interface.

### Option Breakdown

- **A. Automatic model fallback:** Refers to internal system resiliency handling, not user-driven model choice selection.
- **B. Multi-model selection dropdown:** Correct. Enables developers to choose the optimal AI model for their specific reasoning or coding task.
- **C. Dynamic weight compilation:** Incorrect. Model weights are fixed by foundational providers and not compiled dynamically.
- **D. Local inference override:** Incorrect. Copilot Chat endpoints are hosted securely in cloud services rather than run via local inference.

💡 **GH-300 Exam Tip**

Organization administrators can manage which models are accessible to organization members via GitHub Copilot enterprise policy management controls.