Question 48

03: Understand Data & Architecture

What happens when a developer queries GitHub Copilot Chat using `#codebase` before the local repository indexing process completes?

A. Copilot Chat returns a fatal network exception and cancels the prompt.

✔ **B. Copilot Chat falls back to available open editor tabs and partial search results while indexing finishes in the background.**

C. Copilot deletes un-indexed files from the local file system.

D. The request is routed to a public model without security filters.

Correct Answer: B

If workspace indexing is still in progress, GitHub Copilot gracefully falls back to using open active editor tabs and whatever partial vector chunks have already been indexed, ensuring continuous workflow without failing hard.

Option Breakdown

- **A. Fatal network exception:** Incorrect. Copilot handles background indexing asynchronously without throwing blocking runtime errors.
- **B. Falls back to open tabs & partial index:** Correct. Provides best-effort context retrieval while workspace indexing finishes.
- **C. Deletes un-indexed files:** Incorrect. Copilot never deletes local workspace source files.
- **D. Routes to public model without filters:** Incorrect. Security filtering is always enforced regardless of indexing state.

💡 **GH-300 Exam Tip**
Workspace indexing runs locally inside the IDE to build vector embeddings for semantic search. You can monitor its status directly in the VS Code Copilot status bar menu.