RAJALAKSHMI ENGINEERING COLLEGE

Ranjithkumar D 251001209-2025-IT

R2

Started on	Thursday, 1 October 2026, 10:39 AM
State	Finished
Completed on	Thursday, 8 October 2026, 10:46 AM
Time taken	7 days
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

Given two strings find the length of the common longest subsequence(need not be contiguous) between the two.

Example:

s1: ggtabe

s2: tgatasb

s1		a	g	**g**	**t**	**a**	**b**
s2	**g**	x	**t**	**x**	**a**	**y**	**b**

The length is 4

Solveing it using Dynamic Programming

For example:

Input	Result
aab azb	2

Answer: (penalty regime: 0 %)

```c
#include <stdio.h>
#include <string.h>


int max(int a, int b) {
    return (a > b) ? a : b;
}


int longestCommonSubsequence(char* s1, char* s2) {
    int m = strlen(s1);
    int n = strlen(s2);

    int dp[m + 1][n + 1];
        for (int i = 0; i <= m; i++) {
        for (int j = 0; j <= n; j++) {
            if (i == 0 || j == 0) {
                dp[i][j] = 0;
            }
            else if (s1[i - 1] == s2[j - 1]) {
                dp[i][j] = 1 + dp[i - 1][j - 1];
            }
            else {
                dp[i][j] = max(dp[i - 1][j], dp[i][j - 1]);
            }
        }
    }

    return dp[m][n];
}

int main() {

    char s1[1005];
    char s2[1005];

    if (scanf("%s %s", s1, s2) == 2) {
        int result = longestCommonSubsequence(s1, s2);
        printf("%d\n", result);
    }

    return 0;
}
```

```
44
45
```

	Input	Expected	Got	
✔	aab azb	2	2	✔
✔	ABCD ABCD	4	4	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Back to Course