Presenting from Emacs

A demo deck for `pdf-present`

2026-10-31


Presenting from Emacs



Welcome. The presenter window shows this note, the next slide, the elapsed time and the clock. Press d to set a talk length and watch the countdown.

Two windows, not two fullscreen frames

- The audience window shows the slide alone
- The presenter window shows this slide, the next one and the notes
- Both are plain windows, so Wayland compositors place them



Point out that nothing re-renders when the windows settle: each is made in its final size.

Overlays count as slides

- First step



Press n three times here. The slide counter uses the page labels, so it says 3 for all three steps.

Overlays count as slides

- First step
- Second step, on the next page of the PDF



Press n three times here. The slide counter uses the page labels, so it says 3 for all three steps.

Overlays count as slides


- First step
- Second step, on the next page of the PDF
- Third step



Press n three times here. The slide counter uses the page labels, so it says 3 for all three steps.

Jumping around

- g goes to a slide by number
- T shows a thumbnail grid; the audience keeps the current slide
- < and > go to the first and last slides



Try T now and pick the title slide, then come back with g.

Blank the screen

Press `b` for black, `w` for white



Useful when the class should look at the board, not the slide. Any key brings the slide back.

The deck reloads when it changes

Edit this slide in `demo-slides.tex`, run `./build.sh`, and the slides re-read in place, keeping the current slide and the timers.

The deck reloads when it changes
Edit this slide in demo-slides.tex, run ./build.sh, and the slides re-read in place, keeping the current slide and the timers.

This is the edit-while-presenting loop: fix a typo during questions without restarting the talk.

Questions?

q quits and restores your buffer, windows and frames.