Steps to Integrate Bring Cartridge:

Note : This integration is performed on SiteGenesis.

1) Upload MetaData **'BringMetaData.zip'**from **'cartridge/metadata'** in your sandbox using Site Import/Export

2) Add the below piece of code in **footer_UI.isml** of your storefront cartridge

```
<isif
condition="${dw.system.Site.getCurrent().getCustomPreferenceValue('enableBri
ng').getValue() === 'yes'}">
   <script type="text/javascript"><isinclude
template="resources/bringappresources" /></script>
</isif>
```

3) Add the below piece of code in **singleshipping.isml** file.

```
<iscomment>Display pickup points from Bring</iscomment>
<isinclude template="pickuppoints"/>
```

4) Copy **'int_bring/cartridge/js/bring.js'** to **'app_storefront_core/cartridge/js/bring.js'** or JS folder of your storefront cartridge

5) Modify 'app.js' present in **'app_storefront_core/cartridge/js/app.js'** or JS folder of your storefront cartridge and add below piece of code.

```
bring = require('./bring');
```

```
 9  ¶
10⊖ var countries = require('./countries'),¶
11  »   cq = require('./cq'),¶
12  »   dialog = require('./dialog'),¶
13  »   minicart = require('./minicart'),¶
14  »   page = require('./page'),¶
15  »   rating = require('./rating'),¶
16  »   searchplaceholder = require('./searchplaceholder'),¶
17  »   searchsuggest = require('./searchsuggest'),¶
18  »   searchsuggestbeta = require('./searchsuggest-beta'),¶
19  »   tooltip = require('./tooltip'),¶
20  »   util = require('./util'),¶
21  »   validator = require('./validator'),¶
22  »   bring = require('./bring');|
23  ¶
24  // if jQuery has not been loaded, load from google cdn¶
```

`bring.init();`

```
L61⊖ var app = {¶
L62⊖ »    init: function () {¶
L63  »    »    if (document.cookie.length === 0) {¶
L64  »    »    »    $('<div/>').addClass('browser-compatibility-alert').append($('<p/>').addClass('browser-error').h
L65  »    »    }¶
L66  »    »    initializeDom();¶
L67  »    »    initializeEvents();¶
L68  ¶
L69  »    »    // init specific global components¶
L70  »    »    countries.init();¶
L71  »    »    tooltip.init();¶
L72  »    »    minicart.init();¶
L73  »    »    validator.init();¶
L74  »    »    rating.init();¶
L75  »    »    searchplaceholder.init();¶
L76  »    »    cq.init();¶
L77  »    »    bring.init();¶
L78  »    »    // execute page specific initializations¶
L79  »    »    $.extend(page, window.pageContext);¶
L80  »    »    var ns = page.ns;¶
L81  »    »    if (ns && pages[ns] && pages[ns].init) {¶
L82  »    »    »    pages[ns].init();¶
L83  »    »    }¶
L84  »    }¶
L85  };¶
L86  ¶
```

After making these changes run your JS tool gulp or grunt

How to Test:

1) Add product to cart and reach shipping address page.
2) Enter zipcode/postalcode and focusout of this field.
3) Scroll down to bottom of page and you should see latitude/longitude of a pickup point & below it a button to show it in Google Map

4) Now, click on "Show In Google Map" and you should see

55.68541654140404
12.567638438851917
Show In Google Map
55.688520862261015
12.585446639908255
Show In Google Map
55.69785880040116
12.57913781681613
Show In Google Map
55.69607864052624
12.571110180926047
Show In Google Map
55.68857821903445
12.55847168694508
Show In Google Map