
Top 30 Pathways (Sorted by FDR)
KEGG − Neuroactive ligand−receptor interaction
GO:MF − signaling receptor activity
GO:MF − molecular transducer activity
GO:MF − transmembrane signaling receptor activity
GO:MF − G protein−coupled receptor activity
REAC − Class A/1 (Rhodopsin−like receptors)
GO:BP − G protein−coupled receptor signaling pathway
REAC − GPCR ligand binding
REAC − Signaling by GPCR
REAC − Peptide ligand−binding receptors
REAC − GPCR downstream signalling
GO:BP − multicellular organismal process
GO:BP − cell−cell signaling
GO:BP − neuropeptide signaling pathway
GO:BP − response to chemical
HPA − adrenal gland; medullary cells[>=Low]
HPA − adrenal gland; medullary cells[>=Medium]
REAC − Conjugation of salicylate with glycine
KEGG − Intestinal immune network for IgA production
REAC − Conjugation of carboxylic acids
REAC − Amino Acid conjugation
KEGG − Autoimmune thyroid disease
GO:MF − neuropeptide receptor activity
GO:MF − glycine−gated chloride ion channel activity
GO:MF − glycine binding
GO:CC − cell periphery
KEGG − Allograft rejection
KEGG − Graft−versus−host disease
GO:MF − neurotransmitter receptor activity
KEGG − Type I diabetes mellitus
0.0
2.5
5.0
7.5
−log10(FDR)
−log10(p_value)
8
6
4