# DA5401 – Data Analytics Lab Assignment 1

### Real world system

- The first step was to create a line drawing of an object.
- I drew a simple diagram of a **bacterium** in my notebook and clicked a picture to convert it into a .jpg file.





Figure 1: The original drawing and the uncropped .jpg file created from it

- For mathematical ease, the image was cropped into a square using Microsoft PowerPoint.
- The final dimensions of the image were 567 x 567 pixels.



 $\textbf{Figure 2:} \ \operatorname{Cropping the image on PowerPoint and the final cropped image}$ 

#### Data acquisition

- The (x, y) coordinates of the points that make up the lines / curves in the image were obtained using https://wpd.starrydata2.org/.
- The cropped .jpg file was uploaded and the plot type was selected as '2D (X-Y) Plot".
- Four points were chosen to align the axes. These were  $x_1 = 0$ ,  $x_2 = 1000$ ,  $y_1 = 0$ ,  $y_2 = 1000$ .
- Next, automatic extraction was performed after setting the foreground colour to black and averaging window as 3 pixels.
- The coordinates were obtained under 'View Data' and downloaded as a .csv file.




Figure 3: Extracting the coordinates of the points in the image

#### Data loading

- The .csv file was read into a Pandas DataFrame.
- All the coordinates were rounded off to the nearest integer. This essentially discretizes the coordinates and has them take integer values between 0 and 1000.
- A Boolean matrix of size  $1000 \times 1000$  was used to represent the image. The  $(i,j)^{\text{th}}$  element of the matrix was set to 1 if and only if (i,j) was the coordinate of a point after the discretization procedure. Else, the value was set to 0.

#### Transformation and visualisation

• A function was constructed to convert the Boolean matrix representation into (x, y) coordinates. These were then used to visualise the coordinates using a Matplotlib scatterplot (with the axes hidden).




Figure 4: Matplotlib visualisation of the Boolean matrix representation of the original image

• Rotating an image clockwise by 90° requires us to perform a matrix operation that resembles:

$$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{bmatrix} \rightarrow \begin{bmatrix} 7 & 4 & 1 \\ 8 & 5 & 2 \\ 9 & 6 & 3 \end{bmatrix}$$

• This is essentially the same as taking the transpose of the original matrix and reversing the order of its columns.

$$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{bmatrix} \rightarrow \begin{bmatrix} 1 & 4 & 7 \\ 2 & 5 & 8 \\ 3 & 6 & 9 \end{bmatrix} \rightarrow \begin{bmatrix} 7 & 4 & 1 \\ 8 & 5 & 2 \\ 9 & 6 & 3 \end{bmatrix}$$

• We perform this sequence of operations using in-built Numpy functions .T and flip().




Figure 5: Matplotlib visualisation of the Boolean matrix representation of the rotated image

• Flipping an image as shown in the butterfly example requires us to perform a matrix operation that resembles:

$$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{bmatrix} \rightarrow \begin{bmatrix} 7 & 8 & 9 \\ 4 & 5 & 6 \\ 1 & 2 & 3 \end{bmatrix}$$

- This is essentially the same as reversing the order of the rows of the original matrix.
- We perform this sequence of operations using in-built Numpy function flip().




Figure 6 : Matplotlib visualisation of the Boolean matrix representation of the flipped image

• Thus, the overall image transformation process looks like:




Figure 7: Overall output

## Code and data availability

The Python code used for this assignment has been attached along with this report in a .zip folder. The original coordinates for the image have been attached as a .csv file in the same folder.