

SSC CGL 2017: Quantitative Aptitude

Chapter 1: Algebra

SSC CGL 2018 Crash Course सभी विषयों की तैयारी सिर्फ 60 दिनों में

SSC CGL 2017 के सभी विषयों का **Topic Wise** प्रश्न तथा उत्तर का **PDF File** हमारे **Mobile App** पर फ्री में उपलब्ध है।

Mobile App को डाउनलोड करने के लिए **यहाँ टच करें** या नीचे दिए हुए QR कोड को स्कैन करें।



(1) If $(x/y)^{a-4} = (y/x)^{2a-5}$, then what is the relation between x and y ?

यदि $(x/y)^{a-4} = (y/x)^{2a-5}$, तो x तथा y के बीच क्या संबंध है?

SSCGL2017-10AUG-S1 : 61

- (a) $x > y$ (b) $x < y$
(c) $x = y$ (d) Can not be Determined

(2)

If $x + \frac{1}{x} = 3$, then what is the value of

$$\frac{x^4 + 5x^3 + 3x^2 + 5x + 1}{x^4 + 1}?$$

यदि $x + \frac{1}{x} = 3$, तो $\frac{x^4 + 5x^3 + 3x^2 + 5x + 1}{x^4 + 1}$

का मान क्या है?

SSCGL2017-10AUG-S1 : 62

- (a) 25/7 (b) 4 (c) 31/7 (d) 33/7

(3) If $3a - (3/a) - 3 = 0$, then what is the value of $a^3 - (1/a)^3 + 2$?

यदि $3a - (3/a) - 3 = 0$, तो $a^3 - (1/a)^3 + 2$ का मान क्या है?

SSCGL2017-10AUG-S1 : 63

- (a) 0 (b) 2 (c) 4 (d) 6

(4)

If $\frac{x + \sqrt{x^2 - 1}}{x - \sqrt{x^2 - 1}} + \frac{x - \sqrt{x^2 - 1}}{x + \sqrt{x^2 - 1}} = 194$, then what is the value of x ?

यदि $\frac{x + \sqrt{x^2 - 1}}{x - \sqrt{x^2 - 1}} + \frac{x - \sqrt{x^2 - 1}}{x + \sqrt{x^2 - 1}} = 194$, तो x का मान क्या है?

SSCGL2017-10AUG-S1 : 64

- (a) 7/2 (b) 4 (c) 7 (d) 14

(5) If $A/3 = B/2 = C/5$, then what is the value of ratio $(C + A)^2 : (A + B)^2 : (B + C)^2$?

यदि $A/3 = B/2 = C/5$, तो $(C + A)^2 : (A + B)^2 : (B + C)^2$ के अनुपात का मान क्या होगा?

SSCGL2017-08AUG-S2 : 55

- (a) 9 : 4 : 25 (b) 25 : 4 : 9
(c) 64 : 25 : 49 (d) 49 : 25 : 64

(6) If $(x^2/yz) + (y^2/zx) + (z^2/xy) = 3$, then what is the value of $(x + y + z)^3$?

यदि $(x^2/yz) + (y^2/zx) + (z^2/xy) = 3$, तो $(x + y + z)^3$ का मान क्या होगा?

SSCGL2017-08AUG-S2 : 61

- (a) 0 (b) 1 (c) 2 (d) 3

(7) If $x^{1/4} + x^{-1/4} = 2$, then what is the value of $x^{81} + (1/x)^{81}$?

यदि $x^{1/4} + x^{-1/4} = 2$, तो $x^{81} + (1/x)^{81}$ का मान क्या होगा -

SSCGL2017-08AUG-S2 : 62

- (a) -2 (b) 0 (c) 1 (d) 2

SSC CGL 2017: Quantitative Aptitude (Algebra)

(8) If $a(a + b + c) = 45$, $b(a + b + c) = 75$ and $c(a + b + c) = 105$, then what is the value of $(a^2 + b^2 + c^2)$?

यदि $a(a + b + c) = 45$, $b(a + b + c) = 75$ तथा $c(a + b + c) = 105$, तो $(a^2 + b^2 + c^2)$ का मान क्या होगा?

SSCGL2017-08AUG-S2 : 63

- (a) 75 (b) 83 (c) 217 (d) 225

(9) If $x^2 + 1/x^2 = 1$, then what is the value of $x^{48} + x^{42} + x^{36} + x^{30} + x^{24} + x^{18} + x^{12} + x^6 + 1$?

यदि $x^2 + 1/x^2 = 1$, तो $x^{48} + x^{42} + x^{36} + x^{30} + x^{24} + x^{18} + x^{12} + x^6 + 1$ का मान क्या होगा?

SSCGL2017-08AUG-S2 : 64

- (a) -9 (b) 0 (c) 1 (d) 9

(10) For what value of k , the expression $x^6 - 18x^3 + k$ will be a perfect square?

k के किस मान के लिए व्यंजक $x^6 - 18x^3 + k$ एक पूर्ण वर्ग होगा?

SSCGL2017-11AUG-S3 : 61

- (a) -9 (b) -81 (c) +9 (d) +81

(11)

If $\frac{\sqrt{5+x} + \sqrt{5-x}}{\sqrt{5+x} - \sqrt{5-x}} = 3$, then what is the value of x ?

यदि $\frac{\sqrt{5+x} + \sqrt{5-x}}{\sqrt{5+x} - \sqrt{5-x}} = 3$ है, तो x का मान क्या है?

SSCGL2017-11AUG-S3 : 62

- (a) 5/2 (b) 25/3 (c) 4 (d) 3

(12) If $(x + y + z) = 12$, $xy + yz + zx = 44$ and $xyz = 48$, then what is the value of $x^2 + y^2 + z^2$?

यदि $(x + y + z) = 12$, $xy + yz + zx = 44$ तथा $xyz = 48$ है, तो $x^2 + y^2 + z^2$ का मान क्या है?

SSCGL2017-11AUG-S3 : 63

- (a) 104 (b) 144 (c) 196 (d) 288

(13)

If $x = \frac{4\sqrt{ab}}{\sqrt{a} + \sqrt{b}}$, then what is the value of

$\frac{x+2\sqrt{a}}{x-2\sqrt{a}} + \frac{x+2\sqrt{b}}{x-2\sqrt{b}}$ (when $a \neq b$)?

यदि $x = \frac{4\sqrt{ab}}{\sqrt{a} + \sqrt{b}}$ हो, तो $\frac{x+2\sqrt{a}}{x-2\sqrt{a}} + \frac{x+2\sqrt{b}}{x-2\sqrt{b}}$

का मान क्या है (जब $a \neq b$ हो)?

SSCGL2017-11AUG-S3 : 64

- (a) 0 (b) 2
(c) 4 (d) $(\sqrt{a} + \sqrt{b})/(\sqrt{a} - \sqrt{b})$

(14) If $5/2 - (6/5)(x - 15/2) = -x/5$, then what is the value of x ?

यदि $5/2 - (6/5)(x - 15/2) = -x/5$, तो x का मान क्या है?

SSCGL2017-21AUG-S3 : 61

- (a) -23/2 (b) 13/2 (c) -13/2 (d) 23/2

(15) If $a - b = 2$ and $ab = 24$, then what is the value of $a^3 - b^3$?
यदि $a - b = 2$ और $ab = 24$ है, $a^3 - b^3$ का मान क्या है?

SSCGL2017-21AUG-S3 : 62

- (a) 280 (b) 124 (c) 140 (d) 152

(16) If $-3[1-(x/2)] + 5x/3 = 1/6$, then what is the value of x ?

यदि $-3[1-(x/2)] + 5x/3 = 1/6$, तो x का मान क्या है?

SSCGL2017-22AUG-S2 : 61

- (a) 2 (b) -1 (c) 1 (d) -2

(17) If $a + b = 3$ and $ab = -4$, then what is the value of $a^3 + b^3$?

यदि $a + b = 3$ और $ab = -4$, फिर $a^3 + b^3$ का मान क्या है?

SSCGL2017-22AUG-S2 : 62

- (a) 36 (b) 63 (c) 12 (d) -15

(18) What is the difference of the cube and square of the common root of $(x^2 - 8x + 15) = 0$ and $(y^2 + 2y - 35) = 0$?

$(x^2 - 8x + 15) = 0$ तथा $(y^2 + 2y - 35) = 0$ के सामान्य शून्यक के घन तथा वर्ग के बीच का अंतर क्या होगा?

SSCGL2017-05AUG-S3 : 61

- (a) 76 (b) 100 (c) 294 (d) 318

(19)

If $\left(x - \frac{1}{3}\right)^2 + (y - 4)^2 = 0$, then what is the value of $\frac{y+x}{y-x}$?

यदि $\left(x - \frac{1}{3}\right)^2 + (y - 4)^2 = 0$ हो, तो $\frac{y+x}{y-x}$ का मान क्या है?

SSCGL2017-05AUG-S3 : 62

- (a) 11/13 (b) 13/11 (c) 16/9 (d) 9/16

(20) What is the difference of the factors of the expression $x^2 + (1/x^2) - 6$?

व्यंजक $x^2 + (1/x^2) - 6$ के गुणखंडों का अंतर क्या है?

SSCGL2017-05AUG-S3 : 63

- (a) 0 (b) 1 (c) 2 (d) 4

(21) If $x + (1/x) = \sqrt{13}$, then what is the value of $x^5 - (1/x^5)$?

यदि $x + (1/x) = \sqrt{13}$ हो, तो $x^5 - (1/x^5)$ का मान क्या है?

SSCGL2017-05AUG-S3 : 64

- (a) 169 (b) $169\sqrt{3}$ (c) 393 (d) 507

(22) If $x^3 + 2x^2 - 5x + k$ is divisible by $x + 1$, then what is the value of k ?

यदि $x^3 + 2x^2 - 5x + k$, $x + 1$ से विभाजित होता है, तो k का मान क्या है?

SSCGL2017-10AUG-S2 : 61

- (a) -6 (b) -1 (c) 0 (d) 6

(23) If $3x + [1/(5x)] = 7$, then what is the value of $5x/(15x^2 + 15x + 1)$?

यदि $3x + [1/(5x)] = 7$, तो $5x/(15x^2 + 15x + 1)$ का मान क्या होगा?

SSCGL2017-10AUG-S2 : 62

- (a) 1/5 (b) 1/10 (c) 2/5 (d) 10

(24) If $x + [1/(4x)] = 5/2$, then what is the value of $(64x^6 + 1)/8x^3$?

यदि $x + [1/(4x)] = 5/2$, तो $(64x^6 + 1)/8x^3$ का मान क्या होगा?

SSCGL2017-10AUG-S2 : 63

- (a) 110 (b) 115 (c) 125 (d) 140

SSC CGL 2017: Quantitative Aptitude (Algebra)

(25) If $x^2 + x = 19$, then what is the value of $(x + 5)^2 + [1/(x + 5)^2]$?

यदि $x^2 + x = 19$, तो $(x + 5)^2 + [1/(x + 5)^2]$ का मान क्या होगा?

SSCGL2017-10AUG-S2 : 64

- (a) 77 (b) 79 (c) 81 (d) 83

(26) If $7x - [3(2x-3)]/2 = 1/2$, then what is the value of x ?

यदि $7x - [3(2x-3)]/2 = 1/2$ है, तो x का मान क्या होगा?

SSCGL2017-17AUG-S1 : 61

- (a) -1 (b) 1 (c) 3 (d) -3

(27) If $a + b = 4$ and $ab = 3$, then what is the value of $a^3 + b^3$?

यदि $a + b = 4$ और $ab = 3$ है, तो $a^3 + b^3$ का मान क्या होगा?

SSCGL2017-17AUG-S1 : 62

- (a) 21 (b) 17 (c) 28 (d) 31

(28) If $(x - 2)$ and $(x + 3)$ are the factors of the equation $x^2 + k_1x + k_2 = 0$, then what are the values of k_1 and k_2 ?

यदि समीकरण $x^2 + k_1x + k_2 = 0$ के गुणखण्ड $(x - 2)$ तथा $(x + 3)$ हैं, तो k_1 तथा k_2 का मान क्या है?

SSCGL2017-09AUG-S1 : 61

- (a) $k_1 = 6, k_2 = -1$ (b) $k_1 = 1, k_2 = -6$
(c) $k_1 = 1, k_2 = 6$ (d) $k_1 = -6, k_2 = 1$

(29) If $(x - y) = 7$, then what is the value of $(x - 15)^3 - (y - 8)^3$?

अगर $(x - y) = 7$ हो, तो $(x - 15)^3 - (y - 8)^3$ का मान क्या है?

SSCGL2017-09AUG-S1 : 62

- (a) 0 (b) 343 (c) 392 (d) 2863

(30) If $x - y - \sqrt{18} = -1$ and $x + y - 3\sqrt{2} = 1$, then what is the value of $12xy(x^2 - y^2)$?

यदि $x - y - \sqrt{18} = -1$ तथा $x + y - 3\sqrt{2} = 1$ हो, तो $12xy(x^2 - y^2)$ का मान क्या है?

SSCGL2017-09AUG-S1 : 63

- (a) 0 (b) 1 (c) $512\sqrt{2}$ (d) $612\sqrt{2}$

(31) If $p/q = r/s = t/u = \sqrt{5}$, then what is the value of $[(3p^2 + 4r^2 + 5t^2)/(3q^2 + 4s^2 + 5u^2)]$?

यदि $p/q = r/s = t/u = \sqrt{5}$ हो, तो $[(3p^2 + 4r^2 + 5t^2)/(3q^2 + 4s^2 + 5u^2)]$ का मान क्या है?

SSCGL2017-09AUG-S1 : 64

- (a) $1/5$ (b) 5 (c) 25 (d) 60

(32) If $(1/x) + (1/y) + (1/z) = 0$ and $x + y + z = 9$, then what is the value of $x^3 + y^3 + z^3 - 3xyz$?

यदि $(1/x) + (1/y) + (1/z) = 0$ तथा $x + y + z = 9$, तो $x^3 + y^3 + z^3 - 3xyz$ का मान क्या होगा?

SSCGL2017-09AUG-S2 : 61

- (a) 81 (b) 361 (c) 729 (d) 6561

(33) If $x^4 + (1/x^4) = 34$, then what is the value of $x^3 - (1/x^3)$?

यदि $x^4 + (1/x^4) = 34$, तो $x^3 - (1/x^3)$ का मान क्या होगा?

SSCGL2017-09AUG-S2 : 62

- (a) 0 (b) 6 (c) 8 (d) 14

(34) If $x = 1 - y$ and $x^2 = 2 - y^2$, then what is the value of xy ?

यदि $x = 1 - y$ तथा $x^2 = 2 - y^2$, तो xy का मान क्या होगा?

SSCGL2017-09AUG-S2 : 63

- (a) 1 (b) 2 (c) $-1/2$ (d) -1

(35) If $x + [1/(x + 7)] = 0$, then what is the value of $x - [1/(x + 7)]$?

यदि $x + [1/(x + 7)] = 0$, तो $x - [1/(x + 7)]$ का मान क्या होगा?

SSCGL2017-09AUG-S2 : 64

- (a) $3\sqrt{5}$ (b) $3\sqrt{5} - 7$ (c) $3\sqrt{5} + 7$ (d) 8

(36) If α and β are roots of the equation $3x^2 - 13x + 14 = 0$, then what is the value of $(\alpha/\beta) + (\beta/\alpha)$?

यदि α तथा β व्यंजक $3x^2 - 13x + 14 = 0$ के शून्यक हैं, तो $(\alpha/\beta) + (\beta/\alpha)$ का मान क्या है?

SSCGL2017-11AUG-S1 : 61

- (a) $65/28$ (b) $53/14$ (c) 9 (d) $85/42$

(37) If $a + b + c = 9$ and $ab + bc + ca = 18$, then what is the value of $a^3 + b^3 + c^3 - 3abc$?

यदि $a + b + c = 9$ तथा $ab + bc + ca = 18$, तो $a^3 + b^3 + c^3 - 3abc$ का मान क्या है?

SSCGL2017-11AUG-S1 : 62

- (a) 189 (b) 243 (c) 361 (d) 486

(38) If $(x/y) + (y/x) = 1$, then what is the value of $x^3 + y^3$?

यदि $(x/y) + (y/x) = 1$, तो $x^3 + y^3$ का मान क्या है?

SSCGL2017-11AUG-S1 : 63

- (a) -1 (b) 0 (c) 1 (d) 3

(39) If $5^x = 30^{-y} = 6^z$, then what is the value of $(xy + yz + zx)/xyz$?

यदि $5^x = 30^{-y} = 6^z$, तो $(xy + yz + zx)/xyz$ का मान क्या है?

SSCGL2017-11AUG-S1 : 64

- (a) 0 (b) 1 (c) 2 (d) 3

(40) If $x(2x + 3) = 90$ and $7y^{-1/2} + 2y^{-1/2} = y^{1/2}$ (x and y are positive numbers), then what is the value of $x^2 + y^2$?

यदि $x(2x + 3) = 90$ तथा $7y^{-1/2} + 2y^{-1/2} = y^{1/2}$ (x तथा y धनात्मक संख्या है), तो $x^2 + y^2$ का मान क्या होगा?

1-12AUG-S1 : 61

- (a) 45 (b) 109 (c) 117 (d) 126

(41) If $x/y = 4/9$, then what is the value of $(7x^2 - 19xy + 11y^2)/y^2$?

यदि $x/y = 4/9$, तो $(7x^2 - 19xy + 11y^2)/y^2$ का मान क्या होगा?

SSCGL2017-12AUG-S1 : 62

- (a) $59/81$ (b) $100/27$ (c) $319/81$ (d) $913/81$

(42) If $x - 3 + [1/(x - 3)] = 4$, what is the value of $(x - 3)^3 + [1/(x - 3)^3]$?

यदि $x - 3 + [1/(x - 3)] = 4$, तो $(x - 3)^3 + [1/(x - 3)^3]$ का मान क्या होगा?

SSCGL2017-12AUG-S1 : 63

- (a) 14 (b) 18 (c) 52 (d) 76

(43) If $x^2 + y^2 + z^2 = xy + yz + zx$, then what is the value of $(7x + 3y - 5z)/5x$?

यदि $x^2 + y^2 + z^2 = xy + yz + zx$, तो $(7x + 3y - 5z)/5x$ का मान क्या होगा?

SSCGL2017-12AUG-S1 : 64

- (a) 0 (b) 1 (c) 5 (d) $33/5$

(44) If $a + b + c = 11$ and $ab + bc + ca = 17$, then what is the value of $a^3 + b^3 + c^3 - 3abc$?

यदि $a + b + c = 11$ तथा $ab + bc + ca = 17$ है, तो $a^3 + b^3 + c^3 - 3abc$ का मान क्या होगा?

SSCGL2017-12AUG-S2 : 61

- (a) 121 (b) 168 (c) 300 (d) 770

SSC CGL 2017: Quantitative Aptitude (Algebra)

(45)

If $x^4 + \frac{1}{x^4} = 62$, then what is the value of $x^6 + \frac{1}{x^6}$?
 यदि $x^4 + \frac{1}{x^4} = 62$, तो $x^6 + \frac{1}{x^6}$ का मान क्या है ?

SCCGL2017-12AUG-S2 : 62

- (a) 144 (b) 288 (c) 396 (d) 488

(46)

If $x+y=4$, then what is the value of $\frac{2}{x-2} + \frac{2}{y-2}$?
 यदि $x+y=4$, तो $\frac{2}{x-2} + \frac{2}{y-2}$ का मान क्या है ?

SCCGL2017-12AUG-S2 : 63

- (a) -1 (b) 0 (c) 4 (d) 16

(47) If $(x/5) + (5/x) = -2$, then what is the value of x^3 ?यदि $(x/5) + (5/x) = -2$ है, तो x^3 का मान क्या होगा?

SCCGL2017-12AUG-S2 : 64

- (a) -125 (b) 5 (c) 1/125 (d) 625

(48)

What is the value of $\frac{1+x}{1-x^4} \div \frac{x^2}{1+x^2} \times x(1-x)$?
 $\frac{1+x}{1-x^4} \div \frac{x^2}{1+x^2} \times x(1-x)$ का मान क्या है ?

SCCGL2017-10AUG-S3 : 61

- (a) $1/x$ (b) $x^2 - 1$ (c) $x + 1$ (d) x

(49)

If $x + \frac{1}{x} = 17$, then what is the value of $\frac{x^4 + \frac{1}{x^2}}{x^2 - 3x + 1}$?
 यदि $x + \frac{1}{x} = 17$, तो $\frac{x^4 + \frac{1}{x^2}}{x^2 - 3x + 1}$ का मान क्या है ?

SCCGL2017-10AUG-S3 : 62

- (a) 2431/7 (b) 3375/7
 (c) 3375/14 (d) 3985/9

(50)

What is the value of x in the equation

$$\sqrt{\frac{1+x}{x}} - \sqrt{\frac{x}{1+x}} = \frac{1}{\sqrt{6}}$$

समीकरण $\sqrt{\frac{1+x}{x}} - \sqrt{\frac{x}{1+x}} = \frac{1}{\sqrt{6}}$ में x का क्या मान था ?

SCCGL2017-10AUG-S3 : 63

- (a) -2 (b) 3 (c) 2 (d) None of these

(51)

If $2\left[x^2 + \frac{1}{x^2}\right] - 2\left[x - \frac{1}{x}\right] - 8 = 0$, then what are the two value of $x - \frac{1}{x}$?

यदि $2\left[x^2 + \frac{1}{x^2}\right] - 2\left[x - \frac{1}{x}\right] - 8 = 0$, तो $x - \frac{1}{x}$ के दो मान क्या हैं ?

SCCGL2017-10AUG-S3 : 64

- (a) -1 or 2 (b) 1 or -2
 (c) -1 or -2 (d) 1 or 2

(52) If $x + (1/x) = 2$, then what is the value of $x^{21} + (1/x^{1331})$?यदि $x + (1/x) = 2$, तो $x^{21} + (1/x^{1331})$ का मान क्या होगा ?

SCCGL2017-12AUG-S3 : 61

(a) 0

(b) 1

(c) 2

(d) 4

(53) If $x^3 - y^3 = 81$ and $x - y = 3$, then what is the value of $x^2 + y^2$?यदि $x^3 - y^3 = 81$ तथा $x - y = 3$, तो $x^2 + y^2$ का मान क्या होगा ?

SCCGL2017-12AUG-S3 : 62

- (a) 18 (b) 21 (c) 27 (d) 36

(54)

If $\sqrt{5x} - 6 + \sqrt{5x+6} = 6$, then what is the value of x ?यदि $\sqrt{5x} - 6 + \sqrt{5x+6} = 6$, तो x का मान क्या है ?

SCCGL2017-12AUG-S3 : 63

- (a) -4 (b) 0 (c) 2 (d) 4

(55)

If $2x + \frac{1}{2x} = 2$, then what is the value of $\sqrt{2\left(\frac{1}{x}\right)^4 + \left(\frac{1}{x}\right)^5}$?यदि $2x + \frac{1}{2x} = 2$, तो $\sqrt{2\left(\frac{1}{x}\right)^4 + \left(\frac{1}{x}\right)^5}$ का मान क्या है ?

SCCGL2017-12AUG-S3 : 64

- (a) 1 (b) 2 (c) 4 (d) 8

(56)

What is the value of $\frac{1}{x^{(p-q)} + 1} + \frac{1}{x^{(q-p)} + 1}$?
 $\frac{1}{x^{(p-q)} + 1} + \frac{1}{x^{(q-p)} + 1}$ का मान क्या है ?

SCCGL2017-11AUG-S2 : 61

- (a) 0 (b) 1 (c) $x(p-q)$ (d) $x(p+q)$

(57)

If $x = 8 + 2\sqrt{15}$, then what is the value of $\sqrt{x} + \frac{1}{\sqrt{x}}$?यदि $x = 8 + 2\sqrt{15}$, तो $\sqrt{x} + \frac{1}{\sqrt{x}}$ का मान क्या है ?

SCCGL2017-11AUG-S2 : 62

- (a) $2\sqrt{5}$ (b) $2\sqrt{3}$ (c) $(3\sqrt{5} + \sqrt{3})/2$ (d) $(3\sqrt{3} - \sqrt{5})/2$

(58)

What is the value of $\frac{1+a}{a^{\frac{1}{2}} + a^{\frac{-1}{2}}} - \frac{a^{\frac{1}{2}} + a^{\frac{-1}{2}}}{1+a} + a^{\frac{-1}{2}}$?

$\frac{1+a}{a^{\frac{1}{2}} + a^{\frac{-1}{2}}} - \frac{a^{\frac{1}{2}} + a^{\frac{-1}{2}}}{1+a} + a^{\frac{-1}{2}}$ का मान क्या है ?

SCCGL2017-11AUG-S2 : 63

- (a) \sqrt{a} (b) $1/\sqrt{a}$ (c) $\sqrt{a} + 1$ (d) $\sqrt{a} - 1$

(59)

If $\frac{p}{q} = \frac{x+3}{x-3}$, then what is the value of $\frac{p^2+q^2}{p^2-q^2}$?यदि $\frac{p}{q} = \frac{x+3}{x-3}$, तो $\frac{p^2+q^2}{p^2-q^2}$ का मान क्या है ?

- (a) $\frac{x^2+9}{3x}$ (b) $\frac{x^2+18}{6x}$ (c) $\frac{x^2+18}{3x}$

SCCGL2017-11AUG-S2 : 64

- (a) A (b) B (c) C (d) D

(60) If $5x - (1/2)(2x - 7) = 5.5$, then what is the value of x ?यदि $5x - (1/2)(2x - 7) = 5.5$ है तो x का मान क्या है ?

SSC CGL 2017: Quantitative Aptitude (Algebra)

SSCGL2017-17AUG-S2 : 61

- (a)
- $3/2$
- (b)
- $1/2$
- (c)
- $-1/2$
- (d)
- $-3/2$

(61) If $a + b = 4$ and $ab = -5$, then what is the value of $a^3 + b^3$?
यदि $a + b = 4$ और $ab = -5$ तो $a^3 + b^3$ का मान क्या है?

SSCGL2017-17AUG-S2 : 62

- (a) 34 (b) 36 (c) 124 (d) 126

(62) If $4^{(x+y)} = 256$ and $(256)^{(x-y)} = 4$, then what is the value of x and y ?

यदि $4^{(x+y)} = 256$ तथा $(256)^{(x-y)} = 4$, तो x तथा y का मान क्या होगा?

SSCGL2017-09AUG-S3 : 61

- (a) $17/8, 15/8$ (b) $17/4, 15/4$
(c) $9/17, 15/17$ (d) $8/17, 8/15$

(63) If the expression $px^3 - qx^2 - 7x - 6$ is completely divisible by $x^2 - x - 6$, then what is the value of p and q respectively?
यदि व्यंजक $px^3 - qx^2 - 7x - 6$, $(x^2 - x - 6)$ से पूर्णतः विभाजित होता है, तो क्रमशः p तथा q का मान क्या है?

SSCGL2017-09AUG-S3 : 62

- (a) 0, 1 (b) 1, 0 (c) 2, (d) 1, 2

(64) If the expression $px^3 - 2x^2 - qx + 18$ is completely divisible by $(x^2 - 9)$, then what is the ratio between p and q respectively?
यदि व्यंजक $px^3 - 2x^2 - qx + 18$, $(x^2 - 9)$ से पूर्णतः विभाजित है, तो क्रमशः p तथा q के बीच का अनुपात क्या होगा?

SSCGL2017-09AUG-S3 : 63

- (a) 1:9 (b) 1:3 (c) 3:1 (d) 9:1

(65)

If $x + \frac{1}{x} = 5$, then what is the value of $x^5 + \frac{1}{x^5}$?

यदि $x + \frac{1}{x} = 5$, तो $x^5 + \frac{1}{x^5}$ का मान क्या है?

SSCGL2017-09AUG-S3 : 64

- (a) 1875 (b) 2525 (c) 2530 (d) 3120

(66) If $x + y = 5$, $x^3 + y^3 = 35$, then what is the positive difference between x and y ?

यदि $x + y = 5$, $x^3 + y^3 = 35$, तो x तथा y का धनात्मक अंतर कितना है?

SSCGL2017-16AUG-S3 : 61

- (a) 0 (b) (c) 5 (d) 6

(67)

If $x = \sqrt{\frac{2+\sqrt{3}}{2-\sqrt{3}}}$, then what is the value of $x^2 + x - 9$?

यदि $x = \sqrt{\frac{2+\sqrt{3}}{2-\sqrt{3}}}$, तो $x^2 + x - 9$ का मान क्या है?

SSCGL2017-16AUG-S3 : 62

- (a) 0 (b)
- $3\sqrt{}$
- (c)
- $3\sqrt{3}$
- (d)
- $5\sqrt{3}$

(68)

If $x + y + z = 0$, then what is the value of $\frac{x^2}{3z} + \frac{y^2}{3xz} + \frac{z^2}{3x}$?

यदि $x + y + z = 0$, तो $\frac{x^2}{3z} + \frac{y^2}{3xz} + \frac{z^2}{3x}$ का मान क्या है?

SSCGL2017-16AUG-S3 : 63

- (a) 0 (b)
- xz
- (c)
- y
- (d)
- $3y$

(69)

If $x - \frac{1}{x} = 1$, then what is the value of?

$\frac{1}{x} \left(\frac{1}{x-1} - \frac{1}{x+1} + \frac{1}{x^2+1} - \frac{1}{x^2-1} \right)$
यदि $x - \frac{1}{x} = 1$, तो $\frac{1}{x} \left(\frac{1}{x-1} - \frac{1}{x+1} + \frac{1}{x^2+1} - \frac{1}{x^2-1} \right)$ का मान क्या है?

SSCGL2017-16AUG-S3 : 64

- (a)
- $\pm\sqrt{5}$
- (b)
- $2/5$
- (c)
- $\pm 2/\sqrt{5}$
- (d)
- $\pm\sqrt{5}/2$

(70) If $x/3 - [5(7x/5 - 4/3)]/2 = -x/6$, then what is the value of x ?

यदि $x/3 - [5(7x/5 - 4/3)]/2 = -x/6$ तो x का मान क्या है?

SSCGL2017-17AUG-S3 : 61

- (a)
- $10/9$
- (b)
- $-10/9$
- (c)
- $-9/10$
- (d)
- $9/10$

(71) If $a^3 + b^3 = 19$ and $a + b = 1$, then what is the value of ab ?

यदि $a^3 + b^3 = 19$ और $a + b = 1$ है, तो ab का मान क्या है?

SSCGL2017-17AUG-S3 : 62

- (a) 5 (b) -6 (c) 7 (d) -9

(72) If $17/3 + [3(2x - 5/3)]/2 = 1/6$, then what is the value of x ?

यदि $17/3 + [3(2x - 5/3)]/2 = 1/6$ है, तो x का मान क्या है?

SSCGL2017-18AUG-S2 : 61

- (a) 1 (b) 3 (c) -3 (d) -1

(73) If $a + b = 5$ and $ab = 6$, then what is the value of $a^3 + b^3$?

यदि $a + b = 5$ और $ab = 6$ है, तो $a^3 + b^3$ का मान क्या है?

SSCGL2017-18AUG-S2 : 62

- (a) 32 (b) 38 (c) 35 (d) 34

(74) The sum of a fraction and 3 times its reciprocal is $37/10$.

What is the fraction?

एक भिन्न और उसके व्युत्क्रम के 3 गुण का योग $37/10$ है। वह भिन्न क्या है?

SSCGL2017-18AUG-S2 : 63

- (a)
- $5/2$
- (b)
- $2/5$
- (c)
- $5/4$
- (d)
- $4/5$

(75) If $5x/2 - [7(6x - 3/2)]/4 = 5/8$, then what is the value of x ?

यदि $5x/2 - [7(6x - 3/2)]/4 = 5/8$, तो x का मान क्या होगा?

SSCGL2017-18AUG-S3 : 61

- (a)
- $1/4$
- (b)
- $-1/4$
- (c) 4 (d) -4

(76) If $a^3 - b^3 = 91$ and $a - b = 1$, then what is the value of ab ?

यदि $a^3 - b^3 = 91$ और $a - b = 1$ है, तो ab का मान क्या होगा?

SSCGL2017-18AUG-S3 : 62

- (a) 27 (b) 6 (c) 9 (d) 30

(77) A fraction is greater than twice its reciprocal by $7/15$. What is the fraction?

एक भिन्न अपने व्युत्क्रम के दोगुने से $7/15$ से अधिक है। वह भिन्न क्या है?

SSCGL2017-18AUG-S3 : 63

- (a)
- $3/5$
- (b)
- $5/3$
- (c)
- $3/4$
- (d)
- $4/3$

(78) If $[7(5x/3 - 3/2)]/2 + 3/2 = 1/4$, then what is the value of x ?

यदि $[7(5x/3 - 3/2)]/2 + 3/2 = 1/4$ है, तो x का मान क्या है?

SSCGL2017-18AUG-S1 : 61

- (a)
- $35/24$
- (b)
- $24/35$
- (c)
- $-24/35$
- (d)
- $-35/24$

(79) If $a^3 + b^3 = 19$ and $ab = -6$, then what is the value of $a + b$?

यदि $a^3 + b^3 = 19$ और $ab = -6$ हो, तो $a + b$ का मान क्या है?

SSCGL2017-18AUG-S1 : 62

- (a) 5 (b) 7 (c) 1 (d) -5

SSC CGL 2017: Quantitative Aptitude (Algebra)

(80) If $[4(2^x/5 - 3/2)]/3 + 7/5 = 37/5$, then what is the value of x ?
यदि $[4(2^x/5 - 3/2)]/3 + 7/5 = 37/5$ है, तो x का मान ज्ञात कीजिए।

SSCGL2017-19AUG-S1 : 61

- (a) -15 (b) 7/5 (c) 15 (d) -7/5

(81) If $a - b = 4$ and $ab = -3$, then what is the value of $a^3 - b^3$?
यदि $a - b = 4$ और $ab = -3$ है, तब $a^3 - b^3$ का मान क्या है?

SSCGL2017-19AUG-S1 : 62

- (a) 21 (b) 28 (c) 23 (d) -20

(82) When $[x + (1/x)] = 5$, then what is the value of $[x - (1/x)]$?
जब $[x + (1/x)] = 5$ है, तो $[x - (1/x)]$ का मान क्या है?

SSCGL2017-16AUG-S1 : 61

- (a) 11 (b) $\pm \sqrt{22}$ (c) 21 (d) $\pm \sqrt{21}$

(83) If $x = (\sqrt{2} + 1)/(\sqrt{2} - 1)$, then what is the value of $(x^5 + x^4 + x^2 + x)/x^3$?
यदि $x = (\sqrt{2} + 1)/(\sqrt{2} - 1)$ है, तो $(x^5 + x^4 + x^2 + x)/x^3$ का मान क्या है?

SSCGL2017-16AUG-S1 : 62

- (a) 40 (b) 37.5 (c) 38 (d) $20\sqrt{2}$

(84) If $x = 5 - 2\sqrt{6}$, then what is the value of $\sqrt{x} + (1/\sqrt{x})$?
यदि $x = 5 - 2\sqrt{6}$ है, तो $\sqrt{x} + (1/\sqrt{x})$ का मान क्या है?

SSCGL2017-16AUG-S1 : 63

- (a) 5 (b) 2 (c) $2\sqrt{3}$ (d) $2\sqrt{2}$

(85) If $27^x + 27^{[x-1/3]} = 972$, then what is the value of x ?
यदि $27^x + 27^{[x-1/3]} = 972$ है, तो x का मान क्या है?

SSCGL2017-16AUG-S1 : 64

- (a) 2 (b) 3 (c) 4 (d) 5

(86) If $a = 73$, $b = 74$ and $c = 75$, then what is the value of $a^3 + b^3 + c^3 - 3abc$?
यदि $a = 73$, $b = 74$ तथा $c = 75$, तो $a^3 + b^3 + c^3 - 3abc$ का मान क्या होगा?

SSCGL2017-16AUG-S2 : 61

- (a) 365 (b) 444 (c) 666 (d) 999

(87) If $x^2 + (1/x^2) = 31/9$ and $x > 0$, then what is the value of $x^3 + (1/x^3)$?
यदि $x^2 + (1/x^2) = 31/9$ तथा $x > 0$, तो $x^3 + (1/x^3)$ का मान क्या होगा?

SSCGL2017-16AUG-S2 : 62

- (a) 70/9 (b) 154/27 (c) 349/27 (d) 349/7

(88)

What is the value of $\frac{(x^2-5x+6)}{(x^2-3x+2)} \div \frac{(x^2-7x+12)}{(x^2-5x+14)}$?

$\frac{(x^2-5x+6)}{(x^2-3x+2)} \div \frac{(x^2-7x+12)}{(x^2-5x+14)}$ का मान क्या है?

SSCGL2017-16AUG-S2 : 63

- (a) 1 (b) 2
(c) $(x - (b))/(x - (a))$ (d) $(x + (c))/(x + (a))$

(89) If $x - (1/x) = 3$, then what is the value of $(2x^4 + 3x^3 + 13x^2 - 3x + 2)/(3x^4 + 3)$?
यदि $x - (1/x) = 3$, तो $(2x^4 + 3x^3 + 13x^2 - 3x + 2)/(3x^4 + 3)$ का मान क्या होगा?

SSCGL2017-16AUG-S2 : 64

- (a) 1/3 (b) 2/3 (c) 4/3 (d) 5/3

(90) If $8x/3 + [7(5 - 2x/3)]/2 = 1/2$, then what is the value of x ?
यदि $8x/3 + [7(5 - 2x/3)]/2 = 1/2$ है, तब x का मान क्या है?

SSCGL2017-19AUG-S2 : 61

- (a) -17 (b) 51 (c) -51 (d) 17

(91) If $a - b = -1$ and $ab = 6$, then what is the value of $a^3 - b^3$?
यदि $a - b = -1$ और $ab = 6$ है, तो $a^3 - b^3$ का मान क्या है?

SSCGL2017-19AUG-S2 : 62

- (a) 33 (b) -19 (c) 18 (d) 35

(92) The sum of a fraction and 3 times its reciprocal is $31/6$. What is the fraction?
एक भिन्न उसके व्युत्क्रम के 3 गुणा का योग $31/6$ है। वह भिन्न क्या है?

SSCGL2017-19AUG-S2 : 63

- (a) 2/9 (b) 9/2 (c) 5/4 (d) 4/5

(93) If $x/2 - [4(15/2) - x/3]/3 = -x/18$, then what is the value of x ?
यदि $x/2 - [4(15/2) - x/3]/3 = -x/18$ तो x का मान क्या है?

SSCGL2017-19AUG-S3 : 61

- (a) -10 (b) 9/8 (c) 10 (d) -9/8

(94) If $a^3 + b^3 = 152$ and $a + b = 8$, then what is the value of ab ?
यदि $a^3 + b^3 = 152$ और $a + b = 8$ है, तो ab का मान क्या है?

SSCGL2017-19AUG-S3 : 62

- (a) 2 (b) 11 (c) -10 (d) 15

(95) A fraction is greater than its reciprocal by $9/20$. What is the fraction?
एक भिन्न अपने व्युत्क्रम से $9/20$ से अधिक है। वह भिन्न क्या है?

SSCGL2017-19AUG-S3 : 63

- (a) 5/4 (b) 4/5 (c) $3/4$ (d) 4/3

(96) If $5x + 6(3-2x) = 4$, then what is the value of x ?
यदि $5x + 6(3-2x) = 4$, तो x का मान क्या है?

SSCGL2017-20AUG-S1 : 61

- (a) 1 (b) 3 (c) 2 (d) 4

(97) If $a + b = 1$ and $ab = -6$, then what is the value of $a^3 + b^3$?
यदि $a + b = 1$ और $ab = -6$, तो $a^3 + b^3$ का मान क्या है?

SSCGL2017-20AUG-S1 : 62

- (a) 17 (b) 15 (c) 19 (d) 13

(98) The sum of a non-zero number and twenty times its reciprocal is 9. What is the number?
एक गैर-शून्य संख्या और इसके व्युत्क्रमानुपाती के बीस गुणा का योग 9 है। तो वह संख्या क्या है?

SSCGL2017-20AUG-S1 : 63

- (a) -5 (b) 3 (c) -3 (d) 5

(99) If $5/2(8x/3 - 1/2) + 13/2 = 2x/3$, then what is the value of x ?
यदि $5/2(8x/3 - 1/2) + 13/2 = 2x/3$ तो x का मान क्या है?

SSCGL2017-21AUG-S1 : 61

- (a) 7/8 (b) 8/7 (c) -8/7 (d) -7/8

(100) If $a^3 + b^3 = 72$ and $ab = 8$, then what is the value of $a + b$?
यदि $a^3 + b^3 = 72$ और $ab = 8$ है, तो $a + b$ का मान क्या है?

SSCGL2017-21AUG-S1 : 62

- (a) 2 (b) 5 (c) 6 (d) 3

(101) Sum of four times a fraction and 7 times its reciprocal is 16. What is the fraction?

SSC CGL 2017: Quantitative Aptitude (Algebra)

एक भिन्न का चार गुना और उसके व्युत्क्रम के 7 गुना का योग 16 है। वह भिन्न कौन - सा है?

SSCGL2017-21AUG-S1 : 63

- (a) $\frac{2}{7}$ (b) $\frac{7}{2}$ (c) $\frac{4}{7}$ (d) $\frac{7}{4}$

(102) If $\frac{14}{3} + \frac{(1/2)(x - 7/1)}{-2x/3} = -2x/3$, then the value of x is? यदि $\frac{14}{3} + \frac{(1/2)(x - 7/1)}{-2x/3} = -2x/3$ तो x का मान क्या होगा?

SSCGL2017-21AUG-S2 : 61

- (a) -3 (b) 3 (c) 6 (d) -6

(103) If $a + b = 10$ and $ab = 24$, then what is the value of $a^3 + b^3$? यदि $a + b = 10$ और $ab = 24$ है, तो $a^3 + b^3$ का मान क्या होगा?

SSCGL2017-21AUG-S2 : 62

- (a) 280 (b) 152 (c) 140 (d) 72

(104) The sum of a fraction and 3 times its reciprocal is $\frac{19}{4}$.

What is the fraction?

एक भिन्न और उस भिन्न के व्युत्क्रम के 3 गुना का योग $\frac{19}{4}$ है। वह भिन्न क्या है?

SSCGL2017-21AUG-S2 : 63

- (a) $\frac{3}{4}$ (b) $\frac{4}{3}$ (c) $\frac{5}{4}$ (d) $\frac{4}{5}$

(105)

If $X = \frac{2+\sqrt{3}}{2-\sqrt{3}}$, then what is the value of $X + \frac{1}{X}$?

यदि $X = \frac{2+\sqrt{3}}{2-\sqrt{3}}$, तो $X + \frac{1}{X}$ का मान क्या है?

SSCGL2017-05AUG-S1 : 61

- (a) 14 (b) $8\sqrt{3}$ (c) 0 (d) 18

(106)

If $x = 2 - \sqrt{3}$, then what is the value of $\sqrt{2x} + \frac{1}{\sqrt{2x}}$?

यदि $x = 2 - \sqrt{3}$, तो $\sqrt{2x} + \frac{1}{\sqrt{2x}}$ का मान क्या है?

SSCGL2017-05AUG-S1 : 62

- (a) $2\sqrt{3}$ (b) $3\sqrt{3}$
(c) $(3\sqrt{3} + 1)/2$ (d) $2\sqrt{3} + 1$

(107)

If $x + \frac{1}{x} = 4$, then what is the value of $X^6 + \frac{1}{X^6}$?

यदि $x + \frac{1}{x} = 4$, तो $X^6 + \frac{1}{X^6}$ का मान क्या है?

SSCGL2017-05AUG-S1 : 63

- (a) 52 (b) 256 (c) 1026 (d) 2702

(108)

If $y = \frac{2-X}{1+X}$, then what is the value of $\frac{1}{y+1} + \frac{2y+1}{y^2-1}$?

यदि $y = \frac{2-X}{1+X}$ तो, $\frac{1}{y+1} + \frac{2y+1}{y^2-1}$ का मान क्या है?

- (a) $\frac{(1+X)(2-X)}{2X-1}$
(b) $\frac{(1-X)(2+X)}{X-1}$
(c) $\frac{(1+X)(2-X)}{1-2X}$
(d) $\frac{(1+X)(1-2X)}{2-X}$

SSCGL2017-05AUG-S1 : 64

(109) If $\frac{2(4x/5 - 3/4)}{3} - \frac{5}{3} = -\frac{1}{6}$, then the value of x is?

यदि $\frac{2(4x/5 - 3/4)}{3} - \frac{5}{3} = -\frac{1}{6}$ है, तो x का मान क्या है?

SSCGL2017-06AUG-S1 : 61

- (a) $\frac{4}{15}$ (b) $-\frac{15}{4}$ (c) $-\frac{4}{15}$ (d) $\frac{15}{4}$

(110) If $a^3 + b^3 = 35$ and $ab = 6$, then what is the value of $a + b$? यदि $a^3 + b^3 = 35$ और $ab = 6$ है, तो $a + b$ का मान क्या है?

SSCGL2017-06AUG-S1 : 62

- (a) 5 (b) 8 (c) 2 (d) -8

(111) Sum of a fraction and thrice of its reciprocal is $\frac{73}{20}$. What is the fraction?

एक भिन्न और उस भिन्न के व्युत्क्रम के तीन गुना का योग $\frac{73}{20}$ है। वह भिन्न क्या है?

SSCGL2017-06AUG-S1 : 63

- (a) $\frac{4}{5}$ (b) $\frac{9}{4}$ (c) $\frac{4}{9}$ (d) $\frac{5}{4}$

(112) If $(x-2)^2 + (y+3)^2 + (z-15)^2 = 0$, then what is the value of $x + y + z - 5$?

यदि $(x-2)^2 + (y+3)^2 + (z-15)^2 = 0$ हो, तो $x + y + z - 5$ का मान क्या है?

SSCGL2017-06AUG-S1 : 75

- (a) 5 (b) 9 (c) 15 (d) 20

(113) If $\frac{2x/3 - [5(4x/5 - 4/3)]/2}{2} = \frac{1}{3}$, then what is the value of x?

यदि $\frac{2x/3 - [5(4x/5 - 4/3)]/2}{2} = \frac{1}{3}$ है, तो x का मान क्या है?

SSCGL2017-06AUG-S3 : 61

- (a) $\frac{9}{4}$ (b) $\frac{4}{9}$ (c) $-\frac{9}{4}$ (d) $-\frac{4}{9}$

(114) If $a^3 + b^3 = 28$ and $a + b = 4$, then what is the value of ab ?

यदि $a^3 + b^3 = 28$ और $a + b = 4$ है, तो ab का मान क्या है?

SSCGL2017-06AUG-S3 : 62

- (a) -3 (b) 2 (c) 8 (d) 3

(115) 6 times a fraction is greater than 7 times its reciprocal by 11. What is the fraction?

एक भिन्न का 6 गुना उस भिन्न के व्युत्क्रम के सात गुना से 11 बड़ा है। वह भिन्न क्या है?

SSCGL2017-06AUG-S3 : 63

- (a) $\frac{5}{3}$ (b) $\frac{7}{3}$ (c) $\frac{5}{4}$ (d) $\frac{4}{5}$



Online Set Practice

SSC CGL (Tier 1)

10 MOCK TESTS (ENG + HIN)

Offer Price

~~₹199~~
₹75

SUBJECT

QUESTIONS

General Intelligence & Reasoning	25
General Awareness	25
Quantitative Aptitude	25
English Comprehension	25

- Detailed Explanation
- All India Rank



Scan QR Code & Download the App

<http://login.onlinesetpractice.com>

+91 95997 33429

SSC CGL 2017: Quantitative Aptitude (Algebra)

(116) If $x + (1/x) = 2$, then what is the value of $x^{64} + x^{121}$?यदि $x + (1/x) = 2$, तो $x^{64} + x^{121}$ का मान क्या होगा?

SSCGL2017-08AUG-S1 : 61

- (a) 0 (b) 1 (c) 2 (d) -2

(117)

If $x = 6 + 2\sqrt{6}$, then what is the value of $\sqrt{x-1} + \frac{1}{\sqrt{x-1}}$?यदि $x = 6 + 2\sqrt{6}$, तो $\sqrt{x-1} + \frac{1}{\sqrt{x-1}}$ का मान क्या है?

SSCGL2017-08AUG-S1 : 62

- (a)
- $2\sqrt{3}$
- (b)
- $3\sqrt{2}$
- (c)
- $2\sqrt{2}$
- (d)
- $3\sqrt{3}$

(118) If $a + b + c = 27$, then what is the value of $(a-7)^3 + (b-9)^3 + (c-11)^3 - 3(a-7)(b-9)(c-11)$?यदि $a + b + c = 27$, तो $(a-7)^3 + (b-9)^3 + (c-11)^3 - 3(a-7)(b-9)(c-11)$ का मान क्या है?

SSCGL2017-08AUG-S1 : 63

- (a) 0 (b) 9 (c) 27 (d) 81

(119)

If $x = \frac{2\sqrt{15}}{\sqrt{3}+\sqrt{5}}$, then what is the value of $\frac{x+\sqrt{5}}{x-\sqrt{5}} + \frac{x+\sqrt{3}}{x-\sqrt{3}}$?यदि $x = \frac{2\sqrt{15}}{\sqrt{3}+\sqrt{5}}$, तो $\frac{x+\sqrt{5}}{x-\sqrt{5}} + \frac{x+\sqrt{3}}{x-\sqrt{3}}$ का मान क्या है?

SSCGL2017-08AUG-S1 : 64

- (a)
- $\sqrt{5}$
- (b)
- $\sqrt{3}$
- (c)
- $\sqrt{15}$
- (d) 2

(120) If $2/3(6x/5 - 1/4) + 1/3 = 9x/5$, then what is the value of x?यदि $2/3(6x/5 - 1/4) + 1/3 = 9x/5$, तो x का मान क्या है?

SSCGL2017-23AUG-S3 : 61

- (a)
- $1/6$
- (b)
- $-1/6$
- (c)
- $1/5$
- (d)
- $-1/5$

(121) If $a^3 + b^3 = 341$ and $ab = 30$, then what is the value of $a + b$?यदि $a^3 + b^3 = 341$ और $ab = 30$ है, तो $a + b$ का मान क्या है?

SSCGL2017-23AUG-S3 : 62

- (a) 1 (b) 9 (c) 7 (d) 11

(122) Sum of a fraction and thrice its reciprocal is $31/6$. What is the fraction?एक भिन्न और उसके व्युत्क्रम के 3 गुना का योग $31/6$ है। वह भिन्न कौन सा है?

SSCGL2017-23AUG-S3 : 63

- (a)
- $2/9$
- (b)
- $9/4$
- (c)
- $9/2$
- (d)
- $4/9$

(123) If $9x - [5(2x + 1)/2] = 9/2$, then the value of x is?यदि $9x - [5(2x + 1)/2] = 9/2$, तो x का मान क्या है?

SSCGL2017-20AUG-S2 : 61

- (a)
- $7/4$
- (b)
- $-7/4$
- (c)
- $4/7$
- (d)
- $-4/7$

(124) If $a + b = 4$ and $ab = -21$, then what is the value of $a^3 + b^3$?यदि $a + b = 4$ और $ab = -21$, है, तो $a^3 + b^3$ का मान क्या होगा?

SSCGL2017-20AUG-S2 : 62

- (a) 370 (b) 158 (c) 185 (d) 316

(125) The sum of a fraction and 10 times its reciprocal is $37/4$. What is the fraction?एक भिन्न और उस भिन्न के व्युत्क्रम के 10 गुना का योग $37/4$ है। भिन्न क्या है?

SSCGL2017-20AUG-S2 : 63

- (a)
- $5/4$
- (b)
- $4/5$
- (c)
- $3/4$
- (d)
- $4/3$

(126) If $10x/3 + 5/2(2 - x/3) = 7/2$, then the value of x is?यदि $10x/3 + 5/2(2 - x/3) = 7/2$, तो x का मान क्या है?

SSCGL2017-22AUG-S3 : 61

- (a)
- $3/5$
- (b)
- $-5/3$
- (c)
- $5/3$
- (d)
- $-3/5$

(127) If $a - b = 2$ and $ab = 15$, then what is the value of $a^3 - b^3$?यदि $a - b = 2$ और $ab = 15$ है, तो $a^3 - b^3$ का मान क्या है?

SSCGL2017-22AUG-S3 : 62

- (a) 152 (b) 112 (c) 108 (d) 98

(128) The sum of a fraction and 4 times its reciprocal is $13/3$. What is the fraction?एक भिन्न और उस भिन्न के व्युत्क्रम के 4 गुना का योग $13/3$ है। वह भिन्न क्या है?

SSCGL2017-22AUG-S3 : 63

- (a)
- $4/3$
- (b)
- $3/4$
- (c)
- $5/4$
- (d)
- $4/5$

(129) If $7x - (3/2) * (4x - 9) = 6.5$, then the value of x is?यदि $7x - (3/2) * (4x - 9) = 6.5$, तो x का मान क्या है?

SSCGL2017-23AUG-S1 : 61

- (a) 7 (b) 20 (c) -7 (d) -20

(130) If $a + b = 8$ and $ab = 15$, then what is the value of $a^3 + b^3$?यदि $a + b = 8$ और $ab = 15$ है, तो $a^3 + b^3$ का मान क्या है?

SSCGL2017-23AUG-S1 : 62

- (a) 98 (b) 152 (c) 124 (d) 260

(131) The sum of a non-zero number and 4 times its reciprocal is $17/2$. What is the number?एक गैर-शून्य संख्या और उस संख्या के व्युत्क्रम के 4 गुना का योग $17/2$ है। संख्या कौन सी है?

SSCGL2017-23AUG-S1 : 63

- (a) 8 (b) 12 (c) 16 (d) 4



SSC GD 10 SET

5 MOCK TESTS (ENG + HIN)

SUBJECT	QUESTIONS
General Intelligence & Reasoning	25
General Knowledge & Awareness	25
Elementary Mathematics	25
English & Hindi	25

➤ Detailed Explanation

➤ All India Rank

Scan QR Code & Download the App

<http://login.onlinesetpractice.com>

+91 95997 33429

SSC CGL 2017: Quantitative Aptitude (Algebra)

(132) If $-3/2 + (2/3)(3x + 9) = x/2$, then what is the value of x ?
यदि $-3/2 + (2/3)(3x + 9) = x/2$, तो x का मान क्या है?

SSCGL2017-22AUG-S1 : 61

- (a) -9 (b) 11 (c) 9 (d) -3

(133) If $a - b = 2$ and $ab = 8$, then what is the value of $a^3 - b^3$?
यदि $a - b = 2$ और $ab = 8$, तो $a^3 - b^3$ का मान क्या है?

SSCGL2017-22AUG-S1 : 62

- (a) 65 (b) 34 (c) 43 (d) 56

(134) A non-zero number is greater than 7 times its reciprocal by 9.3. What is the number?
एक गैर शून्य संख्या अपने व्युत्क्रमानुपाति के 7 गुना से 9.3 बड़ी है। वह संख्या कौन सी है?

SSCGL2017-22AUG-S1 : 63

- (a) 10 (b) 20 (c) 5 (d) 14

(135) If $1/3(12x/5 - 1/2) + 6/5 = 7/6$, then what is the value of x ?
यदि $1/3(12x/5 - 1/2) + 6/5 = 7/6$, तो x का मान क्या है?

SSCGL2017-23AUG-S2 : 61

- (a) $1/6$ (b) $-1/6$ (c) $1/5$ (d) $-1/5$

(136) If $a - b = 10$ and $ab = -21$, then what is the value of $a^3 - b^3$?
यदि $a - b = 10$ और $ab = -21$ है, तो $a^3 - b^3$ का मान क्या है?

SSCGL2017-23AUG-S2 : 62

- (a) 316 (b) 370 (c) 185 (d) 158

(137) Sum of twice a fraction and 5 times its reciprocal is 7. What is the fraction?
एक भिन्न का दोगुना और उसके व्युत्क्रम के 5 गुना का योग 7 है। वह भिन्न कौन सा है?

SSCGL2017-23AUG-S2 : 63

- (a) $2/5$ (b) $5/4$ (c) $5/2$ (d) $4/5$

(138) If $(-1/2) * (x - 5) + 3 = -5/2$, then what is the value of x ?
यदि $(-1/2) * (x - 5) + 3 = -5/2$, तो x का मान क्या है?

SSCGL2017-20AUG-S3 : 61

- (a) 16 (b) 4 (c) -6 (d) -4

(139) If $a - b = 1$ and $ab = 6$, then what is the value of $a^3 - b^3$?
यदि $a - b = 1$ और $ab = 6$, तो $a^3 - b^3$ का मान क्या है?

SSCGL2017-20AUG-S3 : 62

- (a) 21 (b) 23 (c) 19 (d) 25

(140) A number is greater than 58 times its reciprocal by $3/4$. What is the number?
एक संख्या अपने व्युत्क्रमानुपाति के 58 गुना से $3/4$ बड़ी है। वह संख्या कौन सी है?

SSCGL2017-20AUG-S3 : 63

- (a) -8 (b) 12 (c) -12 (d) 8

SSC CGL 2017 Subject wise Questions & Answers

Reasoning	Download Now
GA/GS	Download Now
Quantitative	Download Now
English	Download Now



SSC CGL 2018

Free Sectional Online Test

60 Exams

4300 MCQ



SUBJECT	QUESTIONS
Mathematics	1075
Reasoning	1075
English	1075
General Awareness	1075



Scan the QR Code
Download the App
<http://login.onlinesetpractice.com>
+91 95997 33429



SSC CGL 2017: Quantitative Aptitude (Algebra)

Answer Key

1	D	2	A	3	D	4	C	5	C
6	A	7	D	8	B	9	C	10	D
11	D	12	D	13	B	14	D	15	D
16	C	17	B	18	B	19	B	20	D
21	C	22	A	23	B	24	A	25	B
26	A	27	C	28	B	29	A	30	D
31	B	32	C	33	D	34	C	35	B
36	D	37	B	38	B	39	A	40	C
41	C	42	C	43	B	44	D	45	D
46	B	47	A	48	A	49	A	50	C
51	A	52	C	53	B	54	C	55	D
56	B	57	C	58	A	59	D	60	B
61	C	62	A	63	B	64	A	65	B
66	B	67	D	68	C	69	C	70	A
71	B	72	D	73	C	74	A	75	A

76	D	77	B	78	B	79	C	80	C
81	B	82	D	83	A	84	C	85	A
86	C	87	B	88	A	89	C	90	C
91	B	92	B	93	C	94	D	95	A
96	C	97	C	98	D	99	D	100	C
101	B	102	A	103	A	104	A	105	A
106	C	107	D	108	C	109	D	110	A
111	D	112	B	113	A	114	D	115	B
116	A	117	A	118	A	119	D	120	A
121	D	122	C	123	A	124	D	125	A
126	D	127	D	128	A	129	C	130	B
131	A	132	D	133	D	134	A	135	A
136	B	137	C	138	A	139	C	140	D



Online Set Practice

SSC CGL 2018

CRASH COURSE

EXAM DATE
04-06-2019 to 19-06-2019



REASONING

Analogy	01-February
Odd one Out	05-February
Alphabetical & Number Series	09-February
Picture Reasoning	13-February
Dice and Cube	17-February
Coding Decoding	21-February
Dictionary	25-February
Missing Term & Filler	01-March
Direction Sense	05-March
Venn Diagram	09-March
Clock & Calander	13-March
Statement based Question	17-March
Mathematical Operation	21-March
Puzzle & Jumbling	25-March
Symbol Replacement	29-March
Matrix Grid	01-April
Word Cannot be formed	01-April

QUANTITATIVE APTITUDE

Algebra	02-February
Trigonometry	06-February
Number System	10-February
AP Number Series	14-February
Time and Work	18-February
Time and Distance	22-February
Simple and Compound Interest	26-February
Data Interpretation	02-March
Coordinate Geometry	06-March
Geometry	10-March
Percentage	14-March
Average	18-March
Profit Loss & Discount	22-March
Mensuration Area Volume	26-March
Ration & Proportion	30-March

सभी विषयों की तैयारी सिर्फ
60 दिनों में मोबाइल एप्प पर

GENERAL AWARENESS

History	03-February
Geography	07-February
Political Science	11-February
Economics	15-February
Physics	19-February
Chemistry	23-February
Biology	27-February
Computer	03-March
Sports	07-March
Art and Culture	11-March
Inventor and Invention	15-March
Government Scheme	19-March
Book and Award	23-March
Other	27-March
Current	31-March

ENGLISH

Passage	04-February
Antonyms	08-February
Synonyms	12-February
Spelling	16-February
One Word Substitution	24-February
Error	28-February
Fill in Blanks	04-March
Cloze Test	08-March
Sentence Improvement	12-March
Idioms Phrase	16-March
Sentence Arrangement	16-March
Voice	20-March
Speech	24-March

- सभी विषयों के PDF मोबाइल एप्प पर फ्री में डाउनलोड करें
- सभी टॉपिक का PDF ऊपर दिए हुए table के अनुसार उपलब्ध होगा
- एप्प डाउनलोड करने के लिए QR कोड को स्कैन करें



<http://login.onlinesetpractice.com>
+91 95997 33429

SSC CGL 2017: Quantitative Aptitude (Algebra)

Solution

(1)

(2)

$$x + \frac{1}{x} = 1$$

$$= x^2 + 1 = 3x$$

$$= x^4 + 1 + 2x^2 = 9x^2$$

$$= x^4 + 1 = 7x^2$$

$$\therefore \frac{x^4 + 5x^3 + 3x^2 + 5x + 1}{x^4 + 1} = \frac{7x^2 + 3x^2 + 5x(x^2 + 1)}{7x^2}$$

$$= \frac{10x^2 + 5x \times 3x}{7x^2} = \frac{10x^2 + 15x^2}{7x^2} = \frac{25}{7}$$

(3)

$$3a - \frac{1}{3a} = 1$$

$$= a - \frac{1}{a} = 1$$

$$= a^2 + \frac{1}{a^2} = 3$$

$$= a^3 - \frac{1}{a^3} + 2 = \left(a - \frac{1}{a}\right)\left(a^2 + \frac{1}{a^2} + 1\right) + 2$$

$$= 1(3 + 1) + 2 = 6$$

(4)

$$\frac{(x + \sqrt{x^2 - 1}) + (x - \sqrt{x^2 - 1})^2}{x^2 - (x^2 - 1)} = 194$$

$$= \frac{2(x^2 + x^2 - 1)}{1} = 194$$

$$= 2x^2 - 1 = 97$$

$$= 2x^2 = 98$$

$$x^2 = 49$$

$$x = 7$$

(5)

$$\frac{A}{3} = \frac{B}{2} = \frac{C}{5} = K \text{ (let)}$$

$$A = 3K, B = 2K, C = 5K$$

$$\therefore (C + A)^2 + (A + B)^2 + (B + C)^2 = (8K)^2 + (5K)^2 + (7K)^2$$

$$= 64 : 25 : 49$$

(6)

$$\frac{x^2}{yz} + \frac{y^2}{xz} + \frac{z^2}{xy} = x^3 + y^3 + z^3 = 3xyz$$

$$\therefore x + y + z = 0$$

$$\therefore (x + y + z)^3 = 0$$

(7)

$$\text{let } x = 1$$

$$\therefore 7^{81} + \frac{1}{7^{81}} = 1 + 1 = 2$$

(8)

$$a(a + b + c) + b(a + b + c) + c(a + b + c) = 45 + 75 + 105$$

$$\rightarrow (a + b + c)(a + b + c) = 225$$

$$\rightarrow (a + b + c) = 15$$

$$a(a + b + c) = 45 \rightarrow a = 3$$

$$b(a + b + c) = 45 \rightarrow b = 5$$

$$c(a + b + c) = 105 \rightarrow c = 7$$

$$\therefore a^2 + b^2 + c^2 = 9 + 25 + 49 = 83$$

(9)

$$x^2 + \frac{1}{x^2} = 1, \quad x^2 + \frac{1}{x^2} - 1 = 0$$

$$= \left(x + \frac{1}{x}\right)\left(x^2 + \frac{1}{x^2}\right) = 0$$

$$= x^3 + \frac{1}{x^3} = 0$$

$$= x^6 + 1 = 0$$

$$\text{Now, } x^{48} + x^{42} + x^{36} + x^{30} + x^{24} + x^{18} + x^{12} + x^6 + 1$$

$$= x^{42} [x^6 + 1] + x^{30} [x^6 + 1] + x^{18} [x^6 + 1] + x^6 [x^6 + 1] + 1$$

$$= 1$$

(10)

For complete square $D=0$ Here $a=1, b=18, c=k$

$$D=b^2-4ac$$

$$0=18^2-4 \times 1 \times k$$

$$K=9$$

(11)

$$\frac{\sqrt{5+x} + \sqrt{5-x}}{\sqrt{5+x} - \sqrt{5-x}} \times \frac{\sqrt{5+x} + \sqrt{5-x}}{\sqrt{5+x} - \sqrt{5-x}} = \frac{(\sqrt{5+x} + \sqrt{5-x})^2}{5+x-5-x} = 3$$

$$\text{Or, } \frac{5+x+5-x+2\sqrt{25-x^2}}{2x} = 3$$

$$\text{Or, } 6x = 10 + 2\sqrt{25-x^2}$$

$$36x^2 + 100 - 120x = 4(25 - x^2)$$

$$36x^2 - 120x + 4x^2 = 0$$

$$40x^2 - 120x = 0$$

$$x = 3$$

(14)

$$5/2 - (6/5)(x-15/2) = -x/5$$

$$5/2 - (6/5)x + 9 = -x/5$$

$$5/2 + 9 = -x/5 + (6/5)x$$

$$23/2 = x$$

(15)

Here we have,

$$a^3 - b^3 = (a-b)^3 + 3ab(a+b)$$

$$a^3 - b^3 = 2 + 3(24)(2) = 8 + 144 = 152$$

SSC CGL 2017: Quantitative Aptitude (Algebra)

(16)

$$\begin{aligned}
 -3\left(1 - \frac{x}{2}\right) + \frac{5x}{3} &= \frac{1}{6} \\
 -3 + \frac{3x}{2} + \frac{5x}{3} &= \frac{1}{6} \\
 \frac{9x+10x}{6} &= \frac{1}{6} + 3 = \frac{19}{6} \\
 x &= 1
 \end{aligned}$$

(17)

$$\begin{aligned}
 a + b &= 3, ab = (-4) \\
 &= -1 \times 4 \\
 a^3 + b^3 &= (-1)^3 + (4)^3 \\
 &= -1 + 64 = 63
 \end{aligned}$$

(18)

$$\begin{aligned}
 x^2 - 8x + 15 &= 0 \\
 (x-5)(x-3) & \\
 x &= 5, 3 \\
 y^2 + 2y - 35 &= 0 \\
 (y+7)(y-5) &= 0 \\
 y &= -7, 5 \\
 \text{common root} &= 5 \\
 (5)^3 - (5)^2 &= 100
 \end{aligned}$$

(19)

$$\begin{aligned}
 \left(x - \frac{1}{3}\right)^2 + (y-4)^2 &= 0 \\
 \left(x - \frac{1}{3}\right)^2 &= 0 \quad (y-4)^2 = 0 \\
 x &= \frac{1}{3} \quad y = 4 \\
 \frac{y+x}{y-x} &= \frac{4+\frac{1}{3}}{4-\frac{1}{3}} = \frac{13}{11}
 \end{aligned}$$

(20)

$$\begin{aligned}
 x^2 + \frac{1}{x^2} - 6 &= 0 \\
 x^2 + \frac{1}{x^2} &= 6 \\
 x^2 + \frac{1}{x^2} + 2 &= 6 + 2 \\
 \left(x + \frac{1}{x}\right)^2 &= 8 \\
 x + \frac{1}{x} &= 2\sqrt{2} \\
 x^2 + 1 &= 2\sqrt{2}x \\
 x^2 - 2\sqrt{2}x + 1 &= 0 \\
 D = b^2 - 4ac &= 8 - 4 = 4
 \end{aligned}$$

(21)

$$\begin{aligned}
 x + \frac{1}{x} &= \sqrt{13} \\
 x^5 - \frac{1}{x^5} &= \left(x^2 + \frac{1}{x^2}\right)\left(x^3 - \frac{1}{x^3}\right)\left(x - \frac{1}{x}\right) \\
 x + \frac{1}{x} &= \sqrt{13} \\
 x^2 + \frac{1}{x^2} &= 11 \text{ -----(i)} \\
 \left(x - \frac{1}{x}\right)^2 + 2 &= 11 \\
 \left(x - \frac{1}{x}\right)^2 &= 9 \\
 x + \frac{1}{x} &= 3 \text{ -----(ii)} \\
 x^3 - \frac{1}{x^3} - 3x \times \frac{1}{2}\left(x - \frac{1}{x}\right) &= 27 \\
 x^3 - \frac{1}{x^3} &= 27 + 3 \times 3 \\
 x^3 - \frac{1}{x^3} &= 36 \\
 x^5 - \frac{1}{x^5} &= 11 \times 36 - 3 \\
 396 - 3 &= 393
 \end{aligned}$$

(26)

$$\begin{aligned}
 7x - \frac{3(2x-3)}{2} &= \frac{1}{2} \\
 14x - 6x + 9 &= 1 \\
 x &= -1
 \end{aligned}$$

(27)

$$\begin{aligned}
 a+b &= 4 \\
 ab &= 3 \\
 a=3, b=1 \\
 a^3+b^3 &= 3^3+1^3=28
 \end{aligned}$$

(28)

$$\begin{aligned}
 \text{If } (x-2) \text{ \& } (x+3) \text{ are factors, the } x=2 \text{ and } -3 \text{ satisfied the equation.} \\
 4 + 2 \times K_1 + K_2 &= 0 \text{ ----- (i)} \\
 9 - 3 \times K_1 + K_2 &= 0 \text{ ----- (ii)} \\
 \text{After Solving we get} \\
 k_1 &= 1, K_2 = -6
 \end{aligned}$$

(29)

$$\begin{aligned}
 x - y &= 7 \\
 \text{Let } x &= 15 \text{ \& } y = 8 \\
 \text{Put the value in equation} \\
 (x-15)^3 - (y-8)^3 &= (15-15)^3 - (8-8)^3 \\
 &= 0
 \end{aligned}$$

(30)

$$\begin{aligned}
 x - y - \sqrt{18} &= -1, \\
 x + y - 3\sqrt{2} &= 1 \\
 x - y &= 3\sqrt{2} - 1 \text{ ----- (i)} \\
 x + y &= 1 + 3\sqrt{2} \text{ -----(ii)} \\
 \text{So, } (x^2 - y^2) &= 17 \\
 \text{From eq. (i) \& (ii)}
 \end{aligned}$$

SSC CGL 2017: Quantitative Aptitude (Algebra)

$$\begin{aligned}
 x &= 3\sqrt{2}, y = 1 \\
 \text{So, } 12xy(x^2 - y^2) &= 12 \times \sqrt{18} \times 1(17) \\
 &= 612\sqrt{2}
 \end{aligned}$$

$$\begin{aligned}
 (31) \quad \frac{p}{q} &= \frac{r}{s} = \frac{t}{u} = \sqrt{5} \\
 p^2 &= 5q^2 \\
 r^2 &= 5s^2 \\
 t^2 &= 5u^2 \\
 3p^2 + 4r^2 + st^2 &= 5(3q^2 + 3r^2 + 3u^2) \\
 \text{Then, } \left(\frac{3p^2 + 4r^2 + 5t^2}{3q^2 + 4r^2 + 5u^2} \right) &= 5
 \end{aligned}$$

$$\begin{aligned}
 (32) \quad \frac{1}{x} + \frac{1}{y} + \frac{1}{z} &= 0
 \end{aligned}$$

$$\frac{(xy + zx + yz)}{xyz} = 0$$

$$xy + yz + zx = 0 \dots (i)$$

$$x + y + z = 9 \dots (ii)$$

$$\begin{aligned}
 x^3 + y^3 + z^3 - 3xyz &= [(x + y + z)(x^2 + y^2 + z^2 - xy - yz - zx)] \\
 &= [9 \times (x^2 + y^2 + z^2)] \\
 &= 9 [(x + y + z)^2 - 2(xy + yz + zx)] \\
 &= 9 \times 9 \times 9 \\
 &= 729
 \end{aligned}$$

$$\begin{aligned}
 (33) \quad x^4 + \frac{1}{x^4} + 2 &= 34 + 2 \\
 \Rightarrow \left(x^2 + \frac{1}{x^2} \right)^2 &= 36 \\
 \Rightarrow \left(x^2 + \frac{1}{x^2} \right) - 2 &= 6 - 2 \\
 \Rightarrow \left(x - \frac{1}{x} \right)^2 &= 4 \\
 \Rightarrow x - \frac{1}{x} &= 2 \text{ cubing both sides} \\
 \Rightarrow x^3 - \frac{1}{x^3} &= 8 + (3 \times 2) \\
 &= 14
 \end{aligned}$$

$$\begin{aligned}
 (34) \quad x + y &= 1 \\
 x^2 + y^2 &= 2 \\
 \Rightarrow (x + y)^2 &= x^2 + y^2 + 2xy \\
 1 &= 2 + 2xy \\
 xy &= -\frac{1}{2}
 \end{aligned}$$

(35)

$$x + \frac{1}{(x+7)} = 0,$$

$$(x + 7) + \frac{1}{(x+7)} = 7$$

$$\text{Value of } x - \frac{1}{(x+7)} = ?$$

Squaring both sides

$$(x + 7)^2 + \frac{1}{(x+7)^2} + 2 = 49$$

$$-2 + (x + 7)^2 + \frac{1}{(x+7)^2} = 47 - 2$$

$$(x + 7) - \frac{1}{(x+7)} = \sqrt{45}$$

$$\Rightarrow x - \frac{1}{(x+7)} = 3\sqrt{5} - 7$$

(36)

$$\begin{aligned}
 \alpha/\beta + \beta/\alpha &= \frac{\alpha^2 + \beta^2}{\alpha\beta} \dots (i)
 \end{aligned}$$

$$\text{Since } \alpha + \beta = 13/3$$

$$\alpha\beta = 14/3$$

$$(\alpha + \beta)^2 = \alpha^2 + \beta^2 + 2\alpha\beta$$

$$\alpha^2 + \beta^2 = (\alpha + \beta)^2 - 2\alpha\beta \dots (ii)$$

 \therefore from (i) and (ii)

$$\begin{aligned}
 &\frac{(\alpha + \beta)^2 - 2\alpha\beta}{\alpha\beta} \\
 &= \frac{\left(\frac{13}{3}\right)^2 - \frac{28}{3}}{\frac{14}{3}} \\
 &= \frac{\frac{169 - 84}{9}}{\frac{14}{3}} = \frac{85 \times 3}{9 \times 14} \\
 &= 85/42
 \end{aligned}$$

(37)

$$a^3 + b^3 + c^3 - 3abc = (a + b + c)(a^2 + b^2 + c^2 - ab - bc - ca)$$

As we now

$$(a + b + c)^2 = a^2 + b^2 + c^2 + 2ab + 2bc + 2ca$$

$$81 = a^2 + b^2 + c^2 + 36$$

$$a^2 + b^2 + c^2 - 81 - 36 = 45$$

$$a^3 + b^3 + c^3 - 3abc$$

$$= (9)(45 - 18)$$

$$= 9 \times 27$$

$$= 243$$

(38)

$$\left(\frac{x}{y}\right) + \left(\frac{y}{x}\right) = 1$$

$$\frac{x^2 + y^2}{xy} = 0$$

$$x^2 + y^2 - xy = 0$$

As we know

$$x^3 + y^3 = (x + y)(x^2 + y^2 - xy)$$

$$= (x + y) \times 0$$

$$= 0$$

(39)

$$5^x = 3^{-y} = 6^z$$

$$\text{Let } 5^x = 3^{-y} = 6^z = k$$

$$5 = k^{\frac{1}{x}}$$

$$30 = k^{-\frac{1}{y}}$$

$$6 = k^{\frac{1}{z}}$$

$$6 \times 5 = 30$$

$$k^{\frac{1}{x}} \times k^{-\frac{1}{y}} = k^{\frac{1}{z}}$$

$$\frac{1}{x} + \frac{1}{z} + \frac{1}{y} = 0$$

$$\text{Or, } \frac{(xy + yz + zx)}{xyz} = 0$$

(40)

$$2x^2 + 3x - 90 = 0$$

$$2x^2 + 15x - 12x - 90 = 0$$

$$x(2x + 15) - 6(2x + 15) = 0$$

$$\therefore x = -15/2 \text{ or } 6$$

$$\text{And, } \sqrt[7]{xy} + \sqrt[2]{xy} = \sqrt{y}$$

$$7+2=y$$

$$y = 9$$

$$x^2 + y^2 = (6)^2 + (9)^2$$

$$= 36 + 81 = 117$$

(41)

$$\frac{7x^2 - 19xy + 11y^2}{y^2}$$

$$= 7\left(\frac{x}{y}\right)^2 - 19\left(\frac{x}{y}\right) + 11$$

$$= 7 \times \left(\frac{4}{9}\right)^2 - 19\left(\frac{4}{9}\right) + 11$$

$$= \frac{7 \times 16}{81} - \frac{76}{9} + 11$$

$$= \frac{112 - 684 + 891}{81}$$

$$= \frac{319}{81}$$

(42)

$$(x - 3) + \frac{1}{(x-3)} = 4$$

$$\left((x - 3) + \frac{1}{(x-3)}\right)^3$$

$$= (x - 3)^3 + \frac{1}{(x-3)^3} + 3(x-3) \times \frac{1}{(x-3)} \left[(x - 3) + \frac{1}{(x-3)}\right]$$

$$4^3 = (x - 3)^3 + \frac{1}{(x-3)^3} + 3 \times 4$$

$$\therefore (x - 3)^3 + \frac{1}{(x-3)^3} = 64 - 12 = 52$$

(43)

$$x^2 + y^2 + z^2 = xy + yz + zx$$

$$\text{if } x = y = z = 1$$

$$\therefore \frac{7x + 3x - 5x}{5x} = \frac{7 + 3 - 5}{5}$$

$$= 1$$

(44)

$$a^3 + b^3 + c^3 - 3abc = (a + b + c)(a^2 + b^2 + c^2 - ab - bc - ca)$$

$$(a + b + c)^2 = a^2 + b^2 + c^2 + 2ab + 2bc + 2ca$$

$$(11)^2 = a^2 + b^2 + c^2 + 2 \times 17$$

$$121 - 34 = a^2 + b^2 + c^2$$

$$a^2 + b^2 + c^2 = 87$$

$$a^3 + b^3 + c^3 - 3abc = 11 \times (87 - 17)$$

$$= 11 \times 70$$

$$= 770$$

(45)

$$x^4 + \frac{1}{x^4} = 62$$

$$\Rightarrow x^4 + \frac{1}{x^4} + 2 = 62 + 2$$

$$\Rightarrow \left(x^2 + \frac{1}{x^2}\right)^2 = 64$$

$$\left(x^2 + \frac{1}{x^2}\right) = 8$$

$$\left(x^6 + \frac{1}{x^2}\right) = (8)^3 - 3 \times 8$$

$$= 512 - 24$$

$$= 488$$

(46)

SSC CGL 2017: Quantitative Aptitude (Algebra)

$$x + y = 4 \dots (1)$$

$$\frac{2}{x-2} + \frac{2}{y-2}$$

$$\frac{2[(y-2) + (x-2)]}{(x-2)(y-2)}$$

From Eq(1)

$$x + y = 4$$

$$(x-2) + (y-2) = 0$$

$$\text{So, } \frac{2 \times 0}{(x-2)(y-2)} = 0$$

(47)

$$(x/5 + 5/x) = -2$$

$$\Rightarrow (x^2 + 25)/5x = -2$$

$$\Rightarrow x^2 + 25 = -10x$$

$$\Rightarrow x^2 + 10x + 25 = 0$$

$$\Rightarrow (x+5)^2 = 0$$

$$\Rightarrow x = -5$$

$$\text{So, } x^3 = -125$$

(48)

$$\frac{1+x}{1-x^4} \div \frac{x^2}{1+x^2} \times x(1-x)$$

$$\Rightarrow \frac{(1-x^2)(1+x^2)}{x^2} \times x(1-x)$$

$$\Rightarrow \frac{1}{(1-x)x^2} \times x(1-x)$$

$$= \frac{1}{x}$$

(49)

$$x + \frac{1}{x} = 17$$

$$\text{Now, } \frac{x^4 + \frac{1}{x^2}}{x^2 - 3x + 1}$$

$$= \frac{x(x^3 + \frac{1}{x^3})}{x(x^2 - 3 + \frac{1}{x})}$$

$$= \frac{x^3 + \frac{1}{x^3}}{(x + \frac{1}{x}) - 3}$$

$$= \frac{4913 - 51}{17 - 3} = \frac{4862}{14}$$

$$= \frac{2431}{7}$$

(50)

$$\sqrt{\frac{1+x}{x}} - \sqrt{\frac{x}{1+x}} = \frac{1}{\sqrt{6}}$$

$$\Rightarrow \frac{(\sqrt{1+x})^2 - (\sqrt{x})^2}{\sqrt{x(1+x)}} = \frac{1}{\sqrt{6}}$$

$$\Rightarrow \frac{1+x-x}{\sqrt{x(1+x)}} = \frac{1}{\sqrt{6}}$$

$$\Rightarrow \frac{1}{x(1+x)} = \frac{1}{6}$$

$$\Rightarrow x^2 + x - 6 = 0$$

$$\Rightarrow x^2 + 3x - 2x - 6 = 0$$

$$\Rightarrow x(x+3) - 2(x+3) = 0$$

$$\Rightarrow (x-2)(x+3) = 0$$

$$\Rightarrow x = 2, -3$$

(51)

$$2\left[x^2 + \frac{1}{x^2}\right] - 2\left[x - \frac{1}{x}\right] - 8 = 0$$

$$\left(x^2 + \frac{1}{x^2}\right) - \left(x - \frac{1}{x}\right) = 4$$

$$x^2 + \frac{1}{x^2} - 2 - \left(x - \frac{1}{x}\right) = 2$$

$$\left(x - \frac{1}{x}\right)^2 - \left(x - \frac{1}{x}\right) = 2$$

$$\text{Let } x - \frac{1}{x} = y$$

$$y^2 - y - 2 = 0$$

$$y = 2, -1$$

(52)

$$x + 1/x = 2 \text{ Satisfy only when } x=1$$

$$x^{21} + (1/x^{1331}) = 2$$

(53)

$$(x+y)^3 = x^3 + y^3 + 3xy(x+y)$$

$$27 = 81 - 3xy \times 3$$

$$9xy = 54$$

$$xy = 6$$

Now,

$$(x-y)^2 = x^2 + y^2 - 2xy$$

$$9 = x^2 + y^2 - 12$$

$$x^2 + y^2 = 21$$

(54)

SSC CGL 2017: Quantitative Aptitude (Algebra)

$$\sqrt{5x-6} + \sqrt{5x+6} = 6 \text{ ----- (i)}$$

$$\sqrt{5x-6} - 3 = 3 - \sqrt{5x+6}$$

Squaring both sides

$$5x - 6 + 9 - 6\sqrt{5x+6} = 9 + 5x + 6 - 6\sqrt{5x+6}$$

$$-2 = -\sqrt{5x+6} + \sqrt{5x-6} \text{ ---- (ii)}$$

Solving (i) and (ii)

$$\sqrt{5x-6} = 2$$

$$x = 2$$

(55)

$$2x + 1/2x = 2$$

$$2x^2 + 1 = 4x$$

After Solving we get $x = \frac{1}{2}$

Put the value in equation then we get 8

(56)

$$\frac{1}{\sqrt{xp-q+1}} + \frac{1}{\sqrt{xq-p+1}}$$

$$= \frac{1}{\frac{xp}{xq} + 1} + \frac{1}{\frac{xq}{xp} + 1}$$

$$= \frac{xq}{xp+xq} + \frac{xp}{xq+xp}$$

$$= \frac{xq+xp}{xp+xq} = 1$$

(57)

$$x = (\sqrt{5} + \sqrt{3})^2$$

$$\therefore \sqrt{x} = \sqrt{5} + \sqrt{3}$$

$$\frac{1}{\sqrt{x}} = \frac{1}{\sqrt{5} + \sqrt{3}}$$

$$\therefore \sqrt{x} + \frac{1}{\sqrt{x}} = \sqrt{5} + \sqrt{3} + \frac{1}{\sqrt{5} + \sqrt{3}}$$

$$= 3\sqrt{5} + \sqrt{3}$$

(58)

$$\frac{1+a}{\frac{1}{a^2+a} - \frac{1}{1+a}} + a \frac{1}{2}$$

$$= \frac{1+a}{\frac{1}{\sqrt{a} + \frac{1}{\sqrt{a}}} - \frac{1}{1+a}} + \frac{1}{\sqrt{a}}$$

$$= \sqrt{a} - \frac{1}{\sqrt{a}} - \frac{1}{\sqrt{a}} = \sqrt{a}$$

(59)

$$\frac{p^2+q^2}{p^2-q^2} = \frac{\left(\frac{p}{q}\right)^2 + 1}{\left(\frac{p}{q}\right)^2 - 1}$$

ATQ

$$= \frac{\left(\frac{x+3}{x-3}\right)^2 + 1}{\left(\frac{x+3}{x-3}\right)^2 - 1} = \frac{\frac{(x+a)^2 + (x-a)^2}{(x-3)^2}}{\frac{(x+a)^2 - (x-a)^2}{(x-3)^2}}$$

$$= \frac{2(x^2+9)}{2 \times 6x} = \frac{x^2+9}{6x}$$

(60)

$$5x - \frac{1}{2}(2x - 7) = 5.5$$

$$\Rightarrow 5x - x + \frac{7}{2} = 5.5$$

$$\Rightarrow 4x = 2$$

$$\Rightarrow x = \frac{1}{2}$$

(61)

$$(a-b)^2 = (a+b)^2 - 4ab$$

$$(a-b)^2 = 4^2 - 4 \times -5$$

$$a-b=6$$

$$a+b=4$$

$$a=5, b=-1$$

$$\therefore a^3 + b^3 = (5)^3 + (-1)^3 = 124$$

(62)

$$\text{From, } (4)^{(x+y)} = 256$$

$$(4)^{(x+y)} = (4)^4$$

On equating powers, we get

$$x + y = 4 \text{(i)}$$

From,

$$(256)^{(x-y)} = 4$$

$$(4)^{4(x-y)} = (4)^1$$

Again equating powers, we get

$$x - y = \frac{1}{4} \text{(ii)}$$

On solving (i) and (ii) we get

$$x = \frac{17}{8} \text{ and } y = \frac{15}{8}$$

(63)

$$\Rightarrow x^2 - x - 6$$

$$\Rightarrow (x-3)(x+2)$$

The expression $(px^3 - qx^2 - 7x - 6)$ will result 0 at $x = 3$ and $x = -2$, as it is divisible by

$(x+3)$ and $(x+2)$

$$\text{At } x = 3 \Rightarrow (3)^3p - (3)^2q - 7 \times (3) - 6 = 0$$

$$27p - 9q = 27 \text{(i)}$$

$$\text{At } x = -2 \Rightarrow (-2)^3p - (-2)^2q - 7 \times (-2) - 6 = 0$$

$$-8p - 4q = -8 \text{(ii)}$$

On solving (i) and (ii) we get, $p = 1$ and $q = 0$

(64)

$$(x^2 - 9) = (x-3)(x+3)$$

Given expression $(px^3 - 2x^2 - qx + 18)$ will result to 0 when $X = 3$ and $x = -3$, as it is completely divisible by $(x+3)$ and $(x-3)$

$$\text{At } x = 3 \Rightarrow (3)^3p - (3)^2 \times 2 - 3q + 18 = 0$$

$$27p = 3q$$

SSC CGL 2017: Quantitative Aptitude (Algebra)

$$q = 9p$$

$$\therefore p/q = 1/9 = 1:9$$

(65)

$$x + \frac{1}{x} = 5$$

$$\Rightarrow x^2 + \frac{1}{x^2} = 23 \dots(i)$$

$$\text{and } x^3 + \frac{1}{x^3} (5)^3 - 3 \times 5 = 110$$

$$(x^3 + \frac{1}{x^3}) = 110 \dots(ii)$$

Multiply eq (i) with eq (ii)

$$(x^2 + \frac{1}{x^2})(x^3 + \frac{1}{x^3}) = 23 \times 110$$

$$(x^5 + \frac{1}{x^5}) + (x + \frac{1}{x}) = 2530$$

$$(x^5 + \frac{1}{x^5}) = 2530 - 5$$

$$(x^5 + \frac{1}{x^5}) = 2525$$

(70)

$$\begin{aligned} \frac{x}{3} - \frac{[\frac{7x-4}{5}]}{2} &= \frac{-x}{6} \\ \Rightarrow \frac{2x}{3} - 7x + \frac{20}{3} &= \frac{-x}{3} \\ \Rightarrow 7x - \frac{2x}{3} - \frac{x}{3} &= \frac{20}{3} \\ \Rightarrow 6x &= \frac{20}{3} \Rightarrow x = \frac{20}{3 \times 6} \\ \Rightarrow x &= \frac{10}{9} \end{aligned}$$

(71)

Let $a = 3$ and $b = -2$

Which satisfies both given condition

$$a + b = 3 - 2 = 1$$

And,

$$a^3 + b^3 = (3)^3 + (-2)^3 = 19 = 19$$

$$\therefore ab = -3 \times 2 = -6$$

(72)

$$17/3 + [3(2x - 5/3)] \times 1/2 = 1/6$$

$$3x - 5/2 = 1/6 - 17/3$$

$$3x = -33/6 + 5/2$$

$$3x = -18/6$$

$$x = -1$$

(73)

We know,

$$(a + b)^3 = a^3 + b^3 + 3ab(a + b)$$

$$(5)^3 = a^3 + b^3 + 3 \times 6 \times 5$$

$$a^3 + b^3 = 35$$

(74)

Let the fraction be x

ATQ,

$$x + 3/x = 37/10$$

$$10x^2 - 37x + 30 = 0$$

$$10x^2 - 25x - 12x + 30 = 0$$

$$5x(2x - 5) - 6(2x - 5) = 0$$

$$(5x - 6)(2x - 5) = 0$$

$$X = 5/2 \text{ \{ as it is given in the options \}}$$

(75)

$$\frac{5x}{2} - \frac{[7(6x - \frac{3}{2})]}{4} = \frac{5}{8}$$

$$\Rightarrow 10x - 7(6x - \frac{3}{2}) = 5/2$$

$$\Rightarrow 10x - 42x + 21/2 = 5/2$$

$$\Rightarrow 32x = 16/2$$

$$\Rightarrow x = 1/4$$

(76)

$$a - b = 1$$

$$\Rightarrow (a - b)^2 = 1^2$$

$$\Rightarrow a^2 + b^2 - 2ab = 1$$

$$\Rightarrow a^2 + b^2 = 1 + 2ab \dots(i)$$

$$\Rightarrow a^3 - b^3 = (a - b)(a^2 + b^2 + ab)$$

$$\Rightarrow 91 = 1(1 + 2ab + ab)$$

$$ab = 30$$

(77)

Let the fraction be x

$$x - 2/x = 7/15$$

$$\Rightarrow x^2 - 2 = 7x/15$$

$$\Rightarrow 15x^2 - 30 = 7x$$

$$\Rightarrow 15x^2 - 7x - 30 = 0$$

On solving

$$x = 5/3$$

(78)

$$\frac{7}{2} \left(\frac{5x}{3} - \frac{3}{2} \right) + \frac{3}{2} = \frac{1}{4}$$

$$\frac{7}{2} \left(\frac{5x}{3} - \frac{3}{2} \right) = \frac{-5}{4}$$

$$\frac{5x}{3} = \frac{-5}{14} + \frac{3}{2}$$

$$x = \frac{24}{35}$$

(79)

Solve from option by pitting the value 3, -2

(80)

SSC CGL 2017: Quantitative Aptitude (Algebra)

$$\begin{aligned} & \frac{4\left(\frac{2x}{5} - \frac{3}{2}\right)}{3} + \frac{7}{5} = \frac{37}{5} \\ \Rightarrow & 4\left(\frac{2x}{5} - \frac{3}{2}\right) + \frac{21}{5} = \frac{37 \times 3}{5} \\ \Rightarrow & \frac{8x}{5} - 6 = \frac{111-21}{5} \\ \Rightarrow & \frac{8x}{5} = \frac{90}{5} + 6 \\ \Rightarrow & x = \frac{24 \times 5}{8} = 15 \end{aligned}$$

(81)

Let $a = 1$ and $b = -3$

Which satisfies both the given eqn.

$$a - b = 1 - (-3) = 4 \quad (\text{satisfies})$$

$$ab = 1 \times -3 = -3 \quad (\text{satisfies})$$

$$\therefore a^3 - b^3 = 1^3 - (-3)^3 = 28$$

(82)

$$x + 1/x = 5$$

$$\Rightarrow x^2 + 1/x^2 = 23$$

$$\Rightarrow (x - 1/x)^2 = x^2 + 1/x^2 - 2$$

$$= 23 - 2$$

$$x - 1/x = \pm \sqrt{21}$$

(83)

$$x = \frac{\sqrt{2}+1}{\sqrt{2}-1}$$

$$x = \frac{(\sqrt{2}+1)^2}{2-1}$$

$$= 2 + 1 + 2\sqrt{2}$$

$$x = 3 + 2\sqrt{2} \dots (i)$$

$$\frac{1}{x} = \frac{1}{3+2\sqrt{2}}$$

$$= \frac{3-2\sqrt{2}}{9-8}$$

$$\frac{1}{x} = 3 - 2\sqrt{2}$$

$$x + \frac{1}{x} = 3 + 2\sqrt{2} + 3 - 2\sqrt{2}$$

$$= 6$$

$$\text{Now, } \frac{x^5 + x^4 + x^2}{x^3}$$

$$= x^2 + x + \frac{1}{x} + \frac{1}{x^2}$$

$$= \left(x^2 + \frac{1}{x^2}\right) + \left(x + \frac{1}{x}\right)$$

$$= (36 - 2) + 6$$

$$= 40$$

(84)

$$x = 5 - 2\sqrt{6}$$

$$x = (\sqrt{2})^2 + (\sqrt{3})^2 - 2\sqrt{3} \times \sqrt{2}$$

$$= (\sqrt{3} - \sqrt{2})^2$$

$$\sqrt{x} = \sqrt{3} - \sqrt{2}$$

$$\frac{1}{\sqrt{x}} = \frac{1}{\sqrt{3}-\sqrt{2}}$$

$$= \sqrt{3} + \sqrt{2}$$

$$\sqrt{x} + \frac{1}{\sqrt{x}} = \sqrt{3} - \sqrt{2} + \sqrt{3} + \sqrt{2}$$

$$= 2\sqrt{3}$$

(85)

$$27^x + 27\left[x - \left(\frac{1}{3}\right)\right] = 972$$

We can write it as

$$27^x + 27\left(x - \frac{1}{3}\right) = 729 + 243$$

$$27^x + 27\left(x - \frac{1}{3}\right) = 27^2 + (27)^{5/3}$$

On comparing, $x = 2$

(86)

$$a^3 + b^3 + c^3 - 3abc$$

$$= \frac{1}{2} (a+b+c)[(a-b)^2 + (b-c)^2 + (c-a)^2]$$

$$= \frac{1}{2} (73+74+75)[(73-74)^2 + (74-75)^2 + (75-73)^2]$$

$$= \frac{1}{2} \times 222 \times (1+1+4) = 666$$

(87)

$$x^2 + \frac{1}{x^2} = \frac{31}{9}$$

$$\Rightarrow x^2 + \frac{1}{x^2} + 2 = \frac{31}{9} + 2$$

$$\Rightarrow \left(x + \frac{1}{x}\right)^2 = \frac{49}{9}$$

$$\Rightarrow x + \frac{1}{x} = \frac{7}{3}$$

Now cubing both sides,

$$x^3 + \frac{1}{x^3} = \left(\frac{7}{3}\right)^3 - 3 \times \frac{7}{3}$$

$$\Rightarrow x^3 + \frac{1}{x^3} = \frac{343}{27} - 7$$

$$\Rightarrow x^3 + \frac{1}{x^3} = \frac{154}{27}$$

(88)

SSC CGL 2017: Quantitative Aptitude (Algebra)

$$\begin{aligned} & \frac{(x^2 - 5x + 6)}{(x^2 - 3x) + 2} \div \frac{(x^2 - 7x + 12)}{(x^2 - 5x + 4)} \\ &= \frac{(x^2 - 3x - 2x + 6)}{(x^2 - x - 2x + 2)} \div \frac{(x^2 - 4x - 3x + 12)}{(x^2 - x - 4x + 4)} \\ &= \frac{(x-2)(x-3)}{(x-1)(x-2)} \div \frac{(x-3)(x-4)}{(x-4)(x-1)} \\ &= \frac{(x-3)}{(x-1)} \times \frac{(x-1)}{(x-3)} = 1 \end{aligned}$$

(89)

$$\begin{aligned} x - \frac{1}{x} &= 3 \\ \Rightarrow x^2 - 1 &= 3x \quad \dots(i) \\ \Rightarrow (x^2 - 1)^2 &= 9x^2 \\ \Rightarrow x^4 + 1 - 2x^2 &= 9x^2 \quad \dots(ii) \\ \Rightarrow (x^4 + 1) &= 11x^2 \end{aligned}$$

Now,

$$\begin{aligned} & \frac{2x^4 + 3x^3 + 13x^2 - 3x + 2}{3x^4 + 3} \\ &= \frac{2(x^4 + 1) + 13x^2 + 13x^3 - 3x}{3(x^4 + 3)} \\ &= \frac{2(11x^2) + 13x^2 + 13x^3 - 3x}{3(11x^2)} \quad \text{usingeq(2)} \\ &= \frac{35x^2 + 13x^3 - 3x}{33x^2} \\ &= \frac{35x + 3(x^2 - 1)}{33x} \quad \text{using(i)} \\ &= \frac{35x + 3(3x)}{33x} = \frac{44x}{33x} = \frac{4}{3} \end{aligned}$$

(93)

$$\begin{aligned} x/2 + x/18 - 4/3 \times 15/2 + 4x/9 &= 0 \\ 9x + x/18 + 4x \times 2/9 \times 2 &= 10 \\ 10x + 8x/18 &= 10 \Rightarrow x = 10 \end{aligned}$$

(94)

$$\begin{aligned} a + b &= 8 \\ a^3 + b^3 &= 152, \text{ if } a = 5, b = 3 \text{ satisfied both equation.} \\ \text{So, } ab &= 5 \times 3 = 15 \end{aligned}$$

(95)

$$\begin{aligned} \text{Let fraction} &= x/y \\ \text{So, } x/y &= y/x + 9/20 \quad \dots(i) \\ \text{By using options.} \\ x/y &= 5/4 \text{ so, put in R.H.S.} \\ \Rightarrow 4/5 + 9/20 &= 16/20 + 9/20 = 25/20 = 5/4 \\ \text{So, the fraction is } &5/4 \end{aligned}$$

(96)

$$\begin{aligned} 5x + 6(3 - 2x) &= 4 \\ 5x + 18 - 12x &= 4 \\ 7x &= 14 \\ x &= 2 \end{aligned}$$

(97)

$$\begin{aligned} a + b &= 1 \text{ \& } a.b = -6 \\ \text{So, } a &= 3, b = -2 \\ \text{Satisfied the equations} \\ \text{So, } a^3 + b^3 &= 27 + (-8) = 19 \end{aligned}$$

(98)

$$\begin{aligned} \text{ATQ, let the number} &= x \\ x + 20 \times 1/x &= 9 \\ x^2 + 20 &= 9x \\ x^2 - 9x + 20 &= 0 \\ x &= 4, 5 \text{ but in option only 5 is given} \end{aligned}$$

(99)

$$\begin{aligned} \frac{5}{2} \left(\frac{8x}{3} - \frac{1}{2} \right) + \frac{13}{2} &= \frac{2x}{3} \\ \frac{20x}{3} - \frac{5}{4} + \frac{13}{2} &= \frac{2x}{3} \Rightarrow \frac{20x}{3} - \frac{2x}{3} = \frac{5}{4} - \frac{26}{4} \\ \frac{18x}{3} &= -\frac{21}{4} \Rightarrow x = -\frac{7}{8} \end{aligned}$$

(100)

$$\begin{aligned} a^3 + b^3 &= 72 \quad \dots(i) \\ ab &= 8 \quad \dots(ii) \\ \text{by value putting method} \\ \text{take } a &= \text{ and } b = 2 \text{ that satisfied both the equations.} \\ \text{So, } a + b &= 4 + 2 = 6 \end{aligned}$$

(101)

$$\begin{aligned} \text{From options-} \\ \text{Let, } 7/2 &\Rightarrow 4 \times 7/2 + 2/7 \times 7 = 16 \\ \text{Satisfied the conditions.} \end{aligned}$$

(102)

$$\begin{aligned} \frac{14}{3} + \frac{1}{2} \left(x - \frac{7}{3} \right) &= \frac{-2x}{3} \\ \frac{14}{3} - \frac{7}{6} &= \frac{-2x}{3} - \frac{x}{2} \\ \frac{21}{6} &= \frac{-7x}{6} \\ x &= -3 \end{aligned}$$

(103)

$$\begin{aligned} a + b &= 10 \\ (a + b)^3 &= 1000 \\ a^3 + b^3 + 3ab(a + b) &= 1000 \\ a^3 + b^3 + 3 \times 24 \times 10 &= 1000 \\ a^3 + b^3 &= 280 \end{aligned}$$

(104)

$$\begin{aligned} \text{Let the fraction be 'x'.} \\ \text{ATQ} \\ x + 3/x &= 19/4 \end{aligned}$$

SSC CGL 2017: Quantitative Aptitude (Algebra)

$$4x^2 - 19x + 12 = 0$$

$$4x^2 - 16x - 3x + 12 = 0$$

$$4x(x - 4) - 3(x - 4) = 0$$

$$(4x - 3)(x - 4) = 0$$

$$X = \frac{3}{4} \text{ or } 4$$

$$X = \frac{3}{4} \text{ (as it is given in the options)}$$

(107)

$$\Rightarrow x + \frac{1}{x} = 4$$

$$\Rightarrow x^2 + \frac{1}{x^2} = 14$$

$$\Rightarrow x^6 + \frac{1}{x^6} = ?$$

$$\Rightarrow (14)^3 - 3 \times 14$$

$$\Rightarrow 2744 - 42$$

$$\Rightarrow 2702$$

(123)

$$9x - 5/2 \times 2x - 5/2 = 9/2$$

$$9x - 5x = 9/2 + 5/2 = 7$$

$$4x = 7$$

$$x = 7/4$$

(124)

$$a + b = 4 \text{ (i)}$$

$$ab = -21 \text{ (ii)}$$

We put 7 & -3 of a & b values

$$A = 7, b = -3$$

So,

$$a^3 + b^3 = 343 - 27 = 316$$

(125)

$$\frac{x}{y} + \frac{10y}{x} = \frac{37}{4}$$

We go through options.

$$\text{Put } \frac{x}{y} = \frac{5}{4}$$

$$\frac{5}{4} + 10 \times \frac{4}{5} = \frac{5}{4} + 8 = \frac{5+32}{4} = \frac{37}{4}$$

(126)

$$\frac{10x}{3} + \frac{5}{2} \left(2 - \frac{x}{3} \right) = \frac{7}{2}$$

$$\frac{10x}{3} + 5 - \frac{5x}{6} = \frac{7}{2}$$

$$\frac{15x}{6} = \frac{7}{2} - 5$$

$$X = \frac{-3}{5}$$

(127)

$$a - b = 2$$

$$(a - b)^3 = 8$$

$$a^3 - b^3 - 3ab(a - b) = 8$$

$$a^3 - b^3 - 3(15)(2) = 8$$

$$a^3 - b^3 = 8 + 90 = 98$$

(128)

Let the fraction be x.

ATQ

$$X + 4/x = 13/3$$

$$3x^2 - 13x + 12 = 0$$

$$3x^2 - 9 - 4x + 12 = 0$$

$$3x(x - 3) - 4(x - 3) = 0$$

$$(3x - 4)(x - 3) = 0$$

$$x = 4/3 \text{ or } 3$$

$$x = 4/3 \text{ (as it is given in options)}$$

(132)

$$\frac{-3}{2} + \frac{2}{3}(3x + 9) = \frac{x}{2}$$

$$\frac{-3}{2} + 2x + 6 = \frac{x}{2}$$

$$2x - \frac{x}{2} = \frac{3}{2} - 6$$

$$\frac{3x}{2} = \frac{-9}{2}$$

$$x = -3$$

(133)

$$a - b = 2$$

$$(a - b)^3 = 8$$

$$a^3 - b^3 - 3ab(a - b) = 8$$

$$a^3 - b^3 - 3 \times 8(2) = 8$$

$$a^3 - b^3 = 8 + 48 = 56$$

(134)

Let the number be x.

ATQ

$$x = 7/x + 9.3$$

$$x^2 - 9.3x - 7 = 0$$

$$x^2 - 10x + 0.7x - 7 = 0$$

$$x(x - 10) + 0.7(x - 10) = 0$$

$$(x + 0.7)(x - 10) = 0$$

$$\therefore x = 10$$

Online
Set Practice**SSC CGL 2018**

Free Sectional Online Test

60 Exams**4300 MCQ****SUBJECT QUESTIONS**

Mathematics	1075
Reasoning	1075
English	1075
General Awareness	1075

Scan the QR Code
Download the App

http://login.onlinesetpractice.com

+91 95997 33429

