



**भारतीय मानक ब्यूरो**  
**BUREAU OF INDIAN STANDARDS**

**भुवनेश्वर शाखा कार्यालय**  
**Bhubaneswar Branch Office**

6 ठा मंजिल, गृह निर्माण भवन

सचिवालय मार्ग, भुवनेश्वर - 751001

6th Floor, Gruha Nirman Bhawan (OSHB  
Building), Sachivalaya Marg,

Bhubaneswar - 751001

दुरभाष / Phone - 0674-2390847 / 2391727

फैक्स / Fax - 0674-2393039, ईमेल bhbo@bis.gov.in

Our Ref: BHBO/CM/L- 5200087597

दिनांक: 29.03.2019

29/04

**M/s RIYANSH POLY TECH PVT LTD**  
**Katha No-97, Plot 1278-P,**  
**Dist-Jharsuguda,**  
**Odisha-768201**

**विषय / Sub: प्रमाणन मुहरांकन के संबंध में / Regarding Certification Marks**

**महोदय / Sir,**

इस पत्र के साथ निम्नलिखित प्रलेख संलग्न करके आपको भेजा जा रहा है। कृपया इस इस संबंध में आवश्यक कदम उठाएं। आपसे अनुरोध है कि आप इसकी पावती भिजवा दें।

Please find enclosed following Document(s) for necessary steps at your end. Kindly acknowledge the receipt of this communication and confirm.

1. मानक मार्क का उपयोग करने के लिये आवेदन पत्र की प्राप्ति के बारे में पत्र | Letter regarding receipt of Application to use this Standard Mark.
2. नवीकरण के लिए नोटिस | Renewal notice.
3. लाइसेंस की वैधता अवधि समाप्त होने का सूचना पत्र | Letter intimating expiry/non-renewal of Licence./Cancellation of licence
4. अपूर्ण आवेदन पत्र के लौटने के बारे में पत्र | Letter regarding returning of incomplete application.
5. आवेदन पत्र पूरी तरह अस्वीकार करने के बारे में पत्र | Letter summarily rejecting the application.
6. आवेदन पत्र की अस्वीकृति के नोटिस | Notice for rejection of Application.
7. आवेदन अस्वीकार करने का पत्र | Letter intimating rejection of application.
8. आस्थगत पत्र | Deferment letter.
9. मुहरांकन रोकना | Stop marking.
10. आवेदन पत्र के संबंध में विसंगतियां | Discrepancies regarding application.
11. मुहरांकन की पुनः आरंभ | Resumption of marking.
12. लाइसेंस का अनुदान / स्वीकृति / Grant of Licence.
13. आवेदन पत्र के समाप्ती की नोटिस | Application Closure Notice.
14. डी / वी रिपोर्ट के संबंधी | Regarding D / V Report.
15. लाइसेंस समाप्ति नोटिस | Licence Expiry Notice.
16. असफल नमूना (आवेदक) | Failure sample (applicant).
17. असफल नमूना (लाइसेंस) | Failure sample (licence).
18. मुहरांकन फीस में संशोधन की पुस्तिका | Endorsement for Revision of Marking Fee
19. भारतीय मानक / परीक्षण और निरीक्षण की योजना में संशोधन की सूचना पत्र / (Amendment to IS / STI)
20. लाइसेंस के संबंध में विसंगतियां | Discrepancies regarding Licence
21. भारतीय मानक / परीक्षण और निरीक्षण की योजना में संशोधन/मुहरांकन फीस में संशोधन की पुस्तिका | (Endorsement regarding Revision of IS/ STI/ Revision of Marking Fee ).
22. अन्य ( Others)

भवदीय / Yours faithfully,

अधिकारी के हस्ताक्षर Signature of the Officer

संलग्न - पत्रादि / Encl:





**भारतीय मानक ब्यूरो**  
**Bureau of Indian Standards**  
The National Standards Body of India

6ठा मँजिल, ग्रुह निर्माण भवन  
सचिवालय मार्ग, भुवनेश्वर - 751001  
6<sup>th</sup> Floor, Gruha Nirman Bhawan,  
Sachivalaya Marg, **Bhubaneswar - 751001**  
दुरभाष / Phone - 0674-2394193 / 2391727  
ई मेल / Email bhbo@bis.gov.in

**BY SPEED POST**

**Our Ref:** MDBH/I/L- 5200087597

**Dated:** 29.03.2019

**Subject:** Grant of BIS Product Certification Licence No.-5200087597 as per IS 12818 : 2000

**M/s RIYANSH POLY TECH PVT LTD**  
**Katha No-97, Plot 1278-P,**  
**Dist-Jharsuguda,**  
**Odisha-768201**

Dear Madam(s)/Sir(s),

With reference to your application, we are pleased to inform you that the Certification Marks Licence has been granted to you to use the Standard Mark in respect of the followings:

**Product : UNPLASTICIZED POLYVINYL CHLORIDE (PVC-U) SCREEN AND CASING PIPES FOR BORE/TUBEWELLS**

- (i) Grade{ Type : CM, Size : DN 35 to DN 175**
- (ii) Class { Type : CS, Size : DN 150 to DN 200**
- (iii) Type {**
- (iv) Variety{**

**As per IS 12818 : 2010**

The licence is granted on the explicit condition that you will mark entire/substantial production which conforms to the Indian Standards.

2. The number assigned to this Licence is **CM/L- 5200087597** which has been made operative from **27.03.2019** and is valid up to **26.03.2020** The licence number shall invariably be referred to in your future correspondence.

According to Sub-Paragraph (1) & (3) of Paragraph 5 of Scheme-I of Schedule-II under Bureau of Indian Standards (Conformity Assessment) Regulations, 2018, the annual licence fee of Rs.1000.00 and the marking fee for use of Standard Mark as per Annexure-I of Scheme-I of BIS (Conformity Assessment) Regulations, 2018 is payable by you with effect from **27.03.2019** for the period of validity of the licence in advance.

Contd..pg.2

मुख्यालय : मानक भवन, 9 बहादुरशाह जफ़र मार्ग, नई दिल्ली - 110002

Headquarter : Manak Bhawan, 9 Bahadur Shah Zafar Marg, New Delhi - 110002




3. Minimum Marking fee stipulated in Annexure-I of Scheme-I of BIS (Conformity Assessment) Regulations, 2018 is payable by you regardless of the fact whether you actually mark your product or not with the Standard Mark. Our Receipt No.**R/ 0052PC2018001952** dated **27.03.2019**. for the licence fee and the minimum marking fee for the first operative period is already \*issued/enclosed/being sent separately.
4. This advance minimum marking fee will be carried over to the next year on every renewal. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher, shall be payable by you at the time of renewal.
5. With a view to streamlining the reporting of quantity marked, calculation and collection of marking fee on the unit rate basis, fees will be calculated on the production marked during the first nine months of operation of the licence at the time of first renewal, and on the production marked during twelve months comprising the last three months of the previous operative year and the first nine months of the current operative year, at the time of the second and subsequent renewals. In case the licence expires, the entire production marked till the expiry date shall be taken into account for calculating the marking fee payable.
6. **The Scheme of Inspection and Testing as specified by BIS\*** will have to be implemented by your organization strictly and completely. This supervision of the operation of the Scheme shall be done by a person responsible for the quality control function in your organization. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the Scheme. Any future change in this respect will have to be communicated by you to us as and when these take place.
7. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare the designs of the Standard Mark for marking the above product Photographic reduction in any size is permissible. This will ensure the relative proportions of the different dimensions maintained. Preferred dimensions be used as far as possible.
8. On commencement of marking of your product for which you are licensed, you may advertise your product with Standard Mark in various media only during the validity of your licence. The use of Standard Mark on letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or lapsing of your licence, the Standard Mark on your letterheads, publicity literatures etc. will be destroyed/obliterated.



9. This licence is granted for your manufacturing premises situated at (Address of factory) **Katha No-97, Plot 1278-P, Dist-Jharsuguda, Odisha-768201**. Privileges under the licence shall not be exercised by any other firm company/factory etc. This licence is not transferable in the event of shifting the manufacturing and testing equipment from the licensed premises to some other place, use of Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by BIS in respect of manufacturing and testing facilities available there and the address of the new premises is endorsed in the licence.

10. It may be noted that this licence is granted under option 2 which is subject to the condition that if samples drawn on dt-16.03.2019 by BIS during the verification visit before grant of licence, fail to conform to the requirements of relevant Indian Standard (in any requirement), the licence shall be put under suspension, and in case fresh sample after corrective action is not offered within one month or fresh sample fails to conform to the requirement of relevant Indian Standard, in any requirement, the licence shall be processed for cancellation (Applicable for GOL under option 2).

Thanking you,

  
( Satish Kumar )  
Scientist-F & Head

Encl: As above.

(\*strike out whichever is not applicable)