

Linux wireless driver:ath9k

Tags: 802.11 mac802

QCA9331

qualcomm atheros 1*1 802.11n WiSoC

QCA9341

qualcomm atheros 2*2 300Mbps 802.11n WiSoC

please reserved this document, refer [openwr](#) 或者使用快捷键 `Ctrl+Shift+M`。
by © lawrence rao

Content

- [Linux wireless driver:ath9k](#)
- [Todo list](#)
- [mathJax](#)
- [highlight source by setting language](#)
- [charts UML Sequence](#)
- [linux atheros ath9k driver 序列图](#)
- [waved timing\(hw\)](#)
- [Table](#)

Markdown Enhanced for atom editor :

- linux network framework net/dev/core
 - linux mac80211 framework
 - netlink nl80211/cfg80211 interface
 - ath9k ahb in SoC driver
 - iw config
 - hostapd processing
-

Todo list

- ❑ only list item
- ❑ 支持以 PDF 格式导出文稿
- ❑ 改进 Cmd 渲染算法，使用局部渲染技术提高渲染效率
- ❑ 新增 Todo 列表功能

mathJax^[1]


$$E = mc^2$$



highlight source by setting language




```
#include <stdio.h>
int main(int argc, char **argv){
    return 0;
}
```

charts [UML Sequence](#)


[Plant UML](#)









linux atheros ath9k driver^[2] 序列图






waved timing(hw)



Table

| 项目 | 价格 | 数量 |
|-----|--------|-----|
| 计算机 | \$1600 | 5 |
| 手机 | \$12 | 12 |
| 管线 | \$1 | 234 |

editor mode



- 1. 支持 **LaTeX** 编辑显示支持，例如： $\sum_{i=1}^n a_i = 0$ ，访问 [MathJax][4] 参考更多使用方法。↩
- 2. linux driver layer ↩