

jQuery Events Lab

Getting used to some events

1. Open the events lab folder.
2. Run events_intro.html in a browser just to see what it looks like
3. Edit events_intro.html and make it do these things:
 - a. When the user double-clicks on anything on the page, it should console.log() a "hello world" message.
 - b. When the user mouses over the link, it should add a new line to the div at the bottom like so:

```
var message = "<p>You moused over a link</p>";  
$( '.main' ).append(message);
```
 - c. When the user clicks on the button, it should change the text of the button to "You clicked me!"
 - d. When the user tabs into the textbox or clicks on it, it should change the color of the textbox. You can do something like this:

```
$(this).css('background-color', 'red');
```
4. Run and test, making sure everything works.

Making an accordion

5. Run faq.html and take a look at its contents

We want this faq to have all of the FAQs hidden until the user clicks on one. When he/she does, the answer to the question is revealed. When it is clicked again, the answer collapses.

6. Make that happen. Some hints:
 - You'll need a \$(document).ready() function for the wire-up
 - To hide something, you'll go:

```
$( 'someSelector' ).slideUp();
```
 - To reveal something that is hidden or hide something that is shown, you'll go:

```
$( 'someSelector' ).slideToggle();
```
 - To select the NEXT thing on a page, go:

```
$(selector).next();
```