How to Configure Inactive Users Manager

Who can configure?

- Jira Admins
- Site Admins (recommended)

1. Access the App

Go to:

Apps → Inactive Users Manager

2. Configure Admin API (Required)**

To enable accurate activity detection:

- Enter **ORG ID**
- Enter **Admin API Key**

🔗 https://admin.atlassian.com/

> ⚠️ Must be an **Organization Admin**

3. Select Groups

Choose one or more groups:

- License groups (recommended)
- Custom groups

4. Select Inactivity Period

Define number of days (e.g. 30, 45, 60)

5. Run Scan

The app will:

- Fetch users from selected groups
- Evaluate last activity
- Generate report

6. Export Report

Includes:

- Name
- Email
- Account ID
- Last active
- Days inactive
- Status

7. (Optional) Remove Users

If permitted:

- Select users
- Select groups
- Remove access

> ⚠️ May revoke product licenses

🚀 About Inactive Users Manager

Overview

Inactive Users Manager helps organizations:

- Identify inactive users
- Optimize license usage
- Improve governance

Key Features

✔ Fast Inactivity Detection

Uses last activity signals instead of scanning all issues.

✔ Group-Based Analysis

Analyze specific license or custom groups.

✔ Clean Export Reports

Structured Excel output with inactivity insights.

✔ Safe User Removal

Remove users from groups (when allowed).

✔ SCIM-Aware

Handles Atlassian Guard limitations safely.

✔ Enterprise Ready

Built with Forge security and compliance.

Benefits

- Reduce licensing costs
- Improve security posture
- Automate user governance
- Eliminate manual audits

Use Cases

IT Teams

- License optimization
- Access cleanup

Security Teams

- Detect dormant accounts

Operations

- Improve user lifecycle management