Owner Dashboard - User Stories

Overview

The Owner Dashboard feature domain covers the authenticated experience for court owners managing their organization, courts, reservations, and settings through the `/owner/*` routes.

This domain focuses on wiring the owner dashboard UI to real backend data, replacing mock/placeholder data with actual tRPC queries. The owner dashboard serves as the primary management interface for organization owners to:

- View and manage their courts
- Monitor reservation activity and pending payments
- Update organization settings and profile
- Track business metrics (simplified for MVP)

The dashboard follows a consistent layout pattern with a sidebar for navigation and role-appropriate navbar. All data is scoped to the owner's organization.

References

Document	Location
PRD	`business-contexts/kudoscourts-prd-v1.1.md` Section 4.2 (Owner persona)
Design System	`business-contexts/kudoscourts-design-system.md`
Server Context	`agent-contexts/00-01-kudoscourts-server.md`
UI Context	`agent-contexts/00-04-ux-flow-implementation.md`

Story Index

ID	Story	Status	Supersedes
US-04-01	Owner Views Real Dashboard Data	Active	-

Related Domains

Domain	Relationship
01-organization	Owner must have an organization (prerequisite)
02-court-creation	Courts are created and managed from owner dashboard
03-court-reservation	Reservations are managed from owner dashboard

---

Summary

- Total: 1
- Active: 1
- Superseded: 0

US-04-01: Owner Views Real Dashboard Data

Status: Active
Supersedes: -
Superseded By: -

Story

As an **Owner**, I want to **see my organization's real courts, reservations, and stats in the dashboard** so that **I can manage my actual business instead of seeing dummy placeholder data**.

Acceptance Criteria

Courts List Shows Real Data

- Given I am an owner with organization "Rethndr"
- When I visit `/owner/courts`
- Then I see my real courts (or empty state if none)
- And the sidebar shows "Rethndr" as my organization name

Empty State When No Courts

- Given I am an owner with 0 courts
- When I visit `/owner/courts`
- Then I see the empty state with "Add Your First Court" CTA
- And clicking the CTA navigates to `/owner/courts/new`

Dashboard Shows Real Stats

- Given I am an owner
- When I visit `/owner` (dashboard)
- Then I see:
  - Active Courts: real count from my courts
  - Pending Reservations: real count from `getPendingCount`
- And "Coming Soon" placeholders for Today's Bookings and Revenue

Reservations Show Real Data

- Given I am an owner with reservations
- When I visit `/owner/reservations`
- Then I see my real reservations (or empty state if none)
- And I can filter by my real courts
- And I can confirm/reject reservations with real backend calls

Settings Show Real Organization

- Given I am an owner of organization "Rethndr"
- When I visit `/owner/settings`
- Then the form is pre-filled with "Rethndr" and my real organization data
- And saving changes updates the real organization in the database

Logo Upload Shows Coming Soon

- Given I am on `/owner/settings`
- When I click "Upload Logo"
- Then I see a toast message "Coming Soon"
- And the upload does not proceed

Edge Cases

- Owner has 0 courts - Show `CourtsEmptyState` component
- Owner has 0 reservations - Show "No reservations yet" message
- Owner has no pending reservations - Pending count shows 0
- Organization query fails - Show error toast, allow retry
- Network error during save - Show error toast with retry option
- Concurrent edit of organization - Last write wins (no conflict resolution for MVP)

UI Components

Page	Route	Key Components
Dashboard	`/owner`	StatsCard (2), PendingActions, ComingSoonCard (2)
Courts	`/owner/courts`	CourtsTable, CourtsEmptyState
Reservations	`/owner/reservations`	ReservationsTable, filter dropdowns
Settings	`/owner/settings`	OrganizationForm, DangerZone

Data Flow

Shared Organization Context

All owner pages use `useOwnerOrganization()` hook:

```
trpc.organization.my → returns user's orgs → use first org
```

Courts Page

```
useOwnerCourts() → trpc.courtManagement.getMyCourts
useDeactivateCourt() → trpc.courtManagement.deactivate
```

Dashboard

```
useOwnerStats() → derived from:
  - trpc.courtManagement.getMyCourts (court count)
  - trpc.reservationOwner.getPendingCount (pending count)
```

Reservations Page

```
useOwnerReservations() → trpc.reservationOwner.getForOrganization
useConfirmReservation() → trpc.reservationOwner.confirmPayment
useRejectReservation() → trpc.reservationOwner.reject
```

Settings Page

```
useCurrentOrganization() → trpc.organization.my
useUpdateOrganization() → trpc.organization.update + updateProfile
```

Implementation Phases

Phase	Description	Time
1	Create `useOwnerOrganization` shared hook	30 min
2	Wire `/owner/courts` to real data	45 min
3	Wire `/owner` dashboard stats	1 hour
4	Wire `/owner/reservations` to real data	1 hour
5	Wire `/owner/settings` to real data	45 min
6	Verify empty states and test	30 min

Total: ~5 hours

Files to Modify

New Files

File	Purpose
`src/features/owner/hooks/use-owner-organization.ts`	Shared organization context hook

Modified Files

File	Changes
`src/features/owner/hooks/use-owner-courts.ts`	Replace mocks with tRPC
`src/features/owner/hooks/use-owner-dashboard.ts`	Replace mocks, simplify stats
`src/features/owner/hooks/use-owner-reservations.ts`	Replace mocks with tRPC
`src/features/owner/hooks/use-organization.ts`	Replace mocks with tRPC
`src/features/owner/hooks/index.ts`	Export new hook
`src/app/(owner)/owner/page.tsx`	Use real org, add Coming Soon placeholders
`src/app/(owner)/owner/courts/page.tsx`	Use real org
`src/app/(owner)/owner/reservations/page.tsx`	Use real org and courts
`src/app/(owner)/owner/settings/page.tsx`	Use real org, Coming Soon toast

Deferred (Keep Mock)

File	Reason
`src/app/(owner)/owner/courts/[id]/slots/page.tsx`	Separate story for slots management
`src/features/owner/hooks/use-slots.ts`	Depends on time slot backend enhancements

Backend Endpoints Used

Router	Endpoint	Purpose
`organization.my`	Get user's organizations	Shared context

`organization.update`	Update org basic info	Settings page
`organization.updateProfile`	Update org profile	Settings page
`courtManagement.getMyCourts`	Get owner's courts	Courts list, stats
`courtManagement.deactivate`	Deactivate a court	Courts list action
`reservationOwner.getForOrganization`	Get org reservations	Reservations list
`reservationOwner.getPendingCount`	Count pending	Dashboard stats
`reservationOwner.confirmPayment`	Confirm reservation	Reservations action
`reservationOwner.reject`	Reject reservation	Reservations action

References

- PRD: Section 4.2 (Owner persona), Section 5.3 (Court Management)
- Context: `agent-contexts/00-01-kudoscourts-server.md` (backend endpoints)
- Context: `agent-contexts/00-04-ux-flow-implementation.md` (current UI state)

US-04-01 Implementation Checklist

Story: Owner Views Real Dashboard Data
Estimated Time: 5 hours
Status: In Progress

Phase 1: Create Shared Organization Hook

Goal: Single hook for fetching owner's organization, reusable across all pages.

Implementation

- [ ] Create `src/features/owner/hooks/use-owner-organization.ts`

```
import { useQuery } from "@tanstack/react-query";
import { useTRPC } from "@/trpc/client";

export function useOwnerOrganization() {
  const trpc = useTRPC();
  const { data: organizations, isLoading, error } = useQuery(
    trpc.organization.my.queryOptions()
  );

  const organization = organizations?.[0] ?? null;

  return {
    organization,
    organizationId: organization?.id ?? null,
    organizations: organizations ?? [],
    isLoading,
    isOwner: !!organization,
    error,
  };
}
```

- [ ] Update `src/features/owner/hooks/index.ts` to export new hook

Testing

- [ ] Hook returns organization data when user is owner
- [ ] Hook returns null organization when user has no orgs
- [ ] isLoading state works correctly

Phase 2: Wire Courts Page to Real Data

Goal: `/owner/courts` shows real courts from database.

Hook Updates

- [ ] Update `src/features/owner/hooks/use-owner-courts.ts` :
  - [ ] Remove `mockCourts` array
  - [ ] Replace `useOwnerCourts` with real query:

```
export function useOwnerCourts() {
  const trpc = useTRPC();
  return useQuery(trpc.courtManagement.getMyCourts.queryOptions());
}
```

- [ ] Replace `useDeactivateCourt` with real mutation:

```
export function useDeactivateCourt() {
  const trpc = useTRPC();
  const queryClient = useQueryClient();

  return useMutation({
    ...trpc.courtManagement.deactivate.mutationOptions(),
    onSuccess: () => {
      queryClient.invalidateQueries({
        queryKey: trpc.courtManagement.getMyCourts.queryKey(),
      });
    },
  });
}
```

- [ ] Update `OwnerCourt` interface to match backend schema (or use inferred type)

Page Updates

- [ ] Update `src/app/(owner)/owner/courts/page.tsx`:
  - [ ] Remove `mockOrg` constant (line 41)
  - [ ] Import `useOwnerOrganization` hook
  - [ ] Add organization query at top of component
  - [ ] Replace `mockOrg` usages with real `organization`
  - [ ] Add loading state while org loads
  - [ ] Update `useDeactivateCourt` call to pass `{ courtId }`

Testing

- [ ] Page shows loading state initially
- [ ] Page shows empty state when 0 courts
- [ ] Page shows real courts when courts exist
- [ ] Sidebar shows real organization name
- [ ] Deactivate button works (calls real endpoint)

Phase 3: Wire Dashboard Stats to Real Data

Goal: `/owner` shows real stats, Coming Soon placeholders for unavailable data.

Hook Updates

- [ ] Update `src/features/owner/hooks/use-owner-dashboard.ts`:
  - [ ] Remove `mockDashboardData` object
  - [ ] Rewrite `useOwnerStats` to derive from real data:

```
export function useOwnerStats(organizationId: string | null) {
  const trpc = useTRPC();
```

```
  const { data: courts, isLoading: courtsLoading } = useQuery({
    ...trpc.courtManagement.getMyCourts.queryOptions(),
    enabled: !!organizationId,
  });

  const { data: pendingCount, isLoading: pendingLoading } = useQuery({
    ...trpc.reservationOwner.getPendingCount.queryOptions({
      organizationId: organizationId!
    }),
    enabled: !!organizationId,
  });

  return {
    data: {
      activeCourts: courts?.filter(c => c.isActive).length ?? 0,
      pendingReservations: pendingCount ?? 0,
    },
    isLoading: courtsLoading || pendingLoading,
  };
}
```

  - [ ] Remove or stub `useRecentActivity` (return empty array)
  - [ ] Remove or stub `useTodaysBookings` (return empty array)

Page Updates

- [ ] Update `src/app/(owner)/owner/page.tsx`:
  - [ ] Remove `mockOrg` constant (lines 37-40)
  - [ ] Import `useOwnerOrganization` hook
  - [ ] Pass `organizationId` to `useOwnerStats`
  - [ ] Replace `mockOrg` usages with real `organization`
  - [ ] Add loading state while org loads
  - [ ] Update stats cards to show only 2 real stats:
    - Active Courts
    - Pending Reservations
  - [ ] Replace Today's Bookings and Revenue cards with Coming Soon placeholders
  - [ ] Replace Recent Activity and Today's Bookings sections with Coming Soon cards

Create Coming Soon Component

- [ ] Create `src/features/owner/components/coming-soon-card.tsx`:

```
import { Clock } from "lucide-react";
import { Card, CardContent, CardHeader, CardTitle } from "@/components/ui/card";

interface ComingSoonCardProps {
  title: string;
  description?: string;
}

export function ComingSoonCard({ title, description }: ComingSoonCardProps) {
  return (
    <Card className="border-dashed">
```

```
      <CardHeader className="pb-2">
        <CardTitle className="text-sm font-medium text-muted-foreground">
          {title}
        </CardTitle>
      </CardHeader>
      <CardContent>
        <div className="flex items-center gap-2 text-muted-foreground">
          <Clock className="h-4 w-4" />
          <span className="text-sm">Coming Soon</span>
        </div>
        {description && (
          <p className="mt-2 text-xs text-muted-foreground">{description}</p>
        )}
      </CardContent>
    </Card>
  );
}
```

- [ ] Export from `src/features/owner/components/index.ts`

Testing

- [ ] Dashboard shows loading state initially
- [ ] Active Courts shows real count
- [ ] Pending Reservations shows real count (0 if none)
- [ ] Coming Soon cards display for unavailable features
- [ ] Sidebar shows real organization name

Phase 4: Wire Reservations Page to Real Data

Goal: `/owner/reservations` shows real reservations with real actions.

Hook Updates

- [ ] Update `src/features/owner/hooks/use-owner-reservations.ts` :
  - [ ] Remove `generateMockReservations` function
  - [ ] Update `useOwnerReservations` to use real query:

```
export function useOwnerReservations(
  organizationId: string | null,
  options: UseOwnerReservationsOptions = {}
) {
  const trpc = useTRPC();
  const { status, dateFrom, dateTo } = options;

  return useQuery({
    ...trpc.reservationOwner.getForOrganization.queryOptions({
      organizationId: organizationId!,
      status: status !== 'all' ? status : undefined,
      fromDate: dateFrom?.toISOString(),
      toDate: dateTo?.toISOString(),
    }),
    enabled: !!organizationId,
```

```
  });
}
```

- [ ] Update `useConfirmReservation` to use real mutation:

```
export function useConfirmReservation() {
  const trpc = useTRPC();
  const queryClient = useQueryClient();

  return useMutation({
    ...trpc.reservationOwner.confirmPayment.mutationOptions(),
    onSuccess: () => {
      queryClient.invalidateQueries({
        queryKey: trpc.reservationOwner.getForOrganization.queryKey(),
      });
    },
  });
}
```

- [ ] Update `useRejectReservation` similarly
- [ ] Update `useReservationCounts` to derive from query or use separate query

Page Updates

- [ ] Update `src/app/(owner)/owner/reservations/page.tsx`:
  - [ ] Remove `mockOrg` and `mockCourts` (lines 165-170)
  - [ ] Import `useOwnerOrganization` and `useOwnerCourts` hooks
  - [ ] Use real organization for sidebar/navbar
  - [ ] Use real courts for filter dropdown
  - [ ] Pass `organizationId` to `useOwnerReservations`
  - [ ] Update confirm/reject handlers to match new mutation signatures

Testing

- [ ] Page shows loading state initially
- [ ] Page shows "No reservations found" when empty
- [ ] Filter dropdown shows real courts
- [ ] Reservations display with correct data
- [ ] Confirm action calls real endpoint
- [ ] Reject action calls real endpoint

Phase 5: Wire Settings Page to Real Data

Goal: `/owner/settings` loads and saves real organization data.

Hook Updates

- [ ] Update `src/features/owner/hooks/use-organization.ts`:
  - [ ] Remove `mockOrganization` constant
  - [ ] Update `useCurrentOrganization` to use real query:

```
export function useCurrentOrganization() {
  const trpc = useTRPC();
```

```
  const { data: organizations, ...rest } = useQuery(
    trpc.organization.my.queryOptions()
  );

  const organization = organizations?.[0];

  // Map to expected shape with profile data
  return {
    data: organization ? {
      id: organization.id,
      name: organization.name,
      slug: organization.slug,
      description: organization.profile?.description,
      logoUrl: organization.profile?.logoUrl,
      email: organization.profile?.contactEmail,
      phone: organization.profile?.contactPhone,
      address: organization.profile?.address,
      createdAt: organization.createdAt,
    } : null,
    ...rest,
  };
}
```

- [ ] Update `useUpdateOrganization` to use real mutation:

```
export function useUpdateOrganization() {
  const trpc = useTRPC();
  const queryClient = useQueryClient();

  return useMutation({
    mutationFn: async (data: UpdateOrganizationData) => {
      // Update basic org info
      await trpc.organization.update.mutate({
        organizationId: data.organizationId,
        name: data.name,
        slug: data.slug,
      });
      // Update profile
      await trpc.organization.updateProfile.mutate({
        organizationId: data.organizationId,
        description: data.description,
        contactEmail: data.email,
        contactPhone: data.phone,
        address: data.address,
      });
    },
    onSuccess: () => {
      queryClient.invalidateQueries({
        queryKey: trpc.organization.my.queryKey(),
      });
    },
  });
}
```

- [ ] Update `useUploadOrganizationLogo` to show Coming Soon toast:

```
export function useUploadOrganizationLogo() {
  return useMutation({
    mutationFn: async (_file: File) => {
      throw new Error("Coming Soon");
    },
  });
}
```

  - [ ] Keep `useCheckSlug` as-is (or wire to real endpoint if exists)
  - [ ] Keep `useRequestRemoval` as-is (mock for now)

Page Updates

- [ ] Update `src/app/(owner)/owner/settings/page.tsx` :
  - [ ] Remove `mockOrg` constant (line 162)
  - [ ] Import `useOwnerOrganization` hook
  - [ ] Use real organization for sidebar/navbar
  - [ ] Update logo upload handler to show "Coming Soon" toast:

```
const handleLogoUpload = (e: React.ChangeEvent<HTMLInputElement>) => {
  e.preventDefault();
  toast.info("Logo upload coming soon!");
};
```

  - [ ] Ensure form submits to real update endpoint

Testing

- [ ] Form pre-fills with real organization data
- [ ] Saving changes updates real database
- [ ] Logo upload shows "Coming Soon" toast
- [ ] Sidebar shows real organization name

Phase 6: Verify Empty States and Test

Goal: Ensure all empty states work correctly and full flow is tested.

Empty States

- [ ] `/owner/courts` with 0 courts shows `CourtsEmptyState`
- [ ] "Add Your First Court" CTA links to `/owner/courts/new`
- [ ] "Claim an Existing Court" CTA links to `/courts`
- [ ] `/owner/reservations` with 0 reservations shows "No reservations found"
- [ ] Dashboard with 0 courts shows 0 in stats (not error)

Integration Testing

- [ ] Full flow: Login -> /owner -> see real org name
- [ ] Full flow: /owner/courts -> empty state -> create court -> see court in list
- [ ] Full flow: /owner/settings -> edit name -> save -> see updated name
- [ ] Sidebar organization name updates after settings save

Build Verification

- [ ] `npm run build` passes
- [ ] No TypeScript errors
- [ ] No console errors in browser

Files Modified Summary

File	Status
`src/features/owner/hooks/use-owner-organization.ts`	Created
`src/features/owner/hooks/use-owner-courts.ts`	Modified
`src/features/owner/hooks/use-owner-dashboard.ts`	Modified
`src/features/owner/hooks/use-owner-reservations.ts`	Modified
`src/features/owner/hooks/use-organization.ts`	Modified
`src/features/owner/hooks/index.ts`	Modified
`src/features/owner/components/coming-soon-card.tsx`	Created
`src/features/owner/components/index.ts`	Modified
`src/app/(owner)/owner/page.tsx`	Modified
`src/app/(owner)/owner/courts/page.tsx`	Modified
`src/app/(owner)/owner/reservations/page.tsx`	Modified
`src/app/(owner)/owner/settings/page.tsx`	Modified

Notes

- Slots page (`/owner/courts/[id]/slots`) is deferred - keeps mock data
- Revenue stats require payment tracking - shown as "Coming Soon"
- Today's Bookings requires time slot queries - shown as "Coming Soon"
- Recent Activity requires event stream - shown as "Coming Soon"
- Logo upload requires Supabase Storage setup - shows toast