



DYNACLEAN INDUSTRIES



CONTACT US:-

011-45143666
+91 93153 27809
www.dynacleanindustries.com
sales@dynacleanindustries.com

About Us

DYNACLEAN INDUSTRIES PVT. LTD. is a leading name in the Indian cleaning equipment industry, known for delivering high-performance and innovative cleaning solutions. We specialize in both manufacturing and trading of a wide range of professional cleaning machines designed to meet industrial, commercial, and municipal cleaning needs.

With a strong presence Pan-India, our machines are already trusted and operational in major sectors including Delhi Metro, Aerocity, Indian Railways, Airports, and Government Infrastructures, Municipal departments.

What We Offer

Comprehensive Cleaning Solutions:

From Road Sweepers, Ride-on Scrubber Driers, Industrial Vacuum Cleaners, High Pressure Jet Washers to Escalator Cleaners, we offer a complete range of machines designed for performance, durability, and ease of use.

Made in India, Built for the World:

Our machines are proudly Made in India using the latest technologies, ensuring global standards in quality, efficiency, and safety.

Innovation & Customization:

We believe every cleaning challenge is unique. That's why we also offer custom-built solutions tailored to specific industrial or municipal needs.

After-Sales Support & Service:

Our dedicated service network and professional team ensure timely support, AMC options, and on-site service, keeping your operations running smoothly.

Why Choose Us

At DYNACLEAN INDUSTRIES PVT. LTD., we go beyond just supplying cleaning machines — we deliver quality, performance, and trust. Here's why clients across India choose us as their preferred cleaning equipment partner:

Trusted by Top Sectors

In-House Manufacturing Excellence

Complete Range Under One Roof

Pan India Network

Technology-Driven & Eco-Friendly

Prompt After-Sales Service

Commitment to Quality & Innovation

VERSATILE CLEANING SOLUTION FOR EVERY SPACE

BUILT FOR VERSATILE CLEANING, OUR MACHINE ENSURES SUPERIOR CLEANLINESS IN OFFICES , HOSPITALS , MALLS , GYM , FACTORIES, RAILWAYS , POWER PLANTS , MUNICIPAL ROADS , AIRPORTS DEFENCE , PARKING LOTS AND RESTAURANTS.

YOUR ALL-IN-ONE SOLUTION FOR ANY FLOOR, ANY FACILITY

MUNICIPAL ROADS



RAILWAYS



DEFENCE



POWER PLANTS



FACTORIES



AIRPORTS



HOSPITALS




PARKING LOTS



MALLS



GYM



RESTAURANTS



OFFICES



VACUUM CLEANERS



DV-30



DV-60



DV-80



DSC-30



Specifications	Unit	DV-30	DV-60	DV-80	DSC-30
Tank capacity	L	30	60	80	30
Voltage	V	220	220	220	220
Motor Power	W	1500	3000	4500	1000
Type	Wet/Dry	Wet/Dry	Wet/Dry	Wet/Dry	Wet/Dry
Airflow	L/S	53	106	120	53
Vacuum Suction	Mbar	230	250	250	230
Tank Diameter	mm	345	440	440	345
Height	mm	760	1000	1050	760
Wire Length	m	10	10	10	10
Weight	Kg	12	24.5	32.1	17.5
Size	mm	410x410x780	410x550x1050	620x540x1070	455x410x920

STEAM CLEANER



D-STEAM2



Specifications	Unit	D-STEAM2
Power	W	2000
Voltage	V	220
Water Tank	L	2.4
Pressure	Bar	4
Weight	Kg	5.5
Size	mm	590x380x390

HAND SCRUBBER POLISHER

HD-15P



Specifications	Unit	HD-15P
Brush	RPM	350
Power	W	1060
Motor Power	W	1000
Battery	Ah	18x4
Working time	M	Up To 30
Weight	Kg	5.5
Size	mm	430x150x170

BACK-PACK VACUUM CLEANER

D-BP6



Specifications	Unit	D-BP6
Power	W	1060
Vacuum Level	Kpa	24
Dust Tank	L	6
Air Flow	L/S	47
Weight	Kg	5.5
Size	mm	400x340x730
Wire	m	15

SCOOTER MOP



DMS-115P



Specifications	Unit	DMS-115P
Cleaning Width	mm	900
Wheel Size	mm	250
Gradability	Degree	20
Voltage	V	48
Motor Power	W	350
Battery	Ah	18x4
Working time	H	3-4
Weight	Kg	65
Size	mm	1220x620x980

SCRUBBER DRIERS

DMOP-15P



Specifications	Unit	DMOP-15P
Clean Water Tank	L	3
Waste Water Tank	L	3.1
Scrubbing Width	mm	500
Squeegee width	mm	560
Cleaning Efficiency	m2/h	1750
Battery Capacity	Ah/m	18
Wire Size	m	NA
Voltage	V	24
Brush Motor	W	250*2
Suction Motor	W	150
Brush Pressure	Kg	29
Size	mm	560x370x1140
Weight	Kg	38
Working Time	H	1-1.5

ESCALATOR CLEANERS

D-510ES



Specifications	Unit	D-510ES
Clear Water Tank	L	32
Waste Dust Tank	L	35
Scrubbing Width	mm	510
Cleaning Efficiency	m2/h	1000
Voltage	V	220
Brush Motor	W	1600
Suction Motor	W	500
Brush Pressure	Kg	30
Cable lenght	m	15
Weight	Kg	130
Size	mm	1220x620x980

SINGLE DISC SCRUBBERS



D-15P



D-20P



D-25P



DH-2P



Specifications	Unit	D-15P	D-20P	D-25P	DH-2P
Power	Hp	1.5	2.0	2.5	2
Brush size	mm	430	430	430	3x300
Water Tank	Ltr	10	10	10	10
Voltage	V	220	220	220	240
Brush Speed	Rpm	175	175	175	360
Brush Pressure	Kg	40	48	60	90
Weight	Kg	45	50	68	105
Wire Size	m	15	15	15	15
Size	mm	560x465x1230	560x470x1230	560x480x1230	585x680x1245

WALK BEHIND SCRUBBER DRIERS



DYNA-20



DYNA-40



DB-9050P



DB-6070T



Specifications	Unit	DYNA-20	DYNA-40	DB-9050P	DB-6070T
Clean Water Tank	L	15	35	50	65
Waste Water Tank	L	18	40	90	71
Scrubbing Width	mm	430	460	560	530
Squeegee width	mm	350	780	800	800
Cleaning Efficiency	m ² /h	1350	1800	2000	2200
Battery Capacity	Ah/m	32	NA	65	65
Wire Size	m	NA	15m	NA	NA
Voltage	V	24	220	24	24
Brush Motor	W	400	1100	500	550
Suction Motor	W	500	550	310	500
Brush Pressure	Kg	32	30	30	35
Size	mm	877x456x102	970x540x970	1280x800x1000	1110X800X950
Weight	Kg	77	65	137	102
Working Time	H	3-4	NA	3-4	2-3

RIDE ON SCRUBBER DRIERS



DRO-8085



DRO-100P



DRO-100T



DRO-200T



Specifications	Unit	DRO-8085	DRO-100P	DRO-100T	DRO-200T
Clean Water Tank	L	80	95	90	200
Waste Water Tank	L	85	100	100	220
Scrubbing Width	mm	530	360x2	350x2	560x2
Squeegee width	mm	850	900	920	1250
Cleaning Efficiency	m ² /h	3600	4000	4900	10000
Battery Capacity	Ah/m	75	100	100	100
Voltage	V	24	24	24	24
Brush Motor	W	500	350x2	380x2	500x2
Suction Motor	W	500	310	500	650
Drive Motor	W	500	500	500	1200
Size	mm	1265x600x1030	1340x900x1260	1460x1030x1110	1640x1250x1440
Weight	Kg	180	220	190	280
Working Time	H	3-4	3-4	3-4	3-4

SWEEPERS



DS2-55



DSE-55



DRS-90T



DRS-180T



Specifications	Unit	DS2-55	DSE-55	DRS-90T	DRS-180T
Water Tank	L	NA	15	90	160
Dust Tank	L	55	55	100	180
Sweeping Width	mm	980	850	1250	1550
Main Brush Width	mm	480	700	490	790
Side Brush Width	mm	2x350	2x350	2x460	2x500
Cleaning Efficiency	m ² /h	3860	5200	7000	13000
Battery Capacity	Ah	NA	12	65X4	65X4
Working Time	h	NA	3-4	3-4	3-4
Operating Voltage	V	NA	12	48	48
Main Brush Motor	W	NA	120	700	850
Suction Motor(WxNOS)	W	NA	100	100X2	100X2
Drive Motor	W	NA	NA	1000	2200
Side Brush Motor	W	NA	NA	90*2	90*2
Weight	Kg	27.5	90	320	570
Size	mm	1300X920X1035	1300X850X1050	1395X1250X1325	1920X1550X1350

HIGH PRESSURE JET WASHER



DJE-18



DJE-30



DJ-200



DJB-200



Specifications	Unit	DJE-18	DJE-30	DJ-200	DJB-200
Pressure	Bar	120	150	170	130
Flow Rate	L/Min	10	15	17	11
Fuel	-	Electric	Electric	Diesel	Battery
Power	Kw	1.8	3	5.5	1.5
Voltage	V	220	220	NA	48
Speed	Rpm	1440	2880	3400	3000
Weight	Kg	24.5	50	70	65
Water Tank	L	NA	NA	200	200
Working Time	h	-	-	-	4-5
Wire	m	3	5	-	-
Hose length	Mtr	12	15	15	15
Product Size	mm	670x415x375	735x475x480	1200x900x1400	1200x800x700

RIDE ON SWEEPERS



DRS-250T



Specifications	Unit	DRS-250T
Dust Tank	L	250
Water Tank	L	150
Sweeping Width	mm	1900
Cleaning Efficiency	m/h	19000
Number of Brushes	N	5
Main Brush Motor	W	1000
Drive Motor power	W	1500
Vacuum Motor Power	W	1500
Maximum sweeping Speed	Km	10
Maximum Drive Speed	Km	10
Maximum Distance Covered	Km	40
Cabin	Person	1
Battery Capacity	Kwh	5
Charging Time	h	4-5
Working Time	h	4-5
In-Built Jet Pressure Washer	Bar	100
Anti-Smog Spray System	y/n	Yes

Jet Pressure Washer



Anti-Smog Water Spray System



Sweeping System



RIDE ON SWEEPERS



DRS-600



Specifications	Unit	DRS-600
Dust Tank	L	300
Water Tank	L	300
Sweeping Width	mm	2400
Cleaning Efficiency	m/h	23000
Number of Brushes	N	4
Main Brush Motor	W	800
Drive Motor power	W	3000
Maximum sweeping Speed	Km	10
Maximum Drive Speed	Km	25
Maximum Distance Covered	Km	80
Cabin	Person	2
Battery Capacity	Kwh	30
Charging Time	h	6-8
Working Time	h	7-8
In-Built Jet Pressure Washer	Bar	130
Anti-Smog Water Spray System	y/n	Yes

Jet Pressure Washer



Anti-Smog Water Spray System



Sweeping System



RIDE ON SWEEPERS



DRS-600DT



Specifications	Unit	DRS-600DT
Dust Tank	L	600
Water Tank	L	600
Sweeping Width	mm	2400
Cleaning Efficiency	m/h	24000
Number of Brushes	N	4
Drive Motor power	W	3000
Vacuum Motor Power	W	3000
Maximum sweeping Speed	Km	10
Maximum Drive Speed	Km	25
Maximum Distance Covered	Km	80
Cabin	Person	2
Battery Capacity	Kwh	30
Charging Time	h	6-8
Working Time	h	8-10
In-Built Jet Pressure Washer	Bar	130
Anti-Smog Water Spray System	y/n	Yes
Litter Picker	y/n	Yes

Water Cannon



Sweeping System



Jet Pressure Washer



Anti-Smog Water Spray System



Litter Picker



ELECTRIC SWEEPER TRUCK



DTMS-3000EV



Specifications	DTMS-1000EV	DTMS-2000EV	DRS-3000EV No Registration	DTMS-3000EV With Registration
Dust Tank	1000L	2000L	3000L	3000L
Water Tank	900L	900L	900L	900L
Sweeping Width	2400mm	2400mm	3000mm	3000mm
Cleaning Efficiency (maximum)	24000m ² /hours	24000m ² /hours	30000m ² /hours	30000m ² /hours
Number of Brushes	4	4	4	4
Drive Motor Power	8Kw	10Kw	20Kw	60Kw
Vacuum Motor Power	8Kw	10Kw	12Kw	12Kw
Maximum Sweeping Speed	10Km/h	10Km/h	10Km/h	12Km/h
Maximum Drive Speed	25Km/h	25Km/h	25Km/h	80Km/h
Maximum Distance Covered (8 Hours)	80Km	80Km	80Km	80Km
Dumping Height	1 Meter	1 Meter	1 Meter	1 Meter
Dumping Type	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Cabin	2 Persons	2 Persons	2 Persons+AC	2 Persons+AC
Control System	Smart Touch	Smart Touch	Smart Touch	Smart Touch
Battery Capacity	30KWh	36KWh	45KWh	95KWh
Charging Time	6-8 hours	6-8 hours	6-8 hours	6-8 hours
Running Time	8-10 hours	8-10 hours	8-10 hours	8-10 hours
Charging Cost (Approx)	₹ 300 Rupees/day	₹ 450 Rupees/day	₹ 500 Rupees/day	₹ 500 Rupees/day
In-Built Jet Pressure Washer	130 Bar	130 Bar	130 Bar	130 Bar
Anti-Smog Water Spray System	Yes	Yes	Yes	Yes
Litter Picker	Yes	Yes	Yes	Yes

ELECTRIC SWEEPER TRUCK



DRS-6000EV / DTMS-6000EV

Smart Control System



Litter Picker



Anti-Smog Water Spray System



Specifications	Unit	DRS-6000EV *No Registration	DTMS-6000EV *With Registration
Dust Tank	L	6000	7000
Water Tank	L	1500	1500
Sweeping Width	mm	3500	3700
Cleaning Efficiency (maximum)	m2/hour	45000	50000
Number of Brushes	No	4	4
Drive Motor Power	Kw	40	240
Vacuum Motor Power	Kw	24	24
Maximum Sweeping Speed	Km/h	10	10
Maximum Drive Speed	Km/h	35	75
Maximum Distance Covered (8 Hours)	Km	80	80
Dumping Height	Meter	1	1
Dumping Type	Hydraulic	Hydraulic	Hydraulic
Cabin	-	2 Persons+AC	2 Persons+AC
Control System	-	Smart Touch Control	Smart Touch Control
Battery Capacity	Kwh	90	290
Charging Time	hours	6-8	6-8
Running Time	hours	8-10	8-10
Charging Cost (Approx)	₹	₹ 1000 Rupees/day	₹ 1500 Rupees/day
In-Built Jet Pressure Washer	Bar	150	150
Anti-Smog Water Spray System	y/n	Yes	Yes
Litter Picker	y/n	Yes	Yes

ELECTRIC SWEEPER TRUCK



DRS-3000EV



Sweeping System



Jet Pressure Washer



Smart Control System



Anti-Smog Water Spray System



Litter Picker



Specifications	Unit	DRS-3000EV *No Registration
Dust Tank	L	3000
Water Tank	L	900
Sweeping Width	mm	3000
Cleaning Efficiency (maximum)	m2/hours	30000
Number of Brushes	N	4
Drive Motor Power	Kw	20
Vacuum Motor Power	Kw	12
Maximum Sweeping Speed	Km/h	10
Maximum Drive Speed	Km/h	25
Maximum Distance Covered (8 Hours)	Km	80
Dumping Height	Meter	1
Dumping Type	Hydraulic	Hydraulic
Cabin	-	2 Persons+AC
Control System	-	Smart Touch
Battery Capacity	KWh	45
Charging Time	hours	6-8
Running Time	hours	8-10
Charging Cost (Approx)	₹	₹ 500 Rupees/day
In-Built Jet Pressure Washer	Bar	130
Anti-Smog Water Spray System	y/n	Yes
Litter Picker	y/n	Yes

ELECTRIC SWEEPER TRUCK



DTMS-3000EV



Sweeping System



Jet Pressure Washer



Smart Control System



Anti-Smog Water Spray System



Litter Picker



Specifications	Unit	DTMS-3000EV *With Registration
Dust Tank	L	3000
Water Tank	L	900
Sweeping Width	mm	3000
Cleaning Efficiency (maximum)	m ² /hours	30000
Number of Brushes	N	4
Drive Motor Power	Kw	60
Vacuum Motor Power	Kw	12
Maximum Sweeping Speed	Km/h	12
Maximum Drive Speed	Km/h	80
Maximum Distance Covered (8 Hours)	Km	80
Dumping Height	Meter	1
Dumping Type	Hydraulic	Hydraulic
Cabin	-	2 Persons+AC
Control System	-	Smart Touch
Battery Capacity	KWh	95
Charging Time	hours	6-8
Running Time	hours	8-10
Charging Cost (Approx)	₹	₹ 500 Rupees/day
In-Built Jet Pressure Washer	Bar	130
Anti-Smog Water Spray System	y/n	Yes
Litter Picker	y/n	Yes

DIESEL SWEEPER TRUCK



DTMS-6000



Specifications	Unit	DTMS-6000
Chassis	Ton	16
Hopper Capacity	m3	6.5
Auxiliary Engine	Hp	110
Rotary Brush	mm	2x500
Main Brush	mm	1900
Main Brush Dia	mm	381
Sweeping Width	mm	3000
Working Speed	Km/h	2.0-15.5
Water Tank	L	1000
Dust Tank	L	6000
Vacuum Hose	m	5
Hose Dia	mm	150
High Pressure Jet Washer	-	Yes
Auxiliary Engine Fuel	-	Diesel (Turbo)
Recommended Chassis	-	TATA 1212

Sweeping System



Jet Pressure Washer





Our Esteemed Clients

At DYNACLEAN INDUSTRIES PVT. LTD., we are proud to be the trusted partner of some of India's most prestigious organizations. Our commitment to quality, performance, and customer satisfaction has helped us build strong relationships across various sectors.

We serve clients in Airports, Railways, Metro Projects, Municipal Corporations, Smart Cities, Government Organizations, and Private Industries



Indian Railways



दिल्ली मेट्रो रेल कॉर्पोरेशन लिमिटेड
Delhi Metro Rail Corporation Limited



LUCKNOW METRO
RAIL CORPORATION



Mumbai Metro



Indian Air Force



Indian Navy



Indian Army



India Trade Promotion ORG.



MAX
Healthcare




DELHI INDIRA GANDHI
INTERNATIONAL AIRPORT



Our Pan India Network

- Andhra Pradesh
- Telangana
- Karnataka
- Tamil Nadu
- Kerala
- Gujarat
- Maharashtra
- West Bengal
- Odisha
- Jammu Kashmir
- Punjab
- Himachal Pradesh
- Chandigarh
- Uttar Pradesh
- Uttarakhand
- Rajasthan



DYNACLEAN INDUSTRIES PVT LTD.

1st Floor, 13-B, Kattabomman Street, Gandhi Nagar Road
Gandhi Nagar, Ganapathy, Coimbatore, Tamil nadu
Pin- 641006

Tel- 011-45143666, +91 93153 27809

Mail: info@dynacleanindustries.com, sales@dynacleanindustries.com

Website: www.dynacleanindustries.com

Dynaclean Industries Pvt. Ltd.
3rd Floor, PLOT No-9, Block-B, Pocket-3
Sector-17, Dwarka, New Delhi-110078