Firewall Analysis Bot

Log File: 10.176.194.164_0205.txt

Execution Count: 6

CPU Utilization	%
5 sec utilization	10%
1 min utilization	10%
5 min utilization	10%

Memory Utilization	Total	Used	Free
Memory utilization	8.00GB	1.71GB	6.29GB

Device Summary	
Hostname	BAT-WER-SFPLB03-ASA-01
Device info	Cisco Adaptive Security Appliance Software Version 9.2(2)4
Image version	"disk0:/asa922-4-smp-k8.bin"
Uptime	37 days 23 hours
Config Register	0x1
Hardware	ASA5555

Interface_name	Interface_description	Interface_state	Duplex_state
GigabitEthernet0/0	CORPORATE	UP	Auto-Duplex(Full-duplex)
GigabitEthernet0/1		DOWN	Auto-Duplex
GigabitEthernet0/2		UP	Auto-Duplex(Full-duplex)
GigabitEthernet0/2.201	SF201CITRIXOUTSIDE	UP	NA
GigabitEthernet0/2.301	SF301CITRIXINSIDE	UP	NA
GigabitEthernet0/2.399	SF399MGMT	UP	NA
GigabitEthernet0/3		UP	Auto-Duplex(Full-duplex)
GigabitEthernet0/3.12	SF12EX90	UP	NA
GigabitEthernet0/3.21	SF21GLOBALGUEST	UP	NA
GigabitEthernet0/3.22	SF22ICONNECTCLIENTS	UP	NA
GigabitEthernet0/3.500	SF500DHCP-DMZ	UP	NA
GigabitEthernet0/3.510	SF510BMS-DMZ	UP	NA

GigabitEthernet0/3.520	SF520GR&D-ENV	UP	NA
GigabitEthernet0/3.530	SF530GRD-Development	UP	NA
GigabitEthernet0/3.541	SF541FACILITIES	UP	NA
GigabitEthernet0/3.545	SF545VMCDMZ	UP	NA
GigabitEthernet0/3.550	SF550GRD-CINFOSDI	UP	NA
GigabitEthernet0/3.560	SF560RDCMSERVERS	UP	NA
GigabitEthernet0/3.591	SF591EX90	UP	NA
GigabitEthernet0/3.595	SF595GR&DFactory	UP	NA
GigabitEthernet0/3.600	SF600GRDPORTAL3	UP	NA
GigabitEthernet0/3.655	SF655PRIMEWEB	UP	NA
GigabitEthernet0/3.656	SF656PRIMEDB	UP	NA
GigabitEthernet0/3.685	SF685GRDWEB	UP	NA
GigabitEthernet0/3.686	SF686GRDWEBDEV	UP	NA
GigabitEthernet0/3.687	SF687GRDPORTAL	UP	NA
GigabitEthernet0/3.688	SF688GRDLIVELINK	UP	NA
GigabitEthernet0/3.689	SF689GRDPORTAL2	UP	NA
GigabitEthernet0/3.694	SF694GRDCAD	UP	NA
GigabitEthernet0/3.695	SF695LIMS01	UP	NA
GigabitEthernet0/3.696	SF696LIMS02	UP	NA
GigabitEthernet0/3.697	SF697LIMS03	UP	NA
GigabitEthernet0/3.698	SF698GRDMAN	UP	NA
GigabitEthernet0/3.797	SF797GRDLABSWIFI	UP	NA
GigabitEthernet0/3.891	SF891RDVDIUSER	UP	NA
GigabitEthernet0/4		UP	Auto-Duplex(Full-duplex)
GigabitEthernet0/4.460	FOLINK	UP	NA
GigabitEthernet0/4.465	STATELINK	UP	NA
GigabitEthernet0/5		DOWN	Auto-Duplex
GigabitEthernet0/6		DOWN	Auto-Duplex
GigabitEthernet0/7	SF100INTERNET	UP	Auto-Duplex(Full-duplex)
Internal-Control0/0	cplane	UP	(Full-duplex)
Internal-Data0/0	asa_mgmt_plane	UP	(Full-duplex)
Internal-Data0/1		DOWN	NA
Internal-Data0/2	mgmt_plane_int_tap	UP	(Full-duplex)
Management0/0	management	UP	NA

terface_name	Final throughput	
gabitEthernet0/0	Throughput summary input : 7302925347713 bytes/sec 10797296161 packets/sec|Output : 17765781895025 bytes/sec 17174003664 packets/sec	
gabitEthernet0/1	Throughput summary input : 0 bytes/sec 0 packets/sec|Output : 0 bytes/sec 0 packets/sec	
gabitEthernet0/2	Throughput summary input : 7316660041 bytes/sec 37401195 packets/sec|Output : 12654155900 bytes/sec 24034579 packets/sec	
gabitEthernet0/2.201	Throughput summary input : 86020298 bytes/sec 1472200 packets/sec|Output : 42038811 bytes/sec 612989 packets/sec	
gabitEthernet0/2.301	Throughput summary input : 4045934678 bytes/sec 18367229 packets/sec|Output : 8596659007 bytes/sec 14477288 packets/sec	
gabitEthernet0/2.399	Throughput summary input : 199117091 bytes/sec 1761518 packets/sec|Output : 104478937 bytes/sec 928027 packets/sec	
gabitEthernet0/3	Throughput summary input : 58552771245175 bytes/sec 55885996381 packets/sec|Output : 48670993031451 bytes/sec 49493077366 packets/sec	
gabitEthernet0/3.12	Throughput summary input : 13168139032 bytes/sec 29640923 packets/sec|Output : 12582730047 bytes/sec 18073666 packets/sec	
gabitEthernet0/3.21	Throughput summary input : 470522382 bytes/sec 4463872 packets/sec|Output : 1109387457 bytes/sec 1522618 packets/sec	
gabitEthernet0/3.22	Throughput summary input : 14810619147 bytes/sec 81722485 packets/sec|Output : 160331256540 bytes/sec 132025469 packets/sec	
gabitEthernet0/3.500	Throughput summary input : 89855183 bytes/sec 1413340 packets/sec|Output : 583888072 bytes/sec 1869507 packets/sec	
gabitEthernet0/3.510	Throughput summary input : 4914265530 bytes/sec 15987267 packets/sec|Output : 1724258145 bytes/sec 8736008 packets/sec	
gabitEthernet0/3.520	Throughput summary input : 239505264523 bytes/sec 259460410 packets/sec|Output : 238369084005 bytes/sec 223007105 packets/sec	
gabitEthernet0/3.530	Throughput summary input : 67307268 bytes/sec 1220294 packets/sec|Output : 27133882 bytes/sec 408585 packets/sec	
gabitEthernet0/3.541	Throughput summary input : 67846568 bytes/sec 1220829 packets/sec|Output : 27587397 bytes/sec 420370 packets/sec	
gabitEthernet0/3.545	Throughput summary input : 384281740 bytes/sec 5458367 packets/sec|Output : 2504328043 bytes/sec 4127534 packets/sec	
gabitEthernet0/3.550	Throughput summary input : 3026194122405 bytes/sec 3144258274 packets/sec|Output : 2981031959543 bytes/sec 2774600232 packets/sec	
gabitEthernet0/3.560	Throughput summary input : 119721116 bytes/sec 1063691 packets/sec|Output : 28013464 bytes/sec 269106 packets/sec	
gabitEthernet0/3.591	Throughput summary input : 31870227282 bytes/sec 51852237 packets/sec|Output : 30187864774 bytes/sec 39813432 packets/sec	
gabitEthernet0/3.595	Throughput summary input : 67279666 bytes/sec 1219984 packets/sec|Output : 27080038 bytes/sec 407194 packets/sec	
gabitEthernet0/3.600	Throughput summary input : 74222652592 bytes/sec 55533456 packets/sec|Output : 1806257811 bytes/sec 17438557 packets/sec	
gabitEthernet0/3.655	Throughput summary input : 156323394 bytes/sec 2054922 packets/sec|Output : 292439168 bytes/sec 970593 packets/sec	
gabitEthernet0/3.656	Throughput summary input : 144462360287 bytes/sec 110313504 packets/sec|Output : 6746613884 bytes/sec 82282475 packets/sec	
gabitEthernet0/3.685	Throughput summary input : 15947003420272 bytes/sec 16115230337 packets/sec|Output : 19751161202755 bytes/sec 18778144681 packets/sec	
gabitEthernet0/3.686	Throughput summary input : 1276059932897 bytes/sec 961578357 packets/sec|Output : 144209603137 bytes/sec 349330751 packets/sec	
gabitEthernet0/3.687	Throughput summary input : 1418070615581 bytes/sec 1361642122 packets/sec|Output : 762572119748 bytes/sec 881833486 packets/sec	
gabitEthernet0/3.688	Throughput summary input : 579745502155 bytes/sec 670291526 packets/sec|Output : 575048570534 bytes/sec 568572650 packets/sec	
gabitEthernet0/3.689	Throughput summary input : 1563635600317 bytes/sec 1691699775 packets/sec|Output : 1379494001483 bytes/sec 1381396325 packets/sec	
gabitEthernet0/3.694	Throughput summary input : 288478322870 bytes/sec 211062160 packets/sec|Output : 3330456988 bytes/sec 64765241 packets/sec	
gabitEthernet0/3.695	Throughput summary input : 4256698529773 bytes/sec 3413126352 packets/sec|Output : 814349586529 bytes/sec 1830704296 packets/sec	
gabitEthernet0/3.696	Throughput summary input : 3713893165588 bytes/sec 3086900452 packets/sec|Output : 1152287284094 bytes/sec 1824036388 packets/sec	
gabitEthernet0/3.697	Throughput summary input : 2523998031216 bytes/sec 1949218395 packets/sec|Output : 267022410622 bytes/sec 643740702 packets/sec	
gabitEthernet0/3.698	Throughput summary input : 57536842093 bytes/sec 116466448 packets/sec|Output : 55606289430 bytes/sec 46665867 packets/sec	
gabitEthernet0/3.797	Throughput summary input : 183773460303 bytes/sec 411661977 packets/sec|Output : 749174922230 bytes/sec 638184791 packets/sec	

GigabitEthernet0/3.891	Throughput summary input : 171496190120 bytes/sec 224433614 packets/sec|Output : 163723658915 bytes/sec 220716268 packets/sec
GigabitEthernet0/4	Throughput summary input : 80388865908 bytes/sec 81085103 packets/sec|Output : 426600736328 bytes/sec 380046846 packets/sec
GigabitEthernet0/4.460	Throughput summary input : 246967672 bytes/sec 3429470 packets/sec|Output : 318853150 bytes/sec 2558254 packets/sec
GigabitEthernet0/4.465	Throughput summary input : 12540641428 bytes/sec 13339594 packets/sec|Output : 228859478666 bytes/sec 203219534 packets/sec
GigabitEthernet0/5	Throughput summary input : 0 bytes/sec 0 packets/sec|Output : 0 bytes/sec 0 packets/sec
GigabitEthernet0/6	Throughput summary input : 12800896 bytes/sec 200014 packets/sec|Output : 94 bytes/sec 1 packets/sec
GigabitEthernet0/7	Throughput summary input : 4293886953693 bytes/sec 5806170242 packets/sec|Output : 3633279319434 bytes/sec 5075604776 packets/sec
Internal-Control0/0	Throughput summary input : 0 bytes/sec 0 packets/sec|Output : 97675602 bytes/sec 1796653 packets/sec
Internal-Data0/0	Throughput summary input : 308539372 bytes/sec 4386006 packets/sec|Output : 832 bytes/sec 13 packets/sec
Internal-Data0/1	Throughput summary input : 0 bytes/sec 0 packets/sec|Output : 0 bytes/sec 0 packets/sec
Internal-Data0/2	Throughput summary input : 546 bytes/sec 13 packets/sec|Output : 290995616 bytes/sec 4386006 packets/sec
Management0/0	Throughput summary input : 546 bytes/sec 13 packets/sec|Output : 290995616 bytes/sec 4386006 packets/sec

Interface_name	Subnet
GigabitEthernet0/0	The subnet mask of the IP address 10.176.194.164 is 255.255.255.240
GigabitEthernet0/1	NA
GigabitEthernet0/2	NA
GigabitEthernet0/2.201	The subnet mask of the IP address 10.184.193.225 is 255.255.255.240
GigabitEthernet0/2.301	The subnet mask of the IP address 10.184.193.209 is 255.255.255.240
GigabitEthernet0/2.399	The subnet mask of the IP address 10.184.193.193 is 255.255.255.240
GigabitEthernet0/3	NA
GigabitEthernet0/3.12	The subnet mask of the IP address 192.168.11.1 is 255.255.255.0
GigabitEthernet0/3.21	The subnet mask of the IP address 172.30.16.1 is 255.255.248.0
GigabitEthernet0/3.22	The subnet mask of the IP address 172.30.32.1 is 255.255.224.0
GigabitEthernet0/3.500	The subnet mask of the IP address 192.168.12.1 is 255.255.255.0
GigabitEthernet0/3.510	The subnet mask of the IP address 10.184.201.3 is 255.255.255.0
GigabitEthernet0/3.520	The subnet mask of the IP address 10.184.197.129 is 255.255.255.224
GigabitEthernet0/3.530	The subnet mask of the IP address 10.184.197.1 is 255.255.255.128
GigabitEthernet0/3.541	The subnet mask of the IP address 10.178.223.177 is 255.255.255.248
GigabitEthernet0/3.545	The subnet mask of the IP address 10.176.200.193 is 255.255.255.224
GigabitEthernet0/3.550	The subnet mask of the IP address 10.184.192.1 is 255.255.255.0
GigabitEthernet0/3.560	The subnet mask of the IP address 10.184.193.241 is 255.255.255.240
GigabitEthernet0/3.591	The subnet mask of the IP address 10.184.255.193 is 255.255.255.224
GigabitEthernet0/3.595	The subnet mask of the IP address 10.176.194.49 is 255.255.255.240
GigabitEthernet0/3.600	The subnet mask of the IP address 10.184.197.162 is 255.255.255.224

GigabitEthernet0/3.655	The subnet mask of the IP address 10.184.194.193 is 255.255.255.248
GigabitEthernet0/3.656	The subnet mask of the IP address 10.184.194.201 is 255.255.255.248
GigabitEthernet0/3.685	The subnet mask of the IP address 10.176.193.129 is 255.255.255.224
GigabitEthernet0/3.686	The subnet mask of the IP address 10.176.193.161 is 255.255.255.240
GigabitEthernet0/3.687	The subnet mask of the IP address 10.176.193.177 is 255.255.255.248
GigabitEthernet0/3.688	The subnet mask of the IP address 10.176.193.185 is 255.255.255.248
GigabitEthernet0/3.689	The subnet mask of the IP address 10.176.200.225 is 255.255.255.240
GigabitEthernet0/3.694	The subnet mask of the IP address 10.184.194.129 is 255.255.255.224
GigabitEthernet0/3.695	The subnet mask of the IP address 10.176.207.1 is 255.255.255.0
GigabitEthernet0/3.696	The subnet mask of the IP address 10.176.200.1 is 255.255.255.128
GigabitEthernet0/3.697	The subnet mask of the IP address 10.176.194.209 is 255.255.255.248
GigabitEthernet0/3.698	The subnet mask of the IP address 10.184.194.65 is 255.255.255.224
GigabitEthernet0/3.797	The subnet mask of the IP address 10.184.203.1 is 255.255.255.0
GigabitEthernet0/3.891	The subnet mask of the IP address 10.178.157.1 is 255.255.255.0
GigabitEthernet0/4	NA
GigabitEthernet0/4.460	The subnet mask of the IP address 172.16.0.1 is 255.255.255.252
GigabitEthernet0/4.465	The subnet mask of the IP address 172.16.0.5 is 255.255.255.252
GigabitEthernet0/5	NA
GigabitEthernet0/6	NA
GigabitEthernet0/7	The subnet mask of the IP address 62.7.71.226 is 255.255.255.240
Internal-Control0/0	The subnet mask of the IP address 127.0.1.1 is 255.255.0.0
Internal-Data0/0	NA
Internal-Data0/1	NA
Internal-Data0/2	NA
Management0/0	NA

not_monitored
All are monitored

from_state	to_state	Reason
Just Active	Active Drain	Set by the config command
Active Config Applied	Active	Set by the config command
Active Drain	Active Applying Config	Set by the config command
Standby Ready	Just Active	Set by the config command
Active Applying Config	Active Config Applied	Set by the config command

process	run_time
fover_parse	99354

Interface_name	Overruns	Underruns
GigabitEthernet0/0	0 overrun	326 underruns
GigabitEthernet0/3	248350 overrun	2409565 underruns
GigabitEthernet0/7	427 overrun	0 underruns

peak_value	resource_name
NA	NA

Interface_name	IP	
GigabitEthernet0/0	0 overrun	326 underruns
GigabitEthernet0/3	248350 overrun	2409565 underruns
GigabitEthernet0/7	427 overrun	0 underruns