

```
seminar7 - Notepad
Fisier Editare Format Vizualizare Ajutor

VOLTAGE SOURCE CURRENTS
NAME      CURRENT
V1         0.000E+00
V2         0.000E+00

TOTAL POWER DISSIPATION  0.00E+00  WATTS

^
**** 04/08/20 19:57:18 ***** Evaluation PSpice (Nov 1999) *****

**** AC ANALYSIS          TEMPERATURE = 27.000 DEG C

*****

FREQ      IM(R)      IP(R)      IM(L1)      IP(L1)      IM(C)

5.000E+01  1.414E+00  9.001E+01  2.000E+00  4.496E+01  1.416E+00

^
**** 04/08/20 19:57:18 ***** Evaluation PSpice (Nov 1999) *****

**** AC ANALYSIS          TEMPERATURE = 27.000 DEG C

*****

FREQ      IP(C)
```

```
seminar7 - Notepad
Fisier Editare Format Vizualizare Ajutor

**** 04/08/20 19:57:18 ***** Evaluation PSpice (Nov 1999) *****

**** CIRCUIT DESCRIPTION

*****

V1 4 0 AC 20 -135
V2 3 0 AC 60 -45
R 2 3 10
C 0 1 159.23u
L1 4 1 31.84m
L2 1 2 95.54m
.AC LIN 1 50 50
.PRINT AC IM(R) IP(R) IM(L1) IP(L1) IM(C) IP(C)
.END

^
**** 04/08/20 19:57:18 ***** Evaluation PSpice (Nov 1999) *****

**** SMALL SIGNAL BIAS SOLUTION    TEMPERATURE = 27.000 DEG C

*****

NODE  VOLTAGE  NODE  VOLTAGE  NODE  VOLTAGE  NODE  VOLTAGE

( 1)  0.0000  ( 2)  0.0000  ( 3)  0.0000  ( 4)  0.0000
```

```
seminar7 - Notepad
Fisier Editare Format Vizualizare Ajutor

VOLTAGE SOURCE CURRENTS
NAME      CURRENT
V1         0.000E+00
V2         0.000E+00

TOTAL POWER DISSIPATION  0.00E+00 WATTS

^
**** 04/08/20 19:57:18 ***** Evaluation PSpice (Nov 1999) *****

**** AC ANALYSIS          TEMPERATURE = 27.000 DEG C

*****

FREQ      IM(R)      IP(R)      IM(L1)      IP(L1)      IM(C)

5.000E+01  1.414E+00  9.001E+01  2.000E+00  4.496E+01  1.416E+00

^
**** 04/08/20 19:57:18 ***** Evaluation PSpice (Nov 1999) *****

**** AC ANALYSIS          TEMPERATURE = 27.000 DEG C

*****

FREQ      IP(C)

<-----> Windows (CRLF) Ln 1, Col 1 100%
[Taskbar icons: File Explorer, Edge, etc.] 6:59 PM 4/8/2020
```

```
seminar7 - Notepad
Fisier Editare Format Vizualizare Ajutor
FREQ      IP(C)

5.000E+01  1.800E+02

JOB CONCLUDED
TOTAL JOB TIME      .03

^
**** 04/08/20 19:57:18 ***** Evaluation PSpice (Nov 1999) *****

**** CIRCUIT DESCRIPTION

*****

V1 3 0 AC 28.28 -180
V2 4 0 AC 20 45
R 1 4 10
C 2 1 318.47u
L1 3 2 63.69m
L2 0 1 31.84m
.AC LIN 1 50 50
.PRINT AC IM(R) IP(R) IM(L1) IP(L1) IM(L2) IP(L2)
.END

^
**** 04/08/20 19:57:18 ***** Evaluation PSpice (Nov 1999) *****

**** SMALL SIGNAL BIAS SOLUTION  TEMPERATURE = 27.000 DEG C

*****

<-----> Windows (CRLF) Ln 44, Col 1 100%
[Taskbar icons: File Explorer, Edge, etc.] 9:00 PM 4/8/2020
```

seminar7 - Notepad  
Fișier Editare Format Vizualizare Ajutor  
FREQ IP(C)

5.000E+01 1.800E+02

JOB CONCLUDED

TOTAL JOB TIME .03

\*\*\*\* 04/08/20 19:57:18 \*\*\*\*\* Evaluation PSpice (Nov 1999) \*\*\*\*\*

seminar7 - Notepad  
Fișier Editare Format Vizualizare Ajutor

NODE	VOLTAGE	NODE	VOLTAGE	NODE	VOLTAGE	NODE	VOLTAGE
( 1)	0.0000	( 2)	0.0000	( 3)	0.0000	( 4)	0.0000

VOLTAGE SOURCE	CURRENTS
NAME	CURRENT
V1	0.000E+00
V2	0.000E+00

TOTAL POWER DISSIPATION 0.00E+00 WATTS

\*\*\*\* 04/08/20 19:57:18 \*\*\*\*\* Evaluation PSpice (Nov 1999) \*\*\*\*\*

\*\*\*\* AC ANALYSIS TEMPERATURE = 27.000 DEG C

\*\*\*\*\*

FREQ	IM(R)	IP(R)	IM(L1)	IP(L1)	IM(L2)
5.000E+01	2.827E+00	1.800E+02	1.000E+00	1.350E+02	1.000E+00

seminar7 - Notepad  
Fișier Editare Format Vizualizare Ajutor  
FREQ IP(C)

5.000E+01 1.800E+02

JOB CONCLUDED

TOTAL JOB TIME .03

\*\*\*\* 04/08/20 19:57:18 \*\*\*\*\* Evaluation PSpice (Nov 1999) \*\*\*\*\*

seminar7 - Notepad  
Fișier Editare Format Vizualizare Ajutor

FREQ IP(L2)

5.000E+01 -1.350E+02

JOB CONCLUDED

TOTAL JOB TIME 0.00

\*\*\*\* 04/08/20 19:57:18 \*\*\*\*\* Evaluation PSpice (Nov 1999) \*\*\*\*\*

\*\*\*\* CIRCUIT DESCRIPTION

\*\*\*\*\*

V1 5 0 AC 40 -45  
V2 4 0 AC 80 -45  
R1 5 1 20  
R2 2 1 10  
R3 3 4 20  
C 3 1 79.61u  
L 0 2 31.84m  
.AC LIN 1 50 50  
.PRINT AC IM(R1) IP(R1) IM(R2) IP(R2) IM(R3) IP(R3)  
.END

```
seminar7 - Notepad
Fișier Editare Format Vizualizare Ajutor
FREQ      IP(C)

5.000E+01  1.000E+02

JOB CONCLUDED

TOTAL JOB TIME      .03

***** 04/08/20 19:57:18 ***** Evaluation PSpice (Nov 1999) *****
seminar7 - Notepad
Fișier Editare Format Vizualizare Ajutor
NODE      VOLTAGE      NODE      VOLTAGE      NODE      VOLTAGE      NODE      VOLTAGE

( 1) 0.0000 ( 2) 0.0000 ( 3) 0.0000 ( 4) 0.0000
( 5) 0.0000

VOLTAGE SOURCE CURRENTS
NAME      CURRENT
V1         0.000E+00
V2         0.000E+00

TOTAL POWER DISSIPATION 0.00E+00 WATTS

***** 04/08/20 19:57:18 ***** Evaluation PSpice (Nov 1999) *****

***** AC ANALYSIS      TEMPERATURE = 27.000 DEG C

*****

FREQ      IM(R1)      IP(R1)      IM(R2)      IP(R2)      IM(R3)
```