

M/s. GLORY FORGE BUILDERS LLP

Sr. No. 151/18A 151/22, Fl. No. 101, Polaris Building, Nr Noble Hospital,
Hadapsar, Pune - 411028.

Date: 09.12.2024

To,

The Chief Conservator of Forest,
Ministry of Environment, Forests & Climate
Regional Office (WCZ), Ground Floor, East Wing,
New Secretariat Building, Civil Lines,
Nagpur- 440001

Subject: Half yearly Compliance report in reference to the grant of environmental clearance of Environmental Clearance for Proposed SRA Project at old Sr. No. 204(P), CTS no. 2146 (P), Nagar Road, Yerwada, Tal- Haveli, Dist-Pune by M/s. Glory Forge Builders LLP

Reference: EC24B038MH191893 on dated 08/02/2024.

Dear Sir,


This is with reference to the above subject we are submitting the Current Status of our construction work, monitoring reports and Point wise environmental clearance compliance status to various stipulations laid down by the Government of Maharashtra in its clearance letter No. EC24B038MH191893 Date 08/02/2024.

We are submitting report by email for your kind consideration and records.

Thanking you

Yours Sincere


M/s. Glory Forge Builders LLP.



Authorized Signatory

Copy to:

1. Maharashtra Pollution Control Board, Jog Center, 3rd floor, Mumbai Pune Road, Wakdewadi, Pune - 411003.
2. The Member Secretary, Environment Department Room No. 217, 2nd Floor, Mantralaya Anenexe, Mumbai- 400032



PART A

CURRENT STATUS OF WORK

- **Site barricading has done.**
- **Demolition work has been initiated.**

: PART B :

2. Point wise compliance status to various stipulations laid down by the SEIAA in its clearance EC24B038MH191893 Date: 08/02/2024 are as follows:

Sr. No.	EC Conditions	Compliance Status
<u>General Conditions: -</u>		
<u>Construction Phase:-</u>		
i	The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for filing after recovering recyclable material.	Noted.
ii	Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.	Yes, we have used construction waste for land leveling and road development. Balance muck have been disposed it through Authorized vendor. Debris shall be used for backfilling and leveling top soil will be preserve for landscape purpose.
iii	Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.	No hazardous waste shall be generating during exaction and construction.
iv	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.,	Adequate drinking water and sanitary facilities have provided for construction workers. The safe disposal of wastewater and solid wastes generated during the construction phase is being done,
v	Arrangement shall be made that waste water and storm water do not get mixed	Noted
vi	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.	Water demand during construction has been reduced by use of pre-mixed concrete, curing agents and with the help of latest construction technology.
vii	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority	Ground water is not accessible.

viii	Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction / operation of the project.	We have permission of PMC for drinking water. We are not planning to use underground water.
ix	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.	Noted.
x	The Energy Conservation Building code shall be strictly adhered to.	Noted.
xi	All the topsoil excavated during construction activities should be stored for use in horticulture/landscape development within the project site.	We shall preserved topsoil for use in horticulture/landscape development within the project site.
xii	Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved	Noted.
xiii	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.	Yes, We shall have tested, Air and Noise through authorized NABL Lab.
xiv	PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.	Noted.
xv	The diesel generator sets to be used during construction phase should be low Sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.	We shall provide low Sulphur diesel for DG with acoustic enclosure.
xvi	Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage / leakages.	We shall take proper measures to avoid dust and air pollution, the vehicle shall be adequately covered to avoid spillage / leakages.

xvii	Ambient noise levels conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise levels during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.	We have barricaded land with 3mt height. We are using proper PPE for workers and officers. Construction activity shall be carried out at the day time only. We have carried our noise monitoring and reports are attached with this report.
xviii	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low Sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.	Yes we will use low Sulphur diesel type acoustic enclosure DG. DG during construction phase shall be used only as emergency power backup only.
xix	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell / designated person.	Noted, we shall appoint separate Environment Cell supervised by Site Manager, Safety officer and super wiser.
B)	Operation Phase:-	
i	a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to be approved sites for land filling after recovering recyclable material.	We have proposed OWC for operation phase to treat wet waste. Manure shall be used for gardening and landscape purpose. Dry waste shall be hand over to authorize recycler.
ii	E-waste shall be disposed through Authorized vendor as per E waste (Management and Handling) Rules, 2016.	E-waste shall be disposed through Authorized vendor at the time of operation phase.

iii	a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. B) PP to give 100% treatment to sewage /Liquid waste and explore the possibility to recycle at least 50% of water, Local authority should ensure this.	We have proposed STP of 230 KLD with MBBR technology. Treated water shall be used for landscaping and flushing purpose. Local authority has given drainage NOC to connect excess treated water to sewer line of corporation.
iv	Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environment infrastructure is installed and made functional including water requirement.	Noted. No physical occupation or allotment will be given unless all above said environment infrastructure is installed and made functional including water requirement.
v	The occupancy certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.	-
vi	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized	We have used sin ages to avoid congestion at gate. Separate Entry and Exit gate is being used.
vii	PP to provide adequate electric charging points for electric vehicles. (EVs).	We shall comply with.
viii	Green Belt development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.	We shall use only local species for beautification of garden and periphery of plot.
ix	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	Environment management cell shall be appointed and will work under supervision of Site in charge.

x	Separate funds shall be allocated for implementation of environmental protection measures /EMP along with item-wise break-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.	Noted
xi	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in	Advertisement has given in Kesri & Time of India newspaper.
xii	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representation, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	Noted, At the time of sanction we use to submit EC letter.
xiii	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective zonal office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO ₂ NO _x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	We are submitting 6 monthly monitoring letter regularly and up lode on website.
C)	General EC Conditions:-	
i	PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.	Noted
ii	If applicable consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.	Yes we have obtained consent to Establish. Format1.0/CC/UAN No.0000177540/CE/2405002617 Dated 29 May 2024

iii	Under the provisions of Environment (Protection) Act, 1986 legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environment clearance.	Noted.
iv	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e mail) to respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB..	We are submitting 6 monthly monitoring report regularly as per EC condition.
v	The environmental statement for each financial year ending 31 st March in Form V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986,as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	We are submitting Form V regularly as per EC condition.
vi	No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA, In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Noted.
vii	This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild as if applicable & this environment clearance does not necessarily implies that Forestry and Wild life clearance granted to the project which will be considered separately on merit.	Noted.

4	The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.	Noted, The copy of EC EC24B039MH121668 Dated 08/ 02/ 2024 letter is attached as Annexure-1 .
5	This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permission /NOCs shall be obtained before starting proposed work at site.	Noted.
6	In case of submission of false document and non-compliance of stipulated conditions. Authority Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.	Noted.
7	Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification 2006, amended from time to time.	Noted.
8	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments	Noted
9	Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune) New Administrative Building, 1 st Floor, D wing Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under section 16 of the National Green Tribunal Act 2010.)	Noted.



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), MAHARASHTRA)

To,

The -1

GLORYFORGE BUILDERS LLP

Flat no. 101, Florais Building, Near Noble Hospital, Hadapsar, Pune,
411028 -411028

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity
under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC)
in respect of project submitted to the SEIAA vide proposal number
SIA/MH/INFRA2/435463/2023 dated 03 Jul 2023. The particulars of the
environmental clearance granted to the project are as below.

- | | |
|---|---|
| 1. EC Identification No. | EC24B038MH191893 |
| 2. File No. | SIA/MH/INFRA2/435463/2023 |
| 3. Project Type | New |
| 4. Category | B |
| 5. Project/Activity including
Schedule No. | 8(a) Building and Construction projects |
| 6. Name of Project | Environmental Clearance for Proposed
SRA Project |
| 7. Name of Company/Organization | GLORYFORGE BUILDERS LLP |
| 8. Location of Project | MAHARASHTRA |
| 9. TOR Date | N/A |

The project details along with terms and conditions are appended herewith from page
no 2 onwards.

Date: 08/02/2024

(e-signed)
Pravin C. Darade , I.A.S.
Member Secretary
SEIAA - (MAHARASHTRA)

*Note: A valid environmental clearance shall be one that has EC identification
number & E-Sign generated from PARIVESH. Please quote identification
number in all future correspondence.*

This is a computer generated cover page.



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/435463/2023
Environment & Climate
Change Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.

To
M/s. Glory Forge Builders LLP,
Sr. No. 204(P), CTS no. 2146 (P),
Nagar Road, Yerwada, Tal- Haveli,
Dist-Pune.

Subject : Environmental Clearance for Proposed SRA Project at old Sr. No. 204(P), CTS no. 2146 (P), Nagar Road, Yerwada, Tal- Haveli, Dist-Pune by M/s. Glory Forge Builders LLP.

Reference : Application no. SIA/MH/INFRA2/435463/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 185th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 273rd (Day-3) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 5th January, 2024.

2. Brief Information of the project submitted by you is as below:-

1. Proposal Number	SIA/MH/INFRA2/435463/2023	
2. Name of Project	Environmental Clearance for Proposed SRA Project at old Sr. No. 204(P), CTS no. 2146 (P), Nagar Road, Yerwada, Tal- Haveli, Dist-Pune by M/s. Glory Forge Builders LLP.	
3. Project category	8(a), B2 Building & construction project	
4. Type of Institution	Private	
5. Project Proponent	Name	Mr. Ankit Chhajed
	Regd. Office address	Sr. no. 151/18A, 151/22, Floor no. 101, Polaris Building, Near Noble Hospital, Hadapsar, Pune 411028
	Contact number	9764212917
	e-mail	ecgloryforge@gmail.com
6. Consultant	Sneha HI-Tech Products	
7. Applied for	New project	
8. Details of previous EC	NA	
9. Location of the project	Old Sr. No. 204(P), CTS no. 2146 (P), Nagar Road, Yerwada, Tal- Haveli, Dist-Pune	
10. Latitude and Longitude	Latitude: 18°33'20.74"N, Longitude: 73°54'21.94"E	
11. Total Plot Area (m ²)	5,511.71 Sq.m	
12. Deductions (m ²)	1,192.16 Sq.m	
13. Net Plot area (m ²)	4,319.55 Sq.m	
14. Proposed FSI area (m ²)	24,254.92 Sq.m	
15. Proposed non-FSI area (m ²)	17,252.95 Sq.m	
16. Proposed TBUA (m ²)	41,507.87 Sq.m	

17.	TBUA (m ²) approved by Planning Authority till date			IOD in process.			
18.	Ground coverage (m ²) & %			2,104.02 sqm (48.71% of total plot area)			
19.	Total Project Cost (Cr)			Rs. 136 Cr			
20.	CER as per MoEF& CC circular dated 01/05/2018			-			
21.	Details of Building Configuration:				Reason for Modification / Change This is a new project		
	Previous EC / Existing Building			Proposed Configuration			
	Building Name	Configuration	Height (m)	Building Name		Configuration	Height (m)
	This is a new project			Wing A		B2+B1+LG+UG+Mezzanine+Service slab+21 Floors	69.90
				Wing B		LG+UG+PI+15 Floors	48.45
22.	Total number of tenements			Residential: 325 flats , Commercial: Shops 62 nos.			
23.	Total number of Population			Residential: 1,625 nos. , Commercial: 407 nos. Total Population: 2,032 nos.			
24.	Water Budget	Dry Season (CMD)			Wet Season (CMD)		
		Fresh Water	156	Fresh Water	156		
		Recycled (Gardening)	6	Recycled (Gardening)	00		
		Flushing	81	Flushing	81		
		Swimming pool	01	Swimming pool	00		
		Total	244	Total	237		
		Wastewater generation	213	Wastewater generation	213		
25.	Water Storage Capacity for Firefighting / UGT			Firefighting - Underground water tank: 200 m ³ , OHT - 40 m ³			
26.	Source of water			Pune Municipal Corporation			
27.	Rainwater Harvesting (RWH)	Level of the Ground water table:		Summer Season – 8 to 9 meter BGL Winter Season – 3 to 4 meter BGL			
		Size and no of RWH tank(s)		NA			
		Quantity and size of recharge pits:		No. of recharge pits: Total 3 Nos. (2 for Surface runoff and 1 Roof top runoff)			
		Details of UGT tanks if any:		NA			
28.	Sewage and Wastewater	Sewage generation in CMD:		213			
		STP technology:		MBBR			
		Capacity of STP (CMD):		230			
29.	Solid Waste Management during Construction Phase	Type	Quantity (kg/d)	Treatment / disposal			
		Dry waste:	8 kg/day	The maximum construction waste will be used within the site for leveling purposes and base course preparation of internal approach roads.			
		Wet waste:	12 kg/day				
		Total waste	20 kg/day				
30.	Solid Waste Management during Operation Phase	Type	Quantity (kg/d)	Treatment / disposal			
		Dry waste:	386 kg/d	Handed over to authorize recycler for further handling & disposal purpose.			
		Wet waste:	528 kg/d	Wet waste will be treated in onsite organic waste converter machine.			
		Hazardous waste:	NA	NA			
		Biomedical waste	NA	NA			
		E-Waste	6 kg/day	Handed over to authorize recyclers for			

				further handling & disposal purpose.	
		STP Sludge (dry)	32.4 kg/day	Will be used as manure	
31.	Green Belt Development	Total RQ area (m ²):	431.96		
		Existing trees on plot:	17		
		Number of trees to be planted:	54		
		Number of trees to be cut:	3		
		Number of trees to be transplanted:	00		
32.	Power requirement:	Source of power supply:	MSEDCL		
		During Construction Phase (Demand Load):	100 KVA		
		During Operation phase (Connected load):	2,190 KVA		
		During Operation phase (Demand load):	1,260 KVA		
		Transformer:	2 x 630 KVA		
		DG set:	1 x 380 KVA, 1 x 62.5 KVA		
		Fuel used:	HSD		
33.	Details of Energy saving		Energy saving due to solar 5 % of demand load		
34.	Environmental Management plan budget during Construction phase	Type	Details	Cost	
		Air Environment	Erosion control – dust suppression measures, barricading and top soil preservation	4.25	
		Land	Labour Camp toilets & sanitation	4.80	
		Health and Safety	Labour Safety Equipment's and training	4.00	
		Health facility	Disinfection and Health Check-ups	0.72	
		Environment Management	Environment management cell	1.70	
		Environment Management	Environmental Monitoring	1.85	
35.	Environmental Management plan Budget during Operation phase	Component	Details	Capital (Rs.)	O&M (Rs./Y)
		Sewage Treatment Plant	Sewage Treatment Plant	22,00,000	2,50,557
		Solid Waste Management	Solid Waste Management	16,70,000	2,30,000
		Bio-medical Waste Management	Bio-medical Waste Management	-	1,00,000
		Landscaping	Landscaping	14,30,000	4,56,816
		Rainwater Harvesting	Rainwater Harvesting	3,00,000	Rs 45,000
		Environmental Monitoring	Environmental Monitoring	-	3,00,000
		Solar Hot water & Solar PV system	Solar Hot water & Solar PV system	54,35,400	2,71,770
		Lightening Arrester Cost	Lightening Arrester Cost	2,80,000	-
		Environment Management Cell	To monitor sustainability of Environmental Infrastructure	-	9,60,000
		Disaster Management	Emergency preparedness plan to develop and implement on site	84,30,000	15,00,000
		Biomedical Waste Management	Handling segregation and management of waste like mask, shields, PPE kits etc.	-	1,00,000

		e-waste	Charges of authorized vendors	-	30,000	
36.	Traffic Management	Type	Required as per DCR	Actual Provided	Total parking Area(m ²)	
		4-Wheeler	146	197	12.5	
		2-Wheeler	630	640	2	
37.	Details of Court cases / litigations w.r.t. the project and project location if any.					NA

The proposal has been considered by SEIAA in its 273rd (Day-3) meeting held on 5th January, 2024 and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

1. PP to submit copy of IoD.
2. PP to submit details of mitigation measures wherever fire tender is unable to reach, especially for rehab building.
3. Debris disposal details be submitted.
4. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
5. PP to ensure that, the water proposed to be used for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

B. SEIAA Conditions-

1. PP has provided mandatory RG area of 431.95 m² on mother earth without any construction. Local planning authority to ensure the compliance of the same.
2. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
3. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
4. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
5. SEIAA after deliberation decided to grant EC for-FSI- 24,254.92 m², Non FSI- 17,252.95 m², total BUA- 41,507.87 m². (Plan approval No- SRA/47/2024 Dated 04/01/2024)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and

- health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
 - IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
 - V. Arrangement shall be made that waste water and storm water do not get mixed.
 - VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
 - VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
 - VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
 - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
 - X. The Energy Conservation Building code shall be strictly adhered to.
 - XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
 - XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
 - XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
 - XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
 - XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
 - XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
 - XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
 - XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets

may be decided with in consultation with Maharashtra Pollution Control Board.

- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter

are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in

- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

3. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the

Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.


4. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

6. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.

7. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

8. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.




Pravin Darade
(Member Secretary, SEIAA)


Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Pune.
6. Commissioner, Pune Municipal Corporation
7. Regional Officer, Maharashtra Pollution Control Board, Pune.

Validity unknown


Digitally signed by: Shri Pravin C. Darade, I.A.S.
Designation: Member Secretary
Date and Time: 28/02/2024 3:08:21 PM







Business complex in a complex situation



CONTINUED FROM PAGE 1

"There are no details of the committee over the last three years, nor has it held monthly meetings. Consider have been appointed without following due process while petty cash details have not been shared since January 2022. The property tax details have not been shared by the committee as well as the seventh-floor illegal construction was carried out without permission."

Speaking to Mirror, Patel said that she approached PMC. "The private company's

offices are illegal, especially the seventh-floor construction is carried out without permission. In such an area, an executive lounge has been built where liquor is served. As such, it is a common area and such an area does not belong to the company," she added.

PMC official Elanath Gadekar confirmed that such a complaint has come to them. "Our team of engineers and experts will be visiting the area soon and investigate the matter. After that, a report will be submitted."

However, when Mirror contacted Prashant Waghmare, city engineer building department, PMC, he denied receiving such a complaint. He said, "I will need to check."

Another PMC official, on confirmation of announcement of announcement, told Mirror: "Based on the reports, if needed, they will be issued a notice by our authority to stop their view."

PUBLIC NOTICE

This is to inform that the housing project to be constructed on S. no. 48/1 to 48/15 out of plot no. 7 at village Dhargu, Tal. Miraj, Dist. Pune State Maharashtra has been awarded Environmental Clearance bearing number G.O. No. 1024/2023/Env/1000 dated 08/01/2024 and copy of clearance letter is available with the Maharashtra and it may also be seen on the website of the environment department of Maharashtra at <http://maharashtra.gov.in>

PUBLIC NOTICE

This is to inform that the housing project to be constructed on S. no. 284/1 to 284/15, Tal. Miraj, Dist. Pune State Maharashtra has been awarded Environmental Clearance bearing number G.O. No. 1024/2023/Env/1000 dated 08/01/2024 and copy of clearance letter is available with the Maharashtra and it may also be seen on the website of the environment department of Maharashtra at <http://maharashtra.gov.in>

GOVT. OF MAHARASHTRA

Public Works Division, Pandharpur - 433 334
Phone No. 021865226815
Web: www.mahapwd.gov.in & email ID: pandharpur@mahapwd.gov.in
Phone No. 021865226815


E-TENDER NOTICE NO. 55 YEAR 2023-2024


Scaled online e-tenders for the following works are invited by the Executive Engineer, Public Works Division, Pandharpur-433104 (Telephone No. 021865226815) from the eligible contractors. Details of Works are below.

Sr. No.	Name of work	Tender Type	Estimated Cost Rs.	Approximate Money Rs.	Time limit to Complete	Cost of e-tender (Rs. fee Rs.)	Class of Contractor
1.	Construction of new Bath House at Government Road House Complex at Pandharpur Tal-Pandharpur Dist. Solapur	B-1	16,50,75,318/-	7,29,500/- (pay online only)	30 Month (including Materials)	3,340/- (Non Refunded pay online only)	Registration Certificate with P.W.D. Not Required
2.	Construction of Major Submersible Bridge across Bhamburda river on Margawada Khosla Bhamburda Tal-Pandharpur Dist. Solapur	C	1,71,13,940/-	1,86,000/- (pay online only)	12 Month (including Materials)	2,310/- (Non Refunded pay online only)	Registration Certificate with P.W.D. Not Required
3.	Construction of Training camp, Rest House, latrine, well compound, Internal Road, (Settling Storage Tank, Gypsum & Development of plot at Chichani, Tal-Pandharpur Dist. Solapur	B-1	1,11,67,762/-	1,56,500/- (pay online only)	30 Month (including Materials)	2,310/- (Non Refunded pay online only)	Registration Certificate with P.W.D. Not Required

e-Tender time table

1.	Download Period of online Tender.	On: 15/01/2024 at 11:00 am to On: 27/01/2024 at 17:30 pm.
2.	Submit Bid Last date and time	On: 15/01/2024 at 11:00 am to On: 27/01/2024 at 17:30 pm.
3.	Online Filing of Technical Part Last date and time. (First-Fold Meeting)	In the Office of the Chief Engineer, P.W. Division, Pandharpur, On: 28/01/2024 @ 11:30 hrs (virtually)
4.	Place, Date and timing of opening technical bid and Financial bid	On: 28/01/2024 at 11:00 hrs. In the office of Superintending Engineer, Public Works Division, Solapur (at Pandharpur)





MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

Infrastructure/RED/M.S.I

No:- Format1.0/CC/UAN No.0000177540/CE/2405002617

Date: 29/05/2024

To,
M/s. Glory Forge Builders LLP,
Old Sr. No. 204(P), CTS no. 2146 (P),
Nagar Road, Yerwada, Tal Haveli, Dist
Pune



Sub: Consent to Establish for SRA building construction project under Red category

Ref: 3rd Consent Committee Meeting of 2024-25 held on 14.05.2024

Your application NO. MPCB-CONSENT-0000177540

For: grant of Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I,II,III & IV annexed to this order:

1. The Consent to Establish is granted for period upto commissioning of the project or five years whichever is earlier
2. The capital investment of the project is Rs.136 Cr. (As per C.A Certificate submitted by industry).
3. The Consent to Establish is valid for building construction project named as M/s. Glory Forge Builders LLP, Old Sr. No. 204(P), CTS no. 2146 (P), Nagar Road, Yerwada, Tal Haveli, Dist Pune on Total Plot Area of 5511.71 SqMtrs for total construction BUA of 41,507.87 SqMtrs including utilities and services
4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to	Disposal
1.	Trade effluent	Nil	NA	NA
2.	Domestic effluent	216	As per Schedule - I	The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be connected to the sewerage system provided by local body

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
S-1	DG Set -380 kVA	01	As per Schedule -II
S-2	DG Set -62.5 kVA	01	As per Schedule -II

6. **Conditions under Solid Waste Rules, 2016:**

Sr No	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Dry Waste	389 Kg/Day	Segregation	To Authorized Agency/Local Body
2	Wet Waste	534 Kg/Day	OWC with composting or biodigester with	As Manure
3	Dry Sludge	32.4 Kg/Day	Dewatering	As Manure

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

Sr No	Category No.	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	100	Ltr/A	Reprocessing	To Authorized Reprocessor

8. **Conditions under E-Waste Management:**

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	E Waste	6.00	Kg/Day	To Authorized Dismantler

- The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- Project Proponent shall provide Organic waste digester with composting facility or biodigester with composting facility.
- Project Proponent shall comply the Construction and Demolition Waste Management Rules, 2016 which is notified by Ministry of Environment, Forest and Climate Change dtd.29/03/2016.
- The project proponent shall make provision of charging of electric vehicles in atleast 30 % of total available parking area.
- The project proponent shall take adequate measures to control dust emission and noise level during construction phase.
- PP shall obtain Environmental Clearance from competent authority for the proposed activity. PP shall not take effective steps towards construction without obtaining Environmental Clearance.
- PP shall submit an affidavit in Boards prescribed format within 15 days regarding compliance of C to E.



Disnaz

1e415a8d
7b22c391
4d1c7f60
d5845cb9
9f956f31
76fbfa0e
1ee2f7a4
c7d7064e

Signed by: Dr. Avinash Dhakne
Member Secretary
For and on behalf of
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2024-05-29 14:06:14 IST



Received Consent fee of -

<i>Sr.No</i>	<i>Amount(Rs.)</i>	<i>Transaction/DR.No.</i>	<i>Date</i>	<i>Transaction Type</i>
1	272000.00	MPCB-DR-21324	18/01/2024	NEFT

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pune I
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai



SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A) As per your application, you have proposed to provide MBBR based Sewage Treatment Plants (STPs) of combined capacity **230 CMD for treatment of domestic effluent of 216 CMD.**
- B) The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
1	pH	5.5-9.0
2	BOD	10
3	COD	50
4	TSS	20
5	NH4 N	5
6	N-total	10
7	Fecal Coliform	less than 100

- C) The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) **The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, and other provisions as contained in the said act.**

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	240.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Grandening/Other consumption	NA

- 5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

- 1) As per your application, you have proposed to provide the Air pollution control (APC) system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S-1	DG Set -380 kVA	Acoustic Enclosure	4.00	HSD 76 Ltr/Hr	1	SO ₂	36.48 Kg/Day
S-2	DG Set-62.5 kVA	Acoustic Enclosure	3.00	HSD 20 Ltr/Hr	1	SO ₂	9.6 Kg/Day

- 2) The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Total Particular matter	Not to exceed	150 mg/Nm ³
-------------------------	---------------	------------------------

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.
- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 5) **Conditions for utilities like Kitchen, Eating Places, Canteens:-**
- The kitchen shall be provided with exhaust system chimney with oil catcher connected to chimney through ducting.
 - The toilet shall be provided with exhaust system connected to chimney through ducting.
 - The air conditioner shall be vibration proof and the noise shall not exceed 68 dB(A).
 - The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs. higher than the nearest tallest building through ducting and shall discharge into open air in such a way that no nuisance is caused to neighbors.

SCHEDULE-III
Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Consent To Establish	Rs 10 Lakhs	15 Days	Compliance of Consent Conditions	upto Commissioning of the project	upto Commissioning of the project

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
Existing BG obtained for above purpose if any may be extended for period of validity as above.

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG Imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG Imposed	Purpose of BG	Amount of BG Returned
NA				



SCHEDULE-IV

Conditions during construction phase

A	During construction phase, applicant shall provide temporary sewage and MSW treatment and disposal facility for the staff and worker quarters.
B	During construction phase, the ambient air and noise quality shall be maintained and should be closely monitored through MoEF approved laboratory.
C	Noise should be controlled to ensure that it does not exceed the prescribed standards. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.

General Conditions:

1. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that e-waste generated by them is channelised through collection centre or dealer of authorised producer or dismantler or recycler or through the designated take back service provider of the producer to authorised dismantler or recycler
2. Bulk consumers of electrical and electronic equipment listed in Schedule I shall maintain records of e-waste generated by them in Form-2 and make such records available for scrutiny by the concerned State Pollution Control Board
3. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that such end-of-life electrical and electronic equipment are not admixed with e-waste containing radioactive material as covered under the provisions of the Atomic Energy Act, 1962 (33 of 1962) and rules made there under;
4. Bulk consumers of electrical and electronic equipment listed in Schedule I shall file annual returns in Form-3, to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates. In case of the bulk consumer with multiple offices in a State, one annual return combining information from all the offices shall be filed to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates.
5. The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
6. The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011.
7. Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
8. Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
9. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.

- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
- 10 Solid Waste - The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
 - 11 Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
 - 12 Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
 - 13 The treated sewage shall be disinfected using suitable disinfection method.
 - 14 The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
 - 15 The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before commissioning of the project.

This certificate is digitally & electronically signed.

