

MAJESTIQUE DUROPOLIS PRIVATE LIMITED

Majestique Cityview, 9th floor, opp. Apsara Talkies, Near 7 Loves Chowk, Gultekadi, Pune 411037

Tel: 020 26442750 /60/ 70/ 80

Date: 10/11/2025

To,

The Chief Conservator of Forest,

Ministry of Environment, Forests & Climate Change

Regional Office (WCZ), Ground Floor,

East Wing, New Secretariat Building,

Civil Lines, Nagpur, Maharashtra-440001

Subject: Half yearly Compliance report (**April 2025 to Sept2025**) for Proposed Redevelopment in Residential project "KRUTARTH" at plot no. 65, Sr. No. 692/2A2+692/2A3+693/2 & CTS No 2173, 2174, 2176, 2177, 2178, 2186 at village Munjeri (Bibwewadi), Pune Satara Road by Majestique Duropolis Private Limited

Reference: EC No.- SIA/MH/INFRA2/465272/2024, Dated: 03/12/2024

Dear Sir,


With reference to the above subject, we are submitting the current status of our construction work, monitoring reports, data sheet and point wise environmental clearance compliance status to various stipulated laid down by the Government of Maharashtra in its clearance letter No. along with the necessary enclosure and annexure.

We are submitting the six-monthly compliance reports with required annexures by mail for your kind consideration and record.

Kindly acknowledge the same.

Thanking you,

For, M/s. Majestique Duropolis Private Limited



Authorized Signatory

Copy to:

1. The Member Secretary, Maharashtra Pollution Control Board, Jog Center, 3rd floor, Mumbai Pune Road, Wakdewadi, Pune - 411003.
2. The Member Secretary, Maharashtra Pollution Control Board, Kalpataru Point, 3rd and 4th floor, Road No. 8, Sion Cir, opp. PVR Theater, Mumbai, Maharashtra 400022

Post Environmental Clearance Compliance Report

April 2025 to Sept 2025

For

M/s. Majestique Duropolis Private Limited

At

**"KRUTARTH" at plot no. 65, Sr. No. 692/2A2+692/2A3+693/2 &
CTS No 2173, 2174, 2176, 2177, 2178, 2186 at village Munjeri
(Bibwewadi), Pune Satara Road**

**(Environmental Clearance Letter No. SIA/MH/INFRA2/465272/2024)
Dated 03/12/2024)**

PART A

CURRENT STATUS OF WORK

- Excavation work in progress

PART B

2. Point wise compliance status to various stipulations laid down by the SEIAA in its clearance SIA/MH/INFRA2/465272/2024 Date: 03.12.2024 are as follows:

Sr. No.	EC Conditions	Compliance Status
<u>General Conditions: -</u>		
<u>Construction Phase: -</u>		
i	The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for filing after recovering recyclable material.	Noted.
ii	Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.	Yes, we will used construction waste for land leveling and road development. Balance muck has been disposed it through Authorized vendor. Debris shall be used for backfilling and leveling top soil will be preserve for landscape purpose.
iii	Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.	No hazardous waste shall be generated during exaction and construction.
iv	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.	Adequate drinking water and sanitary facilities have provided for construction workers. The safe disposal of wastewater and solid wastes generated during the construction phase is being done,
v	Arrangement shall be made that waste water and storm water do not get mixed	Noted
vi	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.	Water demand during construction has been reduced by use of pre-mixed concrete, curing agents and with the help of latest construction technology.
vii	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority	Ground water is not accessible.
viii	Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction / operation of the project.	We have permission of PMC for drinking water. We are not planning to use underground water.

ix	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor-based control.	Noted.
x	The Energy Conservation Building code shall be strictly adhered to.	Noted.
xi	All the topsoil excavated during construction activities should be stored for use in horticulture/landscape development within the project site	We will preserve topsoil for use in horticulture/landscape development within the project site.
xii	Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved	Noted.
xiii	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.	Yes, we shall have tested, Air and Noise through authorized NABL Lab.
xiv	PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.	Noted.
xv	The diesel generator sets to be used during construction phase should be low Sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards.	We shall provide low Sulphur diesel for DG with acoustic enclosure.
xvi	Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage / leakages.	We shall take proper measures to avoid dust and air pollution; the vehicle shall be adequately covered to avoid spillage / leakages.
xvii	Ambient noise levels conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise levels during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.	We have barricaded land with 3mt height. We are using proper PPE for workers and officers. Construction activity shall be carried out at the day time only. We have carried our noise monitoring and reports are attached with this report.

xviii	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low Sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.	Yes, we will use low Sulphur diesel type acoustic enclosure DG. DG during construction phase shall be used only as emergency power backup only.
xix	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell / designated person.	Noted, we have appointed separate Environment Cell supervised by Site Manager, Safety officer and super wiser.
B)	Operation Phase: -	
i	a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to be approved sites for land filling after recovering recyclable material.	We have proposed OWC for operation phase to treat wet waste. Manure shall be used for gardening and landscape purpose. Dry waste shall be hand over to authorize recycler.
ii	E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.	E-waste shall be disposed through Authorized vendor at the time of operation phase.
iii	a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. B) PP to give 100% treatment to sewage /Liquid waste and explore the possibility to recycle at least 50% of water, Local authority should ensure this.	We have proposed STP of 100 KLD with MBBR technology. Treated water shall be used for landscaping and flushing purpose. Local authority has given drainage NOC to connect excess treated water to sewer line of corporation.

iv	Project proponent shall ensure completion of STP. MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environment infrastructure is installed and made functional including water requirement.	Noted. No physical occupation or allotment will be given unless all above said environment infrastructure is installed and made functional including water requirement.
v	The occupancy certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.	-
vi	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized	We have used signages to avoid congestion at gate. Separate Entry and Exit gate are being used.
vii	PP to provide adequate electric charging points for electric vehicles. (EVs).	We will provide adequate electric charging points for electric vehicles. (EVs).
viii	Green Belt development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.	We shall use only local species for beautification of garden and periphery of plot.
ix	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	Environment management cell has been appointed and will work under supervision of Site in charge.
x	Separate funds shall be allocated for implementation of environmental protection measures /EMP along with item-wise break-up. This cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.	Noted

xi	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in	Advertisement has given in Kesri & Time of India newspaper.
xii	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representation, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	Noted, At the time of sanction we use to submit EC letter.
xiii	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective zonal office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO ₂ NO _x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	We are submitting 6 monthly monitoring letters regularly and up lode on website.
C)	General EC Conditions: -	
i	PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.	Noted
ii	If applicable consent for Establishment” shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.	Yes, we have obtained consent to Establish Format1.0/CC/UAN No.0000242726/CE/2509002205 Date: 20/09/2025
iii	Under the provisions of Environment (Protection) Act, 1986 legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environment clearance.	Noted.

iv	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e mail) to respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.	We are submitting 6 monthly monitoring report regularly as per EC condition.
v	The environmental statement for each financial year ending 31 st March in Form V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules. 1986,as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	We will submit Form V regularly as per EC condition.
vi	No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA, In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Noted.
vii	This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild as if applicable & this environment clearance does not necessarily implies that Forestry and Wild life clearance granted to the project which will be considered separately on merit.	Noted.
4	The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.	Noted, The copy of EC SIA/MH/INFRA2/465272/2024 Dated 03/12/2024 letter is attached.

5	This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permission /NOCs shall be obtained before starting proposed work at site.	Noted.
6	In case of submission of false document and non-compliance of stipulated conditions. Authority Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.	Noted.
7	Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification 2006, amended from time to time.	Noted.
8	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.	Noted
9	Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune) New Administrative Building, 1 st Floor, D wing Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under section 16 of the National Green Tribunal Act 2010.)	Noted.

**ANNEXURE I
Site photographs**

**ANNEXURE II
Environment Clearance Letter**

**ANNEXURE III
Application of Consent to Establish**

**ANNEXURE IV
Newspaper Advertisement**

**ANNEXURE I
Environment Monitoring Reports**



सत्यमेव जयते

File No: SIA/MH/INFRA2/465272/2024

Government of India

Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), MAHARASHTRA)



Dated 03/12/2024



To,

kailash Ghansham mundada
MAJESTIQUE DUROPOLIS PRIVATE LIMITED
9th floor, S. No. 510/511, Majestique Cityview, Near Seven Loves Chowk, Gultekdi, Pune,
Maharashtra 411037, PUNE, MAHARASHTRA, 411037
majestiqueduropolis@gmail.com

Subject: Grant of EC under the provision of the EIA Notification 2006-regarding.

Sir/Madam,

This is in reference to your application for Grant of EC under the provision of the EIA Notification 2006-regarding in respect of project Proposed Redevelopment of Residential Project submitted to Ministry vide proposal number SIA/MH/INFRA2/465272/2024 dated 19/04/2024.

2. The particulars of the proposal are as below :

(i) EC Identification No.	EC24C3801MH5922453N
(ii) File No.	SIA/MH/INFRA2/465272/2024
(iii) Clearance Type	EC
(iv) Category	B2
(v) Project/Activity Included Schedule No.	8(a) Building / Construction
(vii) Name of Project	Proposed Redevelopment of Residential Project
(viii) Name of Company/Organization	MAJESTIQUE DUROPOLIS PRIVATE LIMITED
(ix) Location of Project (District, State)	PUNE, MAHARASHTRA
(x) Issuing Authority	SEIAA
(xii) Applicability of General Conditions	no
(xiii) Applicability of Specific Conditions	no

3. In view of the particulars given in the Para 1 above, the project proposal interalia including Form-1(Part A and B) were submitted to the Ministry for an appraisal by the State Environment Impact Assessment Authority(SEIAA) Appraisal Committee (SEIAA) in the Ministry under the provision of EIA notification 2006 and its subsequent amendments.

4. The above-mentioned proposal has been considered by State Environment Impact Assessment Authority (SEIAA) Appraisal Committee of SEIAA in the meeting held on 01/10/2024. The minutes of the meeting and all the Application and documents submitted [(viz. Form-1 Part A, Part B, Part C EIA, EMP)] are available on PARIVESH portal which can be accessed by scanning the QR Code above.
5. The brief about configuration of plant/equipment, products and byproducts and salient features of the project along with environment settings, as submitted by the Project proponent in Form-1 (Part A, B and C)/EIA & EMP Reports/presented during SEIAA are annexed to this EC as Annexure (1).
6. The SEIAA, in its meeting held on 01/10/2024, based on information & clarifications provided by the project proponent and after detailed deliberations recommended the proposal for grant of EC under the provision of EIA Notification, 2006 and as amended thereof subject to stipulation of specific and general conditions as detailed in Annexure (2).
7. The SEIAA has examined the proposal in accordance with the Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and after accepting the recommendations of the State Environment Impact Assessment Authority (SEIAA) Appraisal Committee hereby decided to grant EC for instant proposal of M/s. kailash Ghansham mundada under the provisions of EIA Notification, 2006 and as amended thereof.
8. The Ministry reserves the right to stipulate additional conditions, if found necessary.
9. The EC to the aforementioned project is under provisions of EIA Notification, 2006. It does not tantamount to approvals/consent/permissions etc. required to be obtained under any other Act/Rule/regulation. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes, as applicable, to the project.
10. This issues with the approval of the Competent Authority.

Annexure 1

Specific EC Conditions for (Building / Construction)

1. Specific


S. No	EC Conditions
1.1	4. PP to ensure to achieve the standard parameters of the treated sewage as per order issued by the Hon'ble National Green tribunal on 30.04.2019. PP to ensure that, the water proposed to be used for construction phase should not be drinking water. 6. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.

Annexure 2

Details of Products & By-products

Name of the product /By-product	Product / By-product	Quantity	Unit	Mode of Transport / Transmission	Remarks (eg. CAS number)
NA	NA	0	The project is a Building Construction Project involving construction of residential building.	The project is a Building Construction Project involving construction of residential building.	The project is a Building Construction

Name of the product /By-product	Product / By-product	Quantity	Unit	Mode of Transport / Transmission	Remarks (eg. CAS number)
			Manufacturing of any Products /By-Products is not involved	Manufacturing of any Products /By-Products is not involved	Project involving construction of residential building. Manufacturing of any Products /By-Products is not involved



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/465272/2024
Environment & Climate Change
Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.

To

M/s.MAJESTIQUE DUROPOLIS PRIVATE LIMITED,
Plot no. 65, Sr. No. 692/2A2+692/2A3+693/2 &
CTS No. 2173, 2174, 2176, 2177, 2178, 2086,
Village Munjeri (Bibwewadi), Pune Satara road, Pune.

Subject : Environmental clearance for Proposed Redevelopment of Residential Project at Proposed Redevelopment of Residential Project "KRUTARTH" at Plot no. 65, Sr. No. 692/2A2+692/2A3+693/2 & CTS No. 2173, 2174, 2176, 2177, 2178, 2086 at village Munjeri (Bibwewadi), Pune Satara road, Pune – 411037 by M/s.MAJESTIQUE DUROPOLIS PRIVATE LIMITED

Reference : Application no. SIA/MH/INFRA2/465272/2024

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 195th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 283rd (Day-2) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 01st October, 2024.

2. Brief Information of the project submitted by you is as below:-

1	Proposal Number	SIA/MH/INFRA2/465272/2024	
2	Name of Project	Proposed Redevelopment of Residential Project "KRUTARTH" at Plot no. 65, Sr. No. 692/2A2+692/2A3+693/2 & CTS No. 2173, 2174, 2176, 2177, 2178, 2086 at village Munjeri (Bibwewadi), Pune Satara road , Pune – 411037	
3	Project Category	8(a), B2 Category	
4	Type of Institution	Private	
5	Name of Project Proponent	Name	M/s. Majestique Duropolis Pvt. Ltd
		Regd. Office address	9th Floor, Opp. Apsara Talkies, Near 7 loves Chowk, Gultekadi, Pune 411037
		Contact number	77200 11970
		Email ID	shrianka.kardile@majestique.co.in
6	Consultant	Name	Southern Enviro Engineers Private Limited
		Address	O 307, O 406, Greens Center, Aditya Birla Hospital Marg, Thergaon, Pimpri-Chinchwad, Maharashtra – 411033
		Telephone	+91-9527890076

		Email ID	puneseep@gmail.com	
		QCI Accreditation Status	QCI NABET Accreditation - QCI/NABET/ENV/ACO/23/2854 Valid upto 29.03.2026	
7	Applied for	Prior Environment Clearance		
8	Details of previous EC	Not Applicable		
9	Location of project	Plot no. 65, Sr. No. 692/2A2+692/2A3+693/2 & CTS No. 2173, 2174, 2176, 2177, 2178, 2086 at village Munjeri (Bibwewadi), Pune Satara Road , Pune		
10	Latitude and Longitude		18°29'15.69"N, 73°51'35.66"E	
11	Total Plot area (m ²)		7,474.34 m ²	
12	Deductions (m ²)		155 m ²	
13	Net Plot Area (m ²)		7,319.34 m ²	
14	Proposed FSI Area (m ²)		30,268.92 m ²	
15	Proposed Non FSI Area (m ²)		19,908.62 m ²	
16	Proposed Total BUA area (m ²)		50,177.54 m ²	
17	TBUA (m ²) approved by Planning Authority till date		We have applied for IOD.	
18	Total ground coverage (m ²) & %		3,306 m ² & 44 % of plot area	
19	Total project cost (Rs.)	Rs.189 Crores		
20	CER as per MoEF & CC circular dated 01/05/2018		Not applicable, As we have applied for Prior Environment Clearance	
21	Details of Building Configuration:			
	Building Type / Name		Floors	Height in (m)
	Tower A		G+P1+P2+P3+28	106.60
	Tower B		G+P1+P2+P3+32	119.80
22	Total number of tenements	Tenements – 159 Nos.		
23	Total Water Requirement			
			Dry Season	Wet Season
	Fresh water (in m ³ /day)		72 m ³ /day	72 m ³ /day
	Recycled water (Flushing)		36 m ³ /day	36 m ³ /day
	Recycled water (Gardening)		4 m ³ /day	2 m ³ /day
	Swimming pool (makeup)		2.5 m ³ /day	2.5 m ³ /day
	Total water requirement		112 m ³ /day	110 m ³ /day
	Waste water generation		97 m ³ /day	97 m ³ /day
24	Firefighting (Underground water tank)		200 m ³	200 m ³
	Firefighting (Overhead water tank)		20 m ³	20 m ³
25	Source of water	Irrigation department, Pune		
26	Rain Water Harvesting (RWH)			
	i) Level of the ground water table		Pre monsoon: 3 to 4 m BGL Post monsoon: 8 to 9 m avg.	

	ii) Size and no of RWH tank(s) and Quantity	Not applicable		
	iii) Quantity and size of recharge pits	5 nos. of recharge pits 2.0 m X 1.5 m X 2.0 m		
	iv) Details of UGT tanks if any:	Underground tank capacities Domestic water-108 m ³ Fire water tank – 200 m ³ Flushing water tank – 54 m ³		
27	Sewage and waste water Demand	i) Sewage generation	97 m ³ /day	
		ii) STP technology	MBBR (For proposed STP)	
		iii) No. and Capacity of STP	1 no. x 100 m ³ /day	
28	Solid Waste Management during Construction phase:	Type	Quantity	Treatment/ disposal
		i) Dry waste	27 kg/day	-
		ii) Wet waste	18 kg/day	-
		iii) Construction Waste generation	Excavation quantity: 20,325.75 m ³	Out of total excavation, 14,375.75 m ³ of excavation debris from proposed buildings for landscape backfilling activity for topsoil preservation and the remaining excavation debris of 5,950 m ³ will be used on another project site at S.no. 87, Village - Warje, Taluka - Haveli, District - Pune. This site is owned by of another branch, White Marbles Realities Pvt Ltd. having a contour level difference is 4.50 m and a site distance of 7 km
29	Solid Waste Management during operation Phase:	Type	Quantity (kg/day)	Treatment/ disposal
		Total waste generation	398 kg/day	
		Wet waste	239 kg/day	Through Organic Waste Converter. Generated manure will be used for gardening.
		Dry waste	158 kg/day	Handed over to the authorized recycling agency
		STP sludge (dry)	20 kg/day	Will be used as manure for gardening purposes
		E-waste	1 kg/day	Handed over to authorized recyclers.

30	Green Belt Development	Net Plot Area	7319.34 m ²	
		Total R.G. area Required	732 m ² (10 % Of Net Plot Area)	
		Total Green Area Provided	732 m ²	
		Total lawn area	565.73 m ²	
		Total Shrub Area	609.43 m ²	
		Required Trees on site	92 nos. (1 Tree @ 80 m ²)	
		Existing Trees on Project Site	82 nos	
		Trees to be Cut	08 nos	
		Trees to be Retained	74 nos	
		No. of trees to be planted against cutting of 8 nos trees	185 nos	
			(Required Trees on site - Trees to be Retained) = 92 nos - 74 nos = 18 nos	
		Total required trees to be planted	(Total required trees to be planted + No. of trees to be planted against cutting of 8 nos trees) = 18 nos + 185 nos = 203 nos	
		Total proposed trees to be planted	205 nos	
31	Power requirement	Source of power supply	MSEDCL	
		During Construction Phase: (Demand Load)	100 kVA	
		During Operation phase (Connected Load)	2,309 kVA	
		During Operation phase (Demand Load)	945 kVA	
		Transformer	1 no X 630 KVA , 1 no x 315 kVA	
		DG set	1 no. x 600 kVA	
		Fuel Used	Diesel	
32	Details of Energy saving	Overall energy saving: 20.93% Renewable energy saving: 5%		
33	Environmental Management plan budget during Construction phase			
	Pollution Control & Other Environmental Infrastructure proposed	Estimated Cost Rs. in Lakh		
	Site Barricading, Dust Suppression measures & Noise control enclosures	52		
	Mobile Toilets & Sanitation management in Labor Colony	18.25		
	Labour Safety & Training	6.00		
	Disinfection & Health Programmes for Labour	18.0		
	Environmental Monitoring	3		
	Environmental Monitoring cell	25		
	Total	105.25		
34	Environmental Management plan budget during Operation phase			

	Pollution Control & Other Environmental Infrastructure proposed		Estimated Capital Cost Rs. in Lakh	Estimated Annual O & m Cost Rs. in Lakh/year	
	Sewage Treatment Plant		25	3	
	Rainwater Harvesting Structures		3.5	0.2	
	Organic Waste Converter & Solid waste Management		9	3.6	
	Landscape Development & Maintenance		21	3.6	
	Energy Conservation & Renewable Energy System Installation		63.5	2.57	
	Total		122	12.97	
35	Traffic Management:	Type	Required as per UDCR	Actual Provided	Area per parking (m ²)
		4 -wheeler	241 nos	413 nos.	30 m ² for ground parking, 30 m ² for podium parking
		2 -wheeler	167 nos	389 nos.	4.2 m ²
		Parking area	-	13,425.65 m ²	
36	Details of Court cases / litigations w.r.t. the project and project location if any.				No court case

3. Proposal is a new construction project. Proposal has been considered by SEIAA in its 283rd (Day-2) meeting held on 01st October, 2024 and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

1. With reference to the directions given by Hon'ble National Green Tribunal, Central Zone Bench, Bhopal in Original Application No. 93/2024(CZ) vide order dt., 08.09.2024, PP and Consultant to jointly submit undertaking that the project site is **not** located in whole or in part within 5 km. of the protected area notified under the Wildlife (Protection) Act, 1972, critically polluted areas and severely polluted areas as identified by the CPCB, eco-sensitive areas notified under Section 3(2) of the Environment (Protection) Act, and the inter-state boundaries.
2. PP to obtain IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions indicating all required RG area as per prevailing Hon'ble Supreme Court Order. PP to obtain all mandatory NOCs from the concerned planning authority and the planning authority shall not issue occupation certificate unless PP obtains the same.
3. PP to prepare and implement plan to make proposed project a plastic free zone.

4. PP to ensure to achieve the standard parameters of the treated sewage as per order issued by the Hon'ble National Green tribunal on 30.04.2019. PP to ensure that, the water proposed to be used for construction phase should not be drinking water.
5. PP and the planning authority shall ensure that, the construction and demolition waste (C & D waste) is collected and treated at designated places as per Construction and Demolition Waste Management Rules, 2016 amended from time to time.
6. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
7. PP to ensure to achieve minimum 5% energy saving by using non-conventional energy source.

B. SEIAA Conditions-

1. PP has provided mandatory RG area of 732.00 m² on mother earth without any construction. Local planning authority to ensure the compliance of the same.
2. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
3. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
4. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
5. SEIAA after deliberation decided to grant EC for-FSI- 30,268.92 m², Non FSI- 19,908.62 m², total BUA-50,177.54 m². (Plan approval No-Zone-2/2012, dated- 11.07.2024)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete,

- curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
 - VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
 - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
 - X. The Energy Conservation Building code shall be strictly adhered to.
 - XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
 - XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
 - XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
 - XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
 - XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
 - XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
 - XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
 - XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
 - XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management

and Handling) Rules, 2016.


- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely;

SPM, RSPM. SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.
 - II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
 - III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
 - IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
 - V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
 - VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
 - VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Pune.
6. Commissioner, Pune Municipal Corporation
7. Regional Officer, Maharashtra Pollution Control Board, Pune.

Signature Not Verified

Digitally Signed by: Shri Pravin Darade
IAS Member Secretary
Member Secretary, SEIAA

Date: 10/12/2024

Maha cabinet expansion in Nagpur today

CONTINUED FROM PAGE 1

Shiv Sena may get portfolios such as Revenue, Social Justice, Environment, Mines, Water Supply, Industry, Health, Education, and Public Works. NCP is expected to handle Finance and Planning, Food and Civil Supplies, FDA, Agriculture, Women and Child Development, Sports and Youth Welfare, and Relief and Rehabilitation.

Likely ministerial candidates

From BJP, Ravindra Chavan, Nitesh Rane, Mangal Prabhat Lodha, Ashish Shelar, Atul Bhatkalkar, Shivendra Singh Raje Bhosale, Gopichand Padalkar, Madhuri Misal, Radhakrishna Vikhe Patil, Chandrashekhar Bawankule, Sanjay Kute, Girish Mahajan, Jaykumar Rawal, Pankaja Munde, and Atul Save are likely to be inducted into the cabinet.

From Shiv Sena, the probable candidates are Uday Samant, Shambhuraj Desai, Dada Bhuse, Gulabrao Patil, Sanjay Shirsat, Bharat Gogawale, Pratap Sarnaik, Arjun Khotkar, Vijay Shitware, Rajesh Kshirsagar, Yogesh Kadam

From NCP, Chhagan Bhujbal, Dhananjay Munde, Aditi Tatkare, Sanjay Bansode, Anil Patil, Narhari Zirwal, Makarand Patil, Indraneel Naik, and Sana Malik may get posts.

Key leaders likely to be excluded

Senior leaders like Sudhir Mungantiwar, Chandrakant Patil, Abdul Sattar, Sanjay Rathod, Deepak Kesarkar, Tanaji Sawant, Hasan Mushrif, and Dilip Walse Patil might not find a place in the new cabinet lineup.

The last time a cabinet expansion took place in Nagpur was in 1991, following a split in the Shiv Sena, when Chhagan Bhujbal took oath as a minister. After 33 years, Nagpur will witness another cabinet swearing-in ceremony, and interestingly, this time too, Shiv Sena MLAs who had split from the party, led by Eknath Shinde, will take the oath.

PMC plans housing for poor students after fire

Relocation to central area is preferred where basic amenities are easily accessible

Pune Mirror Bureau
feedback@punemirror.com

TWEET @ThePuneMirror

Following a fire incident at a study centre in Navi Peth, Pune Municipal Commissioner Dr Rajendra Bhosale conducted inspections of study centres in the city's central areas. Highlighting the influx of students from across the state, who arrive in Pune for competitive exam preparation, Bhosale announced that measures are underway to arrange safe accommodation for these students, especially to students from economically weaker sections.

Efforts are being made by the municipal administration to provide housing facilities in the city's central region for 500 to 1,000 students hailing from rural and financially challenged families. This move is expected to bring significant relief to these students, enabling them to focus on their studies without worrying about accommodation.

The fire at a study centre in Navi Peth caused considerable damage to students' materials, leading to disruptions in their preparation. In response, Dr Bhosale directed the fire department to conduct safety inspections of study centres and spread awareness among operators about preventive measures. A joint survey by the fire department and municipal officers covered 191 study centres in the city. The report highlighted unsafe structural conditions, lack of amenities, and other vulnerabilities, prompting the administration to work on resolving these issues.

Dr Bhosale also interacted with students to understand their challenges and assured them that necessary steps would be taken to



The fire at a study centre in Navi Peth caused considerable damage to students' materials, leading to disruptions in their preparations. PMC directed fire department to conduct safety inspections of study centres

ensure their studies would not be interrupted. "Many students come from rural areas and struggle with accommodation due to poor financial conditions. We are planning

to arrange housing for 500 to 1,000 students from underprivileged families in the city's central areas," he said.

Relocation to the central area

Given the concentration of study centres, eateries, bookstores, and coaching classes in areas like Sadashiv Peth and Navi Peth, the municipal administration decided to prioritise housing in these regions. Relocating students to suburban areas could hinder their access to essential facilities, making centralised housing a more practical solution for students preparing for competitive exams.

Mirror Classified

PuneTimesMirror

**TO PLACE AN
ADVERTISEMENT
IN THIS SECTION**

**Please call:
8329061830**

PuneTimesMirror

Pune Times Mirror doesn't vouch for any claims made by the Advertisers of products and services. The Printer, Publisher, Editor and Owners of Pune Times Mirror shall not be held legally responsible for any consequences, in the event of claims not being honoured by the Advertisers. Readers are advised to take informed decisions before sending money, incurring any expenses, acting on medical recommendations or entering into any commitment in relation to any advertisement published in this publication.

'Fake' doctors' wings clipped

CONTINUED FROM PAGE 1

In a similar case, Dr. Ansari Islahuzzama Salahuddin (registration number 2016/08/2585) was found guilty of submitting a fake Scheduled Tribe certificate to secure admission at Dr Vasant Rao Pawar Medical College, Nashik. In this case, too, the DMER confirmed the invalidation of Ansari's MBBS degree through multiple communications. Furthermore, we found out that Ansari submitted a falsified internship certificate to obtain his medical registration. He, too, failed to attend a scheduled hearing on September 5, 2024.

"The fraudulent actions of these individuals have deeply shaken trust in the medical system. By removing their names from the medical register, we want to safeguard the credibility of the profession and send a strong message to all to stay away from such malpractices," warned

Rughwani.

Sources revealed that the council is investigating several other complaints involving fraudulent doctors, including some from Pune. On this, Dr Sandeep Yadav, state president for Maharashtra Association of Practising Pathologists and Microbiologists, said, "We had submitted a complaint about a Pune-based doctor and the fraud the doctor is involved in. We are hoping for action against the person soon," said a source.

"There are two doctors from Pune who failed to renew their registrations for years. On this, we had submitted a complaint and awaiting results as it is a threat to the health of the people," another source said.

Rughwani added, "MMC is continuing its investigation into other alleged cases of fraudulent practices, of which a couple of them belong to Pune. We will soon share their updates."

PUBLIC NOTICE

This is to inform that the housing project to be constructed on Plot no. 65, S. No. 692/2A2+692/2A3+693/2 & CTS No. 2173, 2174, 2176, 2177, 2178, 2086 at village Munjeri (Bibwewadi), Pune Satara Road, Pune-411037 State Maharashtra, has been accorded Environmental Clearance bearing Identification No. EC24C3801MH5922453N dtd. 10/12/2024 and copy of clearance letter is available with the PARIVESH and it may also be seen on the website of the environment department of Maharashtra at <http://parivesh.nic.in>

Pune :- Sd/-
Date : 14/12/2024 Adv. Shivaji Garande

PUBLIC NOTICE

This is to inform that the housing project to be constructed on S. No. 10 (Part) & S. No.11(Part) at village Autade Handewadi, Tal. Haveli, Dist. Pune State Maharashtra, has been accorded Environmental Clearance bearing Identification No. SIA/MH/INFRA2/469190/2024 dtd. 10/12/2024 and copy of clearance letter is available with the PARIVESH and it may also be seen on the website of the environment department of Maharashtra at <http://parivesh.nic.in>

Pune :- Sd/-
Date : 14/12/2024 Adv. Shivaji Garande

MAHATRANSCO
Maharashtra State Electricity Transmission Co. Ltd.

E-Tender Notice

MSETCL invites online bids (E-Tender) from registered contractors / agencies on Mahatransco E-Tendering website <https://srmetender.mahatransco.in> for following works.
E-Tender No. EE/EHV/O&M/DN-II/T/E-Tender-05/2024-25, RFX no. 7000034555
Work: Work of double jumpering (0.4 ACSR conductor) by providing and fixing of boltless (C-Type) wedge connectors for 0.3 Goat Conductor of 220kV Pirangut-Kandalgaon line under EHV O&M Dn-II, Pune (1st Call).
Tender amount: Rs. 43,20,283/- (Incl. taxes) EMD: Rs. 43,203/- Tender fees: Rs. 590/- (Rs. 500 + 18% GST)
Download of tender documents:- 12.12.2024 @ 21:00 Hrs. to 19.12.2024 @ 18:00 Hrs
Bid Opening Dt: 20.12.2024@11.00 Hrs (If possible) (Techno commercial Bid), 23.12.2024@11.00 Hrs. (If possible) (Price bid).
For further details visit our website <https://srmetender.mahatransco.in> and open above RFX for downloading tender document, schedules, and annexures.
Sd/-
Executive Engineer
EHV O&M Division-II, Pune

काँग्रेसने लोकशाही मजबूत केल्यानेच 'चहावाला'ही पंतप्रधान होऊ शकतो

नवी दिल्ली : काँग्रेस आणि भारताचे पहिले पंतप्रधान जवाहरलाल नेहरू यांनी लोकशाही आणि राज्यघटनेची मुळे इतकी मजबूत केली आहेत की, चहावालाही देशाचा पंतप्रधान होऊ शकतो, अशी टीका झारखंडमधील लोहरदगाचे काँग्रेसचे खासदार सुखदेव भगत यांनी केली.



राज्यघटनेला ७५ वर्षे पूर्ण झाल्याच्या निमित्ताने आयोजित चर्चासत्रात भाग घेताना भगत यांनी केंद्रीय मंत्री राजनाथ सिंह यांना प्रत्युत्तर दिले. ते म्हणाले, विरोधी पक्षनेत्यांनी

लोक नेहरूंवर हल्ला करत होते; पण मी सभागृहाला सांगू इच्छितो की, काँग्रेस आणि नेहरूंनी लोकशाही आणि राज्यघटनेची मुळे इतकी मजबूत केली की चहावाला आता पंतप्रधान झाला आहे. भाजपवर टीका करताना ते म्हणाले की, २००० मध्ये संघाचे तत्कालीन प्रमुख के. सुदर्शन यांनी राज्यघटना बदलण्याची मागणी केली होती. राज्यघटनेच्या लोकशाही आणि धर्मनिरपेक्ष चारित्र्यावर हल्ला केला जात आहे, असा आरोपही त्यांनी केला.

संतोष देशमुख हत्या प्रकरणातील चार आरोपी अद्याप मोकाट



संतोष देशमुख

बीड : बीडच्या केज तालुक्यातील मस्साजोग गावचे सरपंच संतोष देशमुख हत्या प्रकरणातील चार आरोपी अद्याप मोकाट असून, केजचे पोलिस निरीक्षक प्रशांत महाजन यांना सक्तीच्या रजेवर पाठविण्यात आले आहे. या प्रकरणात राष्ट्रवादी अजित पवार गटाचे केज तालुकाध्यक्ष विष्णू चाटे यांच्यासह सात जणांचा सहभाग आढळला, यातील तीन आरोपींना पोलिसांनी अटक केली आहे. मात्र अद्याप चार आरोपी फरार आहेत. या प्रकरणात आता

पोलिसांच्या भूमिकेवर संशय व्यक्त करण्यात आल्याने पोलिस उपनिरीक्षक राजेश पाटील यांना निलंबित करण्यात आले आहे. त्या पाठोपाठ आता पोलिस निरीक्षक प्रशांत महाजन यांना

सक्तीच्या रजेवर पाठविण्यात आले आहे. त्यांचा अतिरिक्त पदभार अनैतिक मानवी वाहतूक प्रतिबंधक कक्षाचे निरीक्षक वैभव पाटील यांच्याकडे देण्यात आला आहे. मस्साजोग गावाच्या हद्दीत असणाऱ्या एका पवनचक्की कंपनीच्या कार्यालयाबाहेर झालेल्या वादातून संतोष देशमुख यांची सोमवारी दुपारी हत्या करण्यात आली. ज्या पवनचक्की कंपनीच्या कार्यालयाबाहेर हा वाद झाला, त्या कंपनीला २ कोटी रुपयांची खंडणी मागण्यात आली होती.

व्हॉट्सअॅप कट्टा

समुद्रातलं सगळं पाणी कोणत्याही जहाजाला बुडवू शकत नाही पण त्या जहाजानं जर ते पाणी आत येऊ दिले. तर ते जहाज बुडल्याशिवाय रहात नाही. तसेच जगातले सगळे नकारात्मक विचार तुम्हाला हरवू शकत नाहीत. जोवर तुम्ही त्यातल्या एकालाही तुमच्या मनात प्रवेश देत नाही.

सत्य ही अशी एक श्रीमंती आहे की, जी एकदाच खर्च करून त्याचा आयुष्यभर आनंद उपभोगता येतो; पण असत्य हे एक प्रकारचे कर्ज आहे, ज्यामुळे तत्काळ सुख मिळत; परंतु आयुष्यभर त्याची परतफेड करावी लागते.

सर्वांच्या नशिबात सुखाचा उपभोग लिहिलेला असतो. कुणाला ओंजळभर मिळते, तर कुणाला रांजणभर, आपण केलेल्या कष्टांचं फळ असत ते, त्यातून मिळणारा आनंद ज्याला कळाला तोच खरे जगणे शिकला...!

चम्या : तू उपाशीपोटी किती सफरचंद खाऊ शकतेस..? चिंगी : सहा.. चम्या : चूक...फक्त १ कारण १ सफरचंद खाल्ल्यानंतर तू उपाशीपोटी नसतेस...

चिंगी : मस्त सूपर जोक आहे हा... मग ती चिंगी आपल्या मैत्रिणीला हा जोक सांगायला जाते.. सांग ग मयूरी तू उपाशीपोटी किती सफरचंद खाऊ शकतेस..? मयूरी : नऊ.. चिंगी : तू ६ बोलली असतीस तर मी तुला एक मस्त जोक सांगणार होते.

भारतात उदबत्तीचे २ प्रकार आहेत. १) देवासाठी २) डासांसाठी पण देव येत नाही आणि डास जात नाहीत ! पोलिस : तू राजूचे पैसे चोरलेस हे तुला मान्य आहे का ? चोर : मी चोरले नाही. त्यानेच त्याच्या हाताने मला काढून दिले. पोलिस : कधी ? चोर : जेव्हा मी त्याला बंदूक दाखवली तेव्हा..



पश्चिम बंगालमध्ये उभारणार राम मंदिर

कोलकाता : तृणमूल काँग्रेसचे आमदार हुमायून कबीर यांनी बेलडांगा येथे बाबरी मशिदीच्या धर्तीवर मशीद उभारण्याचा प्रस्ताव ठेवल्यानंतर पश्चिम बंगाल भाजपच्या मुर्शिदाबाद शाखेने ब्रह्मपूरमध्ये राम मंदिर बांधण्याची घोषणा केली आहे.

भाजपचे ब्रह्मपूरचे जिल्हाध्यक्ष शाखाराव सरकार म्हणाले, अयोध्येतील राम मंदिराच्या उद्घाटनानंतर बरोबर एक वर्षानंतर म्हणजे २२ जानेवारी २०२५ रोजी मंदिराचे बांधकाम सुरू करण्यात येणार आहे. मंदिरासाठी बेहरामपूर भागात जमीन निश्चित करण्यात आली असून, या प्रकल्पासाठी १० कोटी रुपये खर्च अपेक्षित आहे. मंदिराची रचना अयोध्येतील

मंदिराप्रमाणे करण्याचा मानस आहे. दरम्यान, बेलडांगा येथील तृणमूल काँग्रेसचे आमदार कबीर यांनी मंगळवारी मशिदीची योजना जाहीर केली होती. त्यानंतर राजकीय फायद्यासाठी ते समाजाचे धुवीकरण करण्याचा प्रयत्न करत असल्याचा आरोप विरोधी पक्षांनी कबीर यांच्यावर केला आहे.

अल्पसंख्याकांची संख्या ७५ टक्के असलेल्या मुर्शिदाबाद जिल्ह्यात हिंदू समाजात आपले अस्तित्व बळकट करण्यासाठी भाजपने राम मंदिर उभारणीचा प्रस्ताव मांडला आहे. या वादावर प्रतिक्रिया देताना टीएमसीने कबीर यांच्या वक्तव्यापासून स्वतःला दूर ठेवत ते त्यांचे मत असल्याचे म्हटले आहे.

कुत्रा आणि मांजर चावल्याने २७ वर्षीय तरुणाचा मृत्यू

कल्याणमधील धक्कादायक घटना

कल्याण : कल्याणमध्ये भटका कुत्रा आणि मांजरीने चावल्याने २७ वर्षीय तरुणाचा मृत्यू झाल्याची धक्कादायक घटना घडली आहे. मृत तरुणाने सुरुवातीला उपचार केले नाहीत, ज्यामुळे त्याचा मृत्यू झाला. पोलिकेने याबाबत चौकशीचे आश्वासन दिले आहे. मात्र या घटनेमुळे कल्याण-डोंबिवलीत भटक्या कुत्र्यांचा प्रश्न पुन्हा ऐरणीवर आला आहे. कल्याण पश्चिमेतील शुभम चौधरी यातील मृताचे नाव आहे. शुभमने याला किरकोळ समजून

उपचार सुरुवातीला उपचार घेतले नाहीत. मात्र नंतर त्याला त्रास होऊ लागल्यावर त्याला रुग्णालयात दाखल केले. त्यानंतर उपचारादरम्यान त्याचा दुर्दैवी मृत्यू झाला. कल्याणच्या गोल्डन पार्क इमारतीत राहणारा शुभम नोकरीच्या शोधात होता. दोन महिन्यांपूर्वी कुत्रा चावल्यावर त्याने उपचार घेतले नाहीत. मागील आठवड्यात मांजर चावल्यावरही त्याने दुर्लक्ष केले. या दरम्यान त्याची १० डिसेंबरला प्रकृती खालावली. त्यामुळे त्याला कल्याणमधील खाजगी रुग्णालय, कळवा आणि शेवटी कस्तूरबा रुग्णालयात



दाखल करण्यात आले. मात्र, उपचार सुरू असतानाच १२ डिसेंबरला त्याचा मृत्यू झाला. याबाबत शुभमच्या वडिलांनी खंत व्यक्त करत माझ्या मुलाच्या कृतीला जबाबदार कोण? असा सवाल उपस्थित केला आहे. तर याबाबत

दुर्लक्ष करू नका, तातडीने उपचार घ्या भटका कुत्रा किंवा मांजर चावल्यास त्याकडे दुर्लक्ष करणे जीवघेणे ठरू शकते. कल्याणमध्ये घडलेली घटना याचे ताजे उदाहरण आहे. त्यामुळे कुत्र्याने चावल्यास तातडीने उपचार घ्यायला हवेत. कारण कुत्रा किंवा मांजर चावल्याने रेबिजसारख्या आजाराची लागण होण्याची दाट शक्यता असते, असे तज्ज्ञांनी म्हणणे आहे.

कुत्र्यांचा प्रश्न ऐरणीवर आला आहे.

ट्रान्सफॉर्मर हलवण्याच्या आव्हानाची एकवीस वर्षांच्या पाठपुराव्याने संकल्पसिद्धी!

पुणे : कोणत्याही गृहसंकुलाच्या व्यवस्थापन समितीला सदस्यांच्या तक्रार निवारणाच्या आणि एकूण देखभालीच्या नियोजनासाठी अनेक दिव्य पार करावी लागतात. अनेकदा सेवाभावी वृत्तीने तर अनेकदा संघर्षातून अशी अनेक कामे तडीस नेली जातात. मात्र एखाद्या गृहसंकुलाच्या कार्यकारी समितीला मानवी जीवन धोक्यात घालणाऱ्या एखाद्या समस्यांच्या निवारणासाठी तब्बल चौदा वर्षे झगडावे लागणे आणि लोकप्रतिनिधी, शासकीय अधिकारी, तज्ज्ञ आदींच्या मदतीने अशा वनवासातून बाहेर पडण्याचे आव्हान पेलवे लागणे काहीसे चाकोरीबाहेरचे आणि प्रचंड इच्छाशक्ती आणि कार्यक्षमता पणाला लागणारे. मात्र या अथक प्रयत्नांमुळे प्रश्न तडीस जातो तेव्हा संयमाची परिक्षा देणाऱ्या आणि अनेक आव्हाने पेलणाऱ्या गृहसंकुलाच्या सभासदांच्या एकत्रित कार्यशक्तीचे, जिद्दीचे दर्शन घडते. असेच काहीसे घडले कोथरुडच्या 'स्वप्नशिल्प' या सोसायटीमध्ये.



कोथरुड भागात असलेल्या या गृहसंकुलातील एका इमारतीच्या तळासा सुमारे २५ वर्षांपूर्वी दोन रोहित्रे बसवली होती. निवासी अथवा व्यावसायिक इमारतीखाली रोहित्र बसविणे धोकादायक

मार्च २०२३ मध्ये सोसायटीमध्ये निवडून आलेल्या कार्यकारिणीने हा विषय धसास लावण्याचे ठरवले आणि त्या दृष्टीने पावले उचलाला सुरुवात केली. मात्र कधी आवश्यक परवानग्या घेण्यातली गुंतागुंत तर कधी शासकीय पातळीवर निधीची कमतरता यामुळे विलंब वाढत राहिला. गेली अनेक वर्षे या अनुषंगाने झालेल्या प्रयत्नांनंतर स्थानिक आमदार चंद्रकांत पाटील यांनी समस्यांचे गांभीर्य जाणून या कामासाठी निधी उपलब्ध करून दिला. त्यासाठी अब्याहत पाठपुरावा सुरू होता. मंत्री शंभुराज देसाई यांनीही मदत केली.

मजल दरमजल करत या बाबतच्या सर्व परवानग्या मिळवून काम पुढे ढटले गेले. दरम्यानच्या काळात मनुष्यबळाची

अनुपलब्धता, निधीची चणचण, वेगळ्या ट्रान्सफॉर्मर रुमच्या उभारणीची परवानगी प्रक्रिया यासंदर्भातील अनेक आव्हानांना व्यवस्थापन समितीला सामोरे जावे लागले. मात्र 'अवघे धरू सुपंथ'च्या भूमिकेतून सर्वांनी आव्हान पेलत अखेर प्रश्न तडीस नेला.

अखेर आजमितिला ही दोन्ही रोहित्रे धोकादायक जागेवरून हलवून नवीन जागी बसवण्यात आली. या प्रक्रियेत अनेक सदस्यांचे कार्यकर्तृत्व कामी आलेच पण अथक पाठपुराव्यामधून एवढा मोठा खर्चिक विषय मार्गी लावला गेला. गृहसंकुलातील सदस्यांचे अनेक दृष्ट्य-अदृष्ट्य हात हे आव्हान पेलण्यास सिध्द झाल्यानेच हे घडले. सर्वोच्च न्यायालयाने दिलेल्या सूचनांचे पालन होण्याबरोबरच आता गृहसंकुलातील सर्व रहिवाशांचे भयमुक्त जीवन प्रत्यक्षात आले आहे. सोसायटीचे अध्यक्ष सतीश भोसरेकर, सचिव अरविंद लेले आणि कार्यकारिणी सदस्य विनय चितळे, भूषण खरे इत्यादी समिती सदस्यांचा या सर्व मोहिमेत विशेष सहभाग राहिला. परिणामी, सर्वोच्च न्यायालयाने दिलेल्या सूचनांचे पालन करण्याबरोबरच आता सोसायटीतील जे इमारतीमधील सर्व रहिवाशी भयमुक्त जीवन जगू शकतील.

जालन्यात एसटी बस आणि टेम्पोची धडक



दोन जणांचा मृत्यू; अनेक जखमी

जालना : येथे एसटी बसला भरधाव टेम्पोने धडक दिल्याने दोन प्रवाशांचा जागीच मृत्यू झाल्याची प्राथमिक माहिती आहे. छत्रपती संभाजीनगरहून ही बस माहुरगडकडे येताना टेम्पोने

एसटीच्या पुढच्या बाजूस धडक दिल्याने एसटी बसच्या समोरील भागाचा चेंदामेदा झाला आहे. बसच्या पुढीच्या भागाला बसलेल्या धडकेत बसमधील दोन ते तीन प्रवाशांचा जागीच मृत्यू झाल्याची प्राथमिक माहिती आहे.

या प्रकरणात ट्रेंम्पोचालक

सावरकर देशाचे महान सुपुत्र मग, इंदिराजीही घटनेविरोधी ?

श्रीकांत शिंदे यांचा प्रश्न **नवी दिल्ली** : स्वातंत्र्यवीर सावरकर यांच्याबद्दल माजी पंतप्रधान इंदिरा गांधी यांचे एक गौरवोद्गार काढणारे पत्र शिवसेनेचे खासदार

श्रीकांत शिंदे यांनी सभागृहात वाचून

दाखवले. इंदिरा गांधी यांनी पत्रात सावरकरांचा उल्लेख देशाचे महान सुपुत्र असा केला आहे. त्यांचा असा गौरव करणाऱ्या इंदिरा गांधी सुद्धा घटनेविरोधी आहेत का ? असा प्रश्न शिंदे यांनी विचारातच राहिल. लोकसभेत गदारोळ माजला.

या वेळी शिंदे यांनी सावरकरांच्या स्वातंत्र्यलढ्यातील कार्यांचा गौरव केला. ते म्हणाले, ब्रिटिशांची राजवट उलथवून टाकण्यासाठी सर्वस्वाचा त्याग करण्याबरोबर कठोर काळ्यापाण्याची शिक्षाही भोगली होती. ब्रिटिशांनी देखील सावरकर यांच्या देशभक्तीचा गौरव केला आहे. सावरकर यांचे जन्मशताब्दी वर्ष दिमाखात साजरे करून सरकारने त्यांचा यथोचित गौरव करावा, असे आवाहन त्यांनी केले.

जाहीर सूचना
स.नं. १० पैकी व स.नं. ११ पैकी, गाव मोजे ओताडे-होडेवाडी, ता. हवेली, जि. पुणे महाराष्ट्र या मिळकतीवरील नियोजित रहिवासी प्रकल्पास पर्यावरण विषयक मंजूरी क्र. SIA/MH/INFRA2/469190/2024 दिनांक १०/१२/२०२४ अन्वये देण्यात आलेली आहे. सदर पर्यावरणविषयक मंजूरीची प्रत परिवेश यांचे कार्यालयात उपलब्ध आहे व सदरची प्रत पर्यावरण विभाग, महाराष्ट्र शासन यांच्या वेबसाइटवर आहे.
पुणे, दि. १४/१२/२०२४ सही/- मॅनेज्स्टिक रायजिगसन एल.एल.पी.

जाहीर सूचना
प्लॉट नं. ६५ स.नं. 692/2A2+692/ 2A3+693/2 व सिटीएन नं. २१७३, २१७४, २१७६, २१७७, २१७८, २०८६ गाव मोजे मुंजेरी (बिबवेली), पुणे सातारा रोड, पुणे- ४११०३७ महाराष्ट्र या मिळकतीवरील नियोजित रहिवासी प्रकल्पास पर्यावरण विषयक मंजूरी क्र. EC24C3801MH5922453N दिनांक १०/१२/२०२४ अन्वये देण्यात आलेली आहे. सदर पर्यावरणविषयक मंजूरीची प्रत परिवेश यांचे कार्यालयात उपलब्ध आहे व सदरची प्रत पर्यावरण विभाग, महाराष्ट्र शासन यांच्या वेबसाइटवर आहे.
पुणे, दि. १४/१२/२०२४ सही/- मे. मॅनेज्स्टिक ड्युरोपोलिस प्रा.लि.

मद्य पिरून वाहन चालवित असल्याचे उघडकीस आले आहे. शेवटची बातमी हाती आली तेव्हा पोलिसांच्या मदतीने मदतकार्य सुरू झाले होते.

NOTICE
IN THE COURT OF HON'BLE
Smt. M.A. BARALIYA, ADDL. MEMBER,
MACT, 4th Floor, Room No. 411,
(New, G+5, building) DISTRICT COURT,
AKASHWANI CHOWK, NAGPUR.
C.P. No. 12524
Process No. 811१ F.P. 1६/01/2025
Petitioner : Savita
-versus-
Respondent: Future
To,
Ankita Rani Ajit Kumar Sockey,
R/o R/o. Flat No.- C-103, 1st Floor,
Laxmi Nagar Society, Sr. No. 2021,
Near Dharnori Police Station, Pune-
411015.
Whereas the above named
petitioners in above petition have
filed their Claim Petition U/ sec. 78B
of Motor Vehicle Act,
You are hereby notified to appear in
this Court of Hon'ble ADDL MEMBER,
MACT, Nagpur, in person or by a
pleader duly instructed on Dated
16/01/2025, At 11:00 A.M. to show
cause in the said above noted claim
Petition failing wherein the said Petition
will be heard and determined: experts in
your absence. Given under my hand
and the seal of the Court this 05th day of
December, 2024.
Nagpur, Date 05/12/2024
Registrar (Judl.)
M.A.C.T. Nagpur
Name Nidhi 93280122

NOTICE
IN THE COURT OF HON'BLE
Smt. M.A. BARALIYA, ADDL. MEMBER,
MACT, 4th Floor, Room No. 411,
(New, G+5, building) DISTRICT COURT,
AKASHWANI CHOWK, NAGPUR.
C.P. No. 8082 F.P. 14/01/2025
Process No. 8082 F.P. 14/01/2025
Petitioner : Gaurav
-versus-
Respondent: HDFC
To,
Vinod Baburao Dandkar, R/o Sr.
No. 119, Near Ganesh Provision
Stores, Ram Nagar, Chinchwad,
Mulshi/Pune-411019.
Whereas the above named
petitioners in above petition have
filed their Claim Petition U/ sec. 78B
of Motor Vehicle Act,
You are hereby notified to appear in
this Court of Hon'ble ADDL MEMBER,
MACT, Nagpur, in person or by a
pleader duly instructed on Dated
14/01/2025, At 11:00 A.M. to show
cause in the said above noted claim
Petition failing wherein the said Petition
will be heard and determined: experts in
your absence. Given under my hand
and the seal of the Court this 03rd day of
December, 2024.
Nagpur, Date 03/12/2024
Registrar (Judl.)
M.A.C.T. Nagpur
Name Nidhi 93280122

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

Infrastructure/ORANGE/L.S.I

No:- Format1.0/CC/UAN No.0000242726/CE/2509002205

Date: 20/09/2025

To,
Majestique Duropolis Pvt. Ltd.
"KRUTARTH" at plot no. 65, Sr. No.
692/2A2+692/2A3+693/2 & CTS No 2173,
2174, 2176, 2177, 2178, 2186, Munjeri
(Bibwewadi), Pune Satara Road, Pune



Sub: Consent to Establish for Redevelopment of Residential Construction Project under Orange Category.

- Ref:
1. Application submitted by SRO - Pune I vide No.MPCB-CONSENT-0000242726
 2. Environmental Clearance - EC24C3801MH5922453N dated 03/12/2024
 3. Minutes of 6th Consent Committee Meeting 2025-26 dated 23/07/2025

Your application NO. MPCB-CONSENT-0000242726

For: Grant of Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I,II,III & IV annexed to this order:

1. **The Consent to Establish in Orange/LSI category hereby granted for period up to a commissioning of the Unit or 5 years whichever is earlier.**
2. **The capital investment of the project is Rs.189 Cr. (As per C.A Certificate submitted by industry).**
3. **The Consent to Establish is valid for Redevelopment of Residential Construction Project named as Majestique Duropolis Private Limited, "KRUTARTH" at plot no. 65, Sr. No. 692/2A2+692/2A3+693/2 & CTS No 2173, 2174, 2176, 2177, 2178, 2186, Munjeri (Bibwewadi), Pune Satara Road, Pune on Total Plot Area of 747434 SqMtrs for construction BUA of 50177.54 SqMtrs as per EC granted dated 03/12/2024 including utilities and services**

Sr.No	Permission Obtained	Plot Area (SqMtr)	BUA (SqMtr)
1	Environmental clearance dated 03/12/2024	747434.00	50177.54

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal
1.	Trade effluent	Nil	NA	NA
2.	Domestic effluent	97	As per Schedule - I	The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be connected to the sewerage system provided by local body

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
S1	DG Set - 600 KVA	1	As per Schedule -II

6. **Conditions under Solid Waste Rules, 2016:**

Sr No	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Dry Waste	158 Kg/Day	Segregation and storage in covered shed.	Handed over to authorized vendor.
2	Wet Waste	239 Kg/Day	Storage in covered shed and treatment in OWC	USED as MANURE FOR GARDENING
3	STP Sludge	20 Kg/Day	Storage in covered shed/ SDB.	USED as MANURE FOR GARDENING
4	E waste	1 Kg/Day	Collect & Disposed through authorized agency	Collect & Disposed through authorized agency

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

Sr No	Category No.	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	100	Ltr/Hr	Through Authorized Vendor	Through Authorized Vendor

8. **Conditions under E-Waste Management:**

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	E Waste	1.00	Kg/Day	Collect & Disposed through authorized agency

- The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- Project Proponent shall provide Organic waste digester with composting facility or biodigester with composting facility.

12. Project Proponent shall operate the Organic waste digester with composting facility or biodigester with composting facility effectively
13. Project Proponent shall comply the Construction and Demolition Waste Management Rules, 2016 which is notified by Ministry of Environment, Forest and Climate Change dtd.29/03/2016.
14. The project proponent shall make provision of charging of electric vehicles in atleast 40 % of total available parking area.
15. The Project Proponent shall comply with the Environmental Clearance obtained vide No EC24C3801MH5922453N dtd 03/12/2024 for construction project having total plot area of 747434.0 Sqm and total construction BUA of 50177.54 Sqm as per specific condition of EC.
16. FOR ANY FUTURE EXPANSION: PP shall obtain Environmental Clearance from competent authority for the proposed activity. PP shall not take effective steps towards construction without obtaining Environmental Clearance.
17. This consent is issued as per 6th Consent Committee Meeting 2025-26 dated 23/07/2025

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Disnazy



Signed by: **Dr. Avinash Dhakne**
Member Secretary
For and on behalf of,
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2025-09-20 15:31:49 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	378000.00	MPCB-DR-34984	01/07/2025	RTGS

-

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pune I
 - They are directed to ensure the compliance of the consent conditions.
 - They are directed to obtain the Bank Guarantee of Rs.10 Lakhs from the PP as per Schedule III.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have proposed to provide MBBR based Sewage Treatment Plants (STPs) of combined capacity **100 CMD for treatment of domestic effluent of 97 CMD.**
- B] The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
1	pH	5.5-9.0
2	BOD	10
3	COD	50
4	TSS	20
5	NH4 N	5
6	N-total	10
7	Fecal Coliform	less than 100

- C] The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) **The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, and other provisions as contained in the said act.**

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	112.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Grandening/Other consumption	0

- 5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

- 1) **As per your application, you have proposed to provide the Air pollution control (APC) system and also proposed to erect following stack (s) and to observe the following fuel pattern-**

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S1	DG Set - 600 KVA	Acoustic Enclosure	5.00	HSD 100 Kg/Hr	1	SO2	16.0 Kg/Day

- 2) The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Total Particular matter	Not to exceed	150 mg/Nm3
-------------------------	---------------	------------

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.
- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 5) **Conditions for utilities like Kitchen, Eating Places, Canteens:-**
- The kitchen shall be provided with exhaust system chimney with oil catcher connected to chimney through ducting.
 - The toilet shall be provided with exhaust system connected to chimney through ducting.
 - The air conditioner shall be vibration proof and the noise shall not exceed 68 dB(A).
 - The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs. higher than the nearest tallest building through ducting and shall discharge into open air in such a way that no nuisance is caused to neighbors.

SCHEDULE-III

Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C2E	Rs.10 Lakhs	Within 15 Days	Compliance of Consent Conditions & EC Conditions	31/08/2030	31/08/2031

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.


Existing BG obtained for above purpose if any may be extended for period of validity as above.

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
1	-	-	-	-	-	-

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
1	-	-	-	-



SCHEDULE-IV

Conditions during construction phase

A	During construction phase, applicant shall provide temporary sewage and MSW treatment and disposal facility for the staff and worker quarters.
B	During construction phase, the ambient air and noise quality shall be maintained and should be closely monitored through MoEF approved laboratory.
C	Noise should be controlled to ensure that it does not exceed the prescribed standards. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.

General Conditions:

1. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that e-waste generated by them is channelised through collection centre or dealer of authorised producer or dismantler or recycler or through the designated take back service provider of the producer to authorised dismantler or recycler
2. Bulk consumers of electrical and electronic equipment listed in Schedule I shall maintain records of e-waste generated by them in Form-2 and make such records available for scrutiny by the concerned State Pollution Control Board
3. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that such end-of-life electrical and electronic equipment are not admixed with e-waste containing radioactive material as covered under the provisions of the Atomic Energy Act, 1962 (33 of 1962) and rules made there under;
4. Bulk consumers of electrical and electronic equipment listed in Schedule I shall file annual returns in Form-3, to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates. In case of the bulk consumer with multiple offices in a State, one annual return combining information from all the offices shall be filed to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates.
5. The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
6. The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011).
7. Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
8. Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.

9 Conditions for D.G. Set

- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.

- 10 Solid Waste - The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
- 11 Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 12 Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- 13 The treated sewage shall be disinfected using suitable disinfection method.
- 14 The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 15 The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before commissioning of the project.

This certificate is digitally & electronically signed.

TEST REPORT					
Report No:		EFEL/PRO/2025/10/187		Issue Date	10/10/2025
Name and Address of Customer		Majestique Duropolis Pvt Ltd. 148, New Friend Society (NFS), Kothrud,Pune.			
Sample Name		Ambient Air	Sample Description		Ambient Air
Date of Sampling		03/10/2025	Sampling duration		1440 Min
Start Date of Analysis		04/10/2025	End Date of Analysis		10/10/2025
Sampling Location		Near Site Office	Sampling Procedure		CPCB Guideline for measurement of Ambient Air pollutants Volume I
Dry bulb temperature		27 °C	Wet bulb temperature		23 °C
Relative Humidity		83 %	Sampling done by		Eurofine Enviro Lab Pvt. Ltd.
Results					
Sr. No.	Parameters	Results	Unit(s)	Specifications (NAAQ Standards)	Methods
1	Sulphur Dioxide(SO ₂)	18.6	µg/m ³	≤ 80	IS 5182(Part 2)
2	Oxides of Nitrogen(NO ₂)	24.2	µg/m ³	≤ 80	IS 5182 (Part 6)
3	Particulate Matter PM ₁₀	48.9	µg/m ³	≤ 100	CPCB Guideline for measurement of Ambient Air pollutants Volume I
4	Particulate Matter PM _{2.5}	25.1	µg/m ³	≤ 60	
5	Carbon Monoxide (CO)	0.72	mg/m ³	≤ 04	
6	Ozone(O ₃)	<20.0	µg/m ³	≤ 180	
7	Lead (Pb)	BDL	µg/m ³	≤ 01	
8	Arsenic(As)	BDL	ng/m ³	≤ 06	
9	Nickel(Ni)	BDL	ng/m ³	≤ 20	
10	Ammonia(NH ₃)	<5.0	µg/m ³	≤ 400	
11	Benzo(a)Pyrene(BaP)	BDL	ng/ m ³	≤ 1.0	
12	Benzene(C ₆ H ₆)	BDL	µg/m ³	≤ 05	IS 5182 (Part 11)
Remark- All above results are within National Ambient Air Quality standards. BDL – Below Detectable Limit.					





Authorized Signatory

Mr. Mahesh Shelar

(Managing Director)

TEST REPORT					
Report No:	EFEL/PRO/2025/10/188		Issue Date	10/10/2025	
Name and Address of Customer	Majestique Duropolis Pvt Ltd. 148, New Friend Society (NFS), Kothrud, Pune.				
Sample Name	Noise	Sample Description		Ambient Noise	
Date of Sampling	03/10/2025		Sampling duration	Spot Time	
Sampling done by	Eurofine Enviro Lab Pvt. Ltd.				
Results					
Sr. No.	Locations	Result dB(A) Day	Result dB(A) Night	Specifications (CPCB Standards dB(A))	Method
1.	East Side	52.6	41.2	55/45	CPCB Guideline
2.	West Side	51.8	43.5	55/45	
3.	South Side	50.2	39.2	55/45	
4.	North Side	53.9	41.9	55/45	
Remark- ➤ All above Noise level results are within Central Pollution Control Board Standards limit. ➤ Day/Night -75/70 dB.					





Authorized Signatory
Mr. Mahesh Shelar
(Managing Director)

Site Photos

