



## 5. Generate and Add SSH Private Key: NetApp HCI for Red Hat OpenShift on RHV

HCI

NetApp  
July 08, 2020

This PDF was generated from [https://docs.netapp.com/us-en/hci-solutions/redhat\\_openshift\\_5.\\_generate\\_and\\_add\\_ssh\\_private\\_key\\_\\_netapp\\_hci\\_for\\_red\\_hat\\_openshift\\_on\\_rhv.html](https://docs.netapp.com/us-en/hci-solutions/redhat_openshift_5._generate_and_add_ssh_private_key__netapp_hci_for_red_hat_openshift_on_rhv.html) on November 04, 2020. Always check docs.netapp.com for the latest.

# Table of Contents

5. Generate and Add SSH Private Key: NetApp HCI for Red Hat OpenShift on RHV..... 1

## 5. Generate and Add SSH Private Key: NetApp HCI for Red Hat OpenShift on RHV

To generate and add an SSH private key, complete the following steps:

1. For the installation debugging or disaster recovery on the OpenShift cluster, you must provide an SSH key to both the **ssh-agent** and the installation program. Create an SSH key if one does not already exist for password-less authentication on the RHEL machine.

```
[user@rhel7 ~]$ ssh-keygen -t rsa -b 4096 -N '' -f ~/.ssh/id_rsa
```

2. Start the **ssh-agent** process and configure it as a background running task.

```
[user@rhel7 ~]$ eval "$(ssh-agent -s)"  
Agent pid 31874
```

3. Add the SSH private key that you created in step 2 to the **ssh-agent** , which enables you to SSH directly to the nodes without having to interactively pass the key.

```
[user@rhel7 ~]$ ssh-add ~/.ssh/id_rsa
```

## Copyright Information

Copyright © 2020 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

## Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.