

Strategic Business Plan and Operational Analysis of Savior Bottled Water in Bangladesh

1.0 Executive Summary

Savior Bottled Water is an innovative social enterprise strategically positioned within the rapidly expanding beverage sector of Bangladesh.¹ The venture directly addresses two compounding national crises: the severe lack of affordable, certified-safe drinking water driven by systemic groundwater contamination, and the escalating environmental degradation caused by unmanaged single-use plastic (SUP) waste.¹ Operating in a market where purified drinking water has transitioned from a discretionary convenience to an absolute public health necessity, Savior bridges the gap between high-priced premium brands and uncertified, untrusted budget alternatives.¹ By deploying an advanced, multi-stage filtration infrastructure—featuring industrial depth pre-filtration, granular activated carbon (GAC) beds, multi-stage Reverse Osmosis (RO), and closed-loop Ultraviolet (UV) sterilization—the company delivers a product with an uncompromised, laboratory-certified purity profile.¹

What fundamentally differentiates Savior from established market incumbents is its commitment to radical cost-efficiency paired with measurable environmental accountability.¹ The brand targets the price-sensitive mass market through an aggressive penetration pricing model, offering its core 500ml SKU at 14 BDT, which undercuts primary premium competitors by 20% to 36%.¹ This disruptive pricing framework is made sustainable through advanced resource engineering, including the integration of Calcium Carbonate Precipitation Potential (CCPP) analysis to optimize membrane recovery rates to 75%–80%, thereby slashing raw water wastage and lowering operational costs.¹ Furthermore, Savior reduces long-term utility overheads and insulates itself from national grid instability by integrating solar-powered production systems.¹

The venture's commercialization strategy follows a structured, phased rollout.¹ Phase 1 focuses on immediate urban penetration via 250ml, 500ml, and 1L bottles tailored for daily commuters, students, and small commercial establishments.¹ Phase 2 expands into higher-margin 2L and 5L high-density configurations aimed at capturing the corporate business-to-business (B2B) and residential household sectors.¹ Financed through localized seed capital, the enterprise acknowledges a calculated test-phase monthly operating loss of 10,500 BDT due to low initial volume absorption over fixed overheads.¹ However, the financial architecture exhibits a clear path to viability, achieving operational break-even at a production volume of approximately 14,000 units per month.¹ Ultimately, Savior Bottled Water provides an institutional-grade investment case that seamlessly aligns robust commercial profitability with verifiable Environmental, Social, and Governance (ESG) milestones.¹

2.0 Business Introduction

The bottled water industry in Bangladesh has experienced a profound structural evolution over the past decade, transforming from a minor urban convenience into a multi-billion-taka essential market commodity.¹ This commercial transformation is fundamentally rooted in a public health crisis.¹ Surface water systems across major municipal areas are heavily contaminated with industrial effluents and untreated municipal waste, while traditional groundwater aquifers are severely compromised by deep-seated arsenic contamination and dangerous concentrations of heavy metals such as manganese and boron.¹ With over 50 million citizens continuously at risk of chronic toxic exposure and waterborne pathologies, the demand for purified, certified water has become entirely inelastic.¹

In this environment, Savior Bottled Water emerges as a disruptive market entrant.¹

Headquartered strategically within the industrial periphery of Dhaka, the company leverages localized distribution networks to serve highly populated, price-sensitive micro-markets including Panthapath, Dhanmondi, and Green Road.¹ The organization operates under a value-leadership model.¹ It recognizes that while the mass market heavily demands pure water, the inflation-weary general consumer base is increasingly alienated by the high pricing of premium brands.¹ Savior restructures the traditional supply chain by optimizing internal system engineering, minimizing administrative layers, and integrating sustainable manufacturing matrices to pass direct cost savings down to the consumer.¹

Structurally, Savior is registered as a private limited entity, designed to foster rapid capital scaling and agile operational pivoting.¹ By establishing clean, state-of-the-art production parameters, the company complies fully with the Bangladesh Standards and Testing Institution (BSTI) regulations while pushing beyond standard local protocols to embrace international safety benchmarks.¹ Savior is not merely a commercial bottling facility; it is a highly engineered, socially responsible mechanism designed to democratize safe hydration throughout Bangladesh.¹

3.0 Vision, Mission, and Corporate Objectives

3.1 Vision Statement

To become the premier, most trusted value-driven hydration brand in Bangladesh, recognized for pioneering the integration of advanced purification technology, radical economic accessibility, and circular environmental sustainability.¹

3.2 Mission Statement

To safeguard public health across Bangladesh by delivering unconditionally pure, mineral-balanced drinking water at highly disruptive price points.¹ The company commits to minimizing the national plastic footprint through material innovations, climate-conscious solar manufacturing, and proactive community engagement, proving that commercial viability can actively drive ecological restoration.¹

3.3 Corporate Objectives

The strategic direction of the enterprise is governed by four clearly defined, measurable, and time-bound corporate objectives designed to ensure both financial viability and sustainable development ¹:

- **Market Penetration:** Secure an initial 5% volume share within the Dhaka metropolitan budget-to-mass water market within the first 18 months of automated operations.¹
- **Operational Efficiency:** Attain an eco-efficient reverse osmosis (RO) permeate recovery rate of 75%–80% using CCPP metrics, keeping industrial wastewater footprints drastically below the regional industry standard.¹
- **Sustainable Integration:** Complete the installation and transition to a 100% solar-assisted manufacturing grid by the start of Year 3, effectively hedging against macro-energy inflation.¹
- **Financial Viability:** Transition from the initial test-phase volume to a stable monthly production of over 14,000 units by month 9, securing operational break-even and paving the way for Phase 2 product diversification.¹

4.0 Product Architecture and Technical Superiority

4.1 Product Architecture and Phased Rollout Strategy

The Savior product line is systematically designed to meet varying consumer needs, spanning impulse purchases, daily hydration, and B2B/household bulk requirements.¹ The product matrix is meticulously segregated into distinct operational phases to ensure structured capital deployment and highly efficient logistics.¹ Phase 1 centers on establishing high-velocity retail penetration through smaller individual configurations.¹ This initial phase lays the groundwork for Phase 2, which targets high-margin B2B corporate accounts and domestic bulk supply through high-density configurations designed to directly challenge unverified jar-water systems.¹

Bottle Size	Target Market Segment	Cost Per Bottle (BDT)	Selling Price (BDT)	Competitive Advantage & Strategic Focus
250 ml (Phase 1)	Impulse, Students, Street Vendors	7.00	8.50	Immediate affordability, high volume potential ¹
500 ml (Phase 1)	Daily Consumption, General Mass	9.80	14.00	Flagship commercial SKU, price

	Market			leader undercutting premium competitors ¹
1 Liter (Phase 1)	Convenience, Small Office Use	13.00	18.00	High utility, balanced portability, high profit margin ¹
2 Liter (Phase 2)	Residential, Small Office B2B	21.00	27.00	Direct challenge to contaminated 19L jar networks ¹
5 Liter (Phase 2)	Large Household, Corporate B2B	40.00	55.00	High-density bulk packaging, maximum value-for-money ¹

Beyond chemical and biological safety, Savior prioritizes taste optimization.¹ While intensive reverse osmosis processes are required to remove toxic minerals and arsenic, they often strip beneficial ions, leaving the water tasting flat.¹ Post-RO, Savior incorporates a controlled re-mineralization process to re-introduce food-grade essential minerals—such as calcium (Ca^{2+}), magnesium (Mg^{2+}), and potassium (K^{+})—to adjust pH values and establish a smooth, refreshing flavor profile that distinguishes it from unmineralized competitors.¹

4.2 Multi-Stage Purification Architecture

The exceptional purity profile of Savior is maintained via an advanced, automated, multi-tiered technological barrier that leaves no margin for pathogen or chemical bypass ¹:

- 1. Sediment and Depth Pre-Filtration:** Raw intake water is passed through high-efficiency depth filters to extract macro-suspended solids, rust particles, and turbidity down to 5 microns.¹ This protective tier shields downstream membranes from premature fouling and blockages, reducing overall maintenance costs by up to 35%.¹
- 2. Granular Activated Carbon (GAC) Beds:** The stream moves into high-absorption carbon matrices to strip organic chemical compounds, chlorine derivatives, industrial solvents, and volatile organic compounds (VOCs), eliminating off-gases and foul odors.¹
- 3. Industrial Multi-Stage Reverse Osmosis (RO):** Driven by high-pressure multi-stage

pumps, water is forced through semi-permeable membranes with a pore size of **0.0001 microns**.¹ This core stage isolates and rejects up to 99% of total dissolved solids (TDS), including deep-well arsenic ions, toxic manganese, agricultural pesticide residues, and heavy metals.¹

4. **Ozonation and Closed-Loop UV Sterilization:** Prior to the filling chamber, the pure water undergoes intensive ultraviolet irradiation paired with controlled ozone dosing.¹ This forms a lethal microbial kill-step, neutralizing 99.99% of viral and bacterial pathogens.¹

4.3 Sustainable Packaging and the Compostability Paradox

To break the cycle of plastic pollution, Savior employs a blended material philosophy.¹ Small-format high-velocity SKUs (250ml and 500ml) integrate Polylactic Acid (PLA) bioplastics where feasible.¹ PLA is a 100% compostable and recyclable material derived from non-GMO plants, reducing reliance on petroleum-based resins.¹ Larger formats utilize ultra-durable, high-density PET and HDPE compounds designed with enhanced structural ribbing to prevent deformation.¹ These larger containers are explicitly designed to encourage consumers to wash, retain, and reuse the bottles as long-term domestic containers, extending the plastic lifecycle before it enters regional recycling networks.¹

This blended packaging strategy directly addresses the "compostability paradox" in Bangladesh.¹ While PLA is theoretically compostable, the country lacks widespread industrial composting facilities.¹ Consequently, in typical municipal landfills, PLA behaves like conventional plastic.¹ By prioritizing durability and active consumer reuse for larger formats, and providing clear multi-lingual disposal and recycling guidelines, Savior ensures its environmental claims remain credible and scientifically grounded.¹

5.0 Socio-Hydrological Crises and Public Welfare Failures

5.1 Public Health Imperative and Groundwater Scarcity

The demand for bottled water in Bangladesh is driven not by luxury preferences but by a severe public health crisis.¹ Surface water systems across metropolitan Dhaka are heavily polluted with untreated municipal waste and industrial effluents, while deep aquifers are compromised by widespread, naturally occurring arsenic contamination.¹ First identified in tubewells in 1993, arsenic contamination now exposes over 50 million citizens to chronic toxic risk, resulting in widespread arsenicosis, dermatological pathologies, and systemic cancers.¹ Furthermore,

studies have documented concentrations of heavy metals such as Manganese (Mn) and Boron (B) exceeding World Health Organization (WHO) limits, posing acute neurological and developmental risks, particularly to children.¹

This contamination is compounded by severe groundwater depletion.³ Dhaka Water Supply and

Sewerage Authority (DWASA) relies heavily on groundwater extraction, which accounts for approximately 70% of the city's municipal water supply.³ Continuous deep tubewell pumping has caused the groundwater table to fall sharply.³ For example, at key pumping stations in East Shewrapara, water extraction capacity has dropped from 2,100 liters per minute to 1,200 liters per minute, leaving numerous tubewells completely inoperable.⁵ This critical supply gap renders the public demand for purified, certified bottled water entirely inelastic, shifting it from a discretionary consumer product to a basic health commodity.¹

5.2 The Public-Sector Deficit: The Case of Dhaka WASA's 'Shanti'

In 2006, Dhaka WASA sought to address this crisis by launching its own state-backed bottled water brand, "Shanti," operating out of a 170-million BDT plant in Mirpur Section 10.⁶ Shanti was designed to leverage public infrastructure to produce high-quality bottled water at affordable prices, serving as a credible public alternative to prevent private companies from arbitrarily inflating prices.⁶ Despite having the infrastructure in place, Shanti has suffered a near-total market failure over the last two decades.⁶

Operational Parameter	Shanti (Dhaka WASA)	Savior Bottled Water
Initial Plant Investment	BDT 170 Million (Mirpur Section 10) ⁷	BDT 950,000 (Lean Outskirts Facility) ²
Purification Capacity	10,000 Liters/Hour (6,000 L/Hr Bottling) ⁷	1,000 Liters/Hour (Automated RO Loop) ²
Actual Daily Production	2,448 Liters (Capacity Underutilization) ⁸	1,000 to 5,000 Liters (Scale-Matched Demand) ¹
Unit Cost (500ml SKU)	BDT 11.00 (High Municipal Overhead) ⁶	BDT 9.80 (Optimized CCPP & Solar Power) ¹
Dealer Selling Price	BDT 9.00 (Subsidized Below Cost) ⁶	BDT 12.00 (Sustainable Transfer Price) ¹
Maximum Retail Price	BDT 15.00 (Fixed Public Cap) ⁶	BDT 14.00 (Market-Disruptive Penetration) ¹
Retailer Profit Margin	BDT 4.00 (Low Financial Incentive) ⁶	BDT 4.20 (Highly Competitive Incentive) ¹
Distribution Network	7 Sales Points; 22 Irregular	High-Density Retail and

	Dealers ⁸	Direct B2B ¹
Cumulative Financial Loss	BDT 150 Million (Over 20 Years) ⁷	Baseline Test Loss only; Payback in 4.3 Months ¹

The failure of Shanti provides a critical case study in public sector deficits, characterized by poor commercial design and weak distribution.⁸ Shanti recorded operating losses of 3.25 crore BDT in fiscal year 2025-26, on total expenditures of approximately 5 crore BDT.⁸ These deficits have persisted for decades, with cumulative losses reaching an estimated 150 million BDT.⁷ The Mirpur-10 plant possesses a design capacity to bottle 1,000 liters of water per hour (approximately 16,000 bottles daily).⁸ However, due to administrative neglect and mechanical inefficiencies, actual production has averaged only 2,448 liters per day.⁸

Furthermore, Shanti is produced at a unit cost of nearly 11 BDT but is sold to distributors at a subsidized price of 9 BDT, forcing the utility to absorb a 2 BDT loss on every bottle before factory exit.⁶ While the retail price is capped at 15 BDT, the resulting profit margin for small shopkeepers is only 4 BDT per bottle.⁶ In contrast, private bottled water companies offer retail margins of up to 9 BDT per bottle.⁶ Consequently, profit-motivated retailers refuse to stock Shanti, leaving shop shelves dominated by private brands.⁶

This public-sector deficit highlights the "subsidy paradox" of state-backed welfare projects, where sub-cost pricing structures without retail incentive alignments lead to self-sabotage.⁶ Savior's business model directly circumvents these structural flaws.¹ Rather than depending on public subsidies, Savior drives down manufacturing COGS to 9.80 BDT through advanced, data-driven engineering (CCPP and solar power integration).¹ This enables a highly competitive retail price of 14 BDT while still maintaining a robust, incentivizing margin structure for regional distributors and retailers, ensuring high product availability and market penetration.¹

6.0 Market Opportunity and Consumer Segmentation

The bottled water industry in Bangladesh is structurally poised for sustained expansion.¹ Despite short-term contractions, the market is projected to reach approximately 1.8 billion USD in revenue, supported by an expected Compound Annual Growth Rate (CAGR) of 3.14% between 2024 and 2027.¹ This expansion is driven by accelerating urbanization, rising disposable incomes, and increasing public health awareness stemming from documented water contamination crises.¹ Savior targets the vast, rapidly expanding segment of the Bangladeshi population defined by high price sensitivity combined with a non-negotiable requirement for water safety.¹ The consumer base is divided into distinct, structured segments:

- Primary Consumer Segment (B2C):** Lower-to-middle-income urban residents, university students, and daily wage earners across the Dhaka Metropolitan Area (specifically concentrated in high-density areas such as Dhanmondi, Panthapath, Mirpur, and Green Road).¹ These consumers are heavily impacted by macroeconomic inflation, which has pushed the cost of essential food commodities up by 10% to 25% year-on-year, making a 20% to 36% discount on certified water highly attractive.¹

- **Secondary Institutional Segment (B2B):** Small-to-medium offices, academic departments, coaching centers, local restaurants, and residential apartments that currently rely on unverified, highly contaminated 19L jar-water supply systems.¹ This segment will be targeted during Phase 2 via the 2L and 5L high-density configurations, offering a certified, safe alternative that fits standard office water dispensers and residential kitchens.¹

7.0 Competitor Analysis

The beverage market in Bangladesh is highly consolidated, dominated by corporate conglomerates with deeply entrenched distribution networks.¹ The table below provides a comprehensive comparison of Savior's positioning against the key market incumbents¹:

Parameter	Kinley (Coca-Cola)	Mum (Partex Group)	Fresh (Meghna Group)	Shanti (Dhaka WASA)	Savior Bottled Water
Market Position	Premium Leader ¹	Mass Market Leader ¹	Budget Competitor ¹	Public Welfare Brand ⁶	Value/Sustainability Leader ¹
MRP (500ml SKU)	BDT 20.00 – 22.00 ¹	BDT 18.00 – 20.00 ¹	BDT 15.00 – 18.00 ¹	BDT 15.00 ⁶	BDT 14.00 ¹
Retailer Margin	High (BDT 8.00 – 9.00) ⁶	Moderate-High (BDT 6.00 – 7.00)	Moderate (BDT 4.00 – 5.00)	Low (BDT 4.00) ⁶	Highly Competitive (BDT 4.20) ¹
Core Strength	Deep corporate capital, global brand trust ¹	Pervasive distribution, massive brand recall ¹	Low consumer price, vast wholesale network ¹	High public trust in state-testing ⁶	Disrupted value pricing, high eco-efficiency ¹
Key Weakness	High cost barrier for mass market ¹	Saturated branding, no sustainability ¹	Perceptions of compromised quality ¹	Extreme distribution failure, operating losses ⁶	Low initial brand awareness, lean capital base ¹

Eco-Strategy	None; standard virgin PET packaging	None; standard virgin PET packaging	None; standard virgin PET packaging	None; standard virgin PET packaging	Blended PLA bioplastics, solar production, durable PET reuse ¹
---------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	---

Savior strategically exploits these competitor vulnerabilities.¹ Incumbents like Mum and Kinley are structurally bound to high price points due to heavy administrative layers and massive advertising budgets.¹ Budget options like Fresh suffer from a consumer trust deficit, as low-cost brands are often associated with compromised purification standards.¹ Savior bypasses this stigma by maintaining technical transparency, prominently displaying its BSTI BDS 1240:2021 certifications, and utilizing on-bottle QR codes to present real-time laboratory purity reports directly to the consumer.¹

8.0 SWOT Analysis

8.1 SWOT Matrix Overview

The following structural matrix outlines Savior's competitive positioning, balancing internal operational dynamics against external market forces¹:

SWOT Category	Internal Strategic Factors	External Environmental Factors
Positive Factors	Strengths: • Disruptive value pricing (BDT 14 for 500ml).¹ • CCPP-driven 75%–80% RO recovery rate.¹ • Hybrid solar-assisted grid reducing power bills.¹	Opportunities: • Accelerating urbanization and population density.¹ • High inflation driving consumers to value brands.¹ • Emerging demand for circular plastic packaging.¹
Negative Factors	Weaknesses: • Low brand awareness compared to incumbents.¹	Threats: • Retaliatory pricing campaigns by incumbents.¹

	• Low test-phase production capacity.¹ • Conservative starting capital restricting marketing.¹	• Seasonal groundwater depletion in regional aquifers.⁴ • Raw material price shocks in bioplastics and PET.¹
--	---	---

8.2 Strengths

Savior possesses clear internal technological and economic advantages.¹ Offering certified pure water at BDT 14 per 500ml undercuts primary competitors immediately.¹ Additionally, utilizing advanced CCPP chemical analysis allows the plant to safely push the permeate recovery rate to an efficient 75%–80%, minimizing wastewater and raw material costs.¹ Finally, integrating solar power stabilizes utility costs and protects operations from national grid instability.¹

8.3 Weaknesses

As a new market entrant, Savior faces initial scale-related limitations.¹ Building brand trust against deeply entrenched names like Mum and Kinley is a significant challenge.¹ Additionally, low initial test-phase production (7,000 units/month) cannot fully absorb fixed overheads, resulting in planned, short-term operating losses.¹ Finally, a conservative capital structure limits the brand's ability to run massive marketing campaigns from day one.¹

8.4 Opportunities

External macroeconomic trends support Savior's market entry.¹ Rapid population growth in metropolitan Dhaka expands the core consumer base.¹ Ongoing inflationary pressures make consumers highly receptive to affordable, high-quality alternatives.¹ Lastly, rising public awareness of plastic pollution creates a distinct market segment for brands promoting circular container reuse.¹

8.5 Threats

External environmental and competitive challenges must be actively managed.¹ Deeply capitalized competitors could launch retaliatory pricing campaigns to protect retail shelf space.¹ Seasonal groundwater depletion could also pressure raw water pre-treatment stages, raising filtration maintenance costs.¹ Finally, price volatility in food-grade plastics and plant-based resins could affect unit cost targets.¹

9.0 Marketing Strategy (7Ps Framework)

9.1 Product

The product consists of certified-pure, mineral-balanced drinking water treated via multi-stage

RO, ozonation, and UV systems.¹ Small configurations (250ml and 500ml) prioritize high-velocity convenience and integrate PLA bioplastics where feasible.¹ Larger configurations (1L, 2L, 5L) feature durable, high-density PET and HDPE structures with reinforced ribbing, designed specifically to facilitate long-term consumer wash-and-reuse cycles.¹

9.2 Price

The company employs a deliberate market-penetration pricing model, positioning the flagship 500ml SKU at 14 BDT.¹ This pricing targets the price-sensitive mass market, undercutting major brands while remaining financially viable due to low COGS achieved through solar power and CCPP-optimized water recovery.¹

9.3 Place

In Phase 1, Savior concentrates distribution within high-density urban micro-markets in Dhaka, focusing on independent grocery retail shops, tea stalls, university campus cafeterias, and local offices.¹ In Phase 2, the enterprise transitions to a direct-to-consumer digital ordering network, utilizing energy-efficient, electric last-mile delivery vehicles in high-density corporate corridors.¹

9.4 Promotion

Promotion focuses heavily on digital transparency and cost-effective organic reach.¹ On-bottle labels feature a prominent QR code linking consumers to real-time chemical and biological testing certificates, disproving the myth that budget-friendly water implies compromised purity.¹ Savior avoids expensive celebrity endorsements, instead partnering with local environmental advocates and sponsoring university clean-up drives.¹

9.5 People

All operational personnel, quality control technicians, and sales representatives undergo rigorous training in sanitation protocols and sustainability metrics.¹ Sales reps are specifically trained to educate retailers on the brand's unique margin structures and circular packaging benefits.¹

9.6 Process

The manufacturing workflow is standardized and automated.¹ Raw water moves through real-time, sensor-driven filtration loops that track pressure changes, TDS, and biological safety markers before final bottling, batch coding, and distribution.¹

9.7 Physical Evidence

Physical packaging design emphasizes clean, minimalist transparency to highlight the water's optical clarity.¹ Every delivery truck, digital storefront, and retail point-of-sale display explicitly features Savior's regulatory certifications, water-safety test scores, and cumulative carbon/plastic reduction metrics.¹

10.0 Operational Plan and Resource Engineering

10.1 Plant Location and Layout

The initial Savior bottling facility is situated on the industrial periphery of Dhaka, providing convenient, low-tariff transit access to high-density municipal markets like Panthapath, Dhanmondi, and Mirpur.¹ The plant layout is strictly segregated into operational zones to comply with international hygienic standards: a raw water storage zone, a chemical pre-treatment and filtration area, an isolated cleanroom for high-pressure reverse osmosis, an automated blow-molding and filling station, and a secured inventory warehouse.¹

10.2 Sourcing and Chemical Recovery Optimization using CCPP

Raw water is sourced via deep aquifer extraction.¹ To optimize resources and prevent the high rates of water waste characteristic of standard RO plants, Savior implements advanced Calcium Carbonate Precipitation Potential (CCPP) analysis.¹ Traditional filtration plants utilize qualitative saturation indicators, such as the Langelier Saturation Index (LSI) or Silt Density Index (SDI), to estimate scaling potential.¹ However, LSI only indicates the thermodynamic driving force for scaling and does not quantify the actual mass of precipitate that will form.⁹ The formula for LSI is calculated as:

$$LSI = pH - pH_s$$

Where pH_s (the saturation pH of calcium carbonate) is defined by Langelier's equation¹¹:

$$pH_s = 9.3 + \frac{\log_{10} - 1}{10} - (-13.12 \cdot \log_{10}(^{\circ}C + 273) + 34.55) + (\log_{10}[Ca^{2+} \text{ as } CaCO_3])$$

To move beyond qualitative predictions, Savior utilizes CCPP, a stoichiometrically limited calculation that determines the exact quantity of calcium carbonate ($CaCO_3$) that will precipitate or dissolve to reach thermodynamic equilibrium.⁹ The general CCPP equation is defined as:

$$CCPP = 50,000 \cdot ([Alk]_i - [Alk]_{eq})$$

Where $[Alk]_i$ represents the initial measured alkalinity of the finished water (as mg/L of $CaCO_3$) and $[Alk]_{eq}$ represents the equilibrium alkalinity remaining in the system after

precipitation has occurred.¹² The calculation of $[Alk]_{eq}$ requires an iterative computer speciation model, accounting for temperature and atmospheric carbon dioxide (CO_2) exchange.¹⁰

Savior integrates PHREEQC modeling software (using the phreeqc.dat database) to calculate CCPP in real-time across fluctuating water temperatures ($10^\circ C$ to $90^\circ C$).¹⁰ This allows chemical engineers to optimize antiscalant dosing and schedule targeted membrane backwashes.¹ By maintaining precise chemical balance, the plant can safely increase its RO recovery rate to an efficient 75%–80%, significantly higher than the 50% recovery rates of conventional systems.¹ The recovery rate is calculated using the standard volumetric equation:

$$\% \text{ Recovery} = \left(\frac{V_{\text{permeate}}}{V_{\text{feed}}} \right) \times 100$$

Where V_{permeate} is the volume of purified water produced and V_{feed} is the total raw water input.¹⁴ This high-efficiency engineering minimizes wastewater brine discharge, reducing groundwater waste and operational overheads.¹

10.3 Production Workflow and Schedule

The production facility operates on a highly disciplined, semi-automated single-shift timeline, engineered to synchronize manufacturing runs with regional solar energy generation.¹ The operational schedule is strictly partitioned as follows:

- **06:00 - 08:00:** Automated Line Pre-Sanitization & Sensor Calibration.
- **08:00 - 16:00:** Continuous Multi-Stage Filtration, Ozonation, and Automated Bottling Run.¹
- **16:00 - 18:00:** Batch Logging, Laboratory Quality Audits, and Logistics Staging.¹

By concentrating heavy reverse osmosis and bottling operations during peak daylight hours (08:00 to 16:00), the plant maximizes its utilization of the hybrid solar grid, reducing draw from the national electrical grid and lowering carbon emissions.¹

10.4 Quality Control, Regulatory Compliance, and BSTI Roadmap

Maintaining "Unbeatable Purity" requires strict, multi-tiered compliance procedures.¹ Inline digital sensors monitor raw water input, trans-membrane pressure variations, and final TDS levels in real-time.¹ Any deviation from standard operating limits triggers an automatic shutdown of the bottling line, preventing substandard batches from reaching the inventory warehouse.¹

The final product must comply fully with BDS 1240:2021 (Packaged Drinking Water - Second Revision), the mandatory national standard regulated by the Bangladesh Standards and Testing Institution (BSTI).¹⁵ BDS 1240:2021 dictates strict physical, chemical, and microbiological

parameters¹⁷:

- **TDS and pH:** Total Dissolved Solids must remain below 500 mg/L (with Savior targeting $50 \text{ to } 150 \text{ mg/L}$ for superior taste).¹⁸ pH must fall within the safe, neutral range of $6.4 \text{ to } 7.4$.¹⁸
- **Contaminants:** Toxic heavy metals must remain below strict limits: Arsenic (as As) $\leq 0.01 \text{ mg/L}$, Lead (as Pb) $\leq 0.01 \text{ mg/L}$, and Chromium (as Cr) $\leq 0.05 \text{ mg/L}$.¹⁷
- **Microbiology:** Pathogenic indicator organisms—such as total and fecal coliform bacteria—must be completely absent in any 100 mL sample.¹⁷

To secure and maintain the mandatory BSTI Certification Marks (CM) License, Savior executes the following 6-step roadmap¹⁵:

Step Number	Phase Name	Key Operational Actions	Approximate Cost (BDT)
Step 1	Application Submission	Submit Form-1, process flowcharts, layout plans, and trade license via online portal. ¹⁵	1,000 ¹⁵
Step 2	Factory Inspection	Unannounced on-site audit of cleanroom hygiene, laboratory equipment, and worker health certificates. ²	None (Standard Audit)
Step 3	Sample Collection	BSTI officers collect, seal, and transport representative production samples. ¹⁵	None (Standard Audit)

Step 4	Laboratory Testing	Samples are tested against BDS 1240:2021 physical, chemical, and microbial standards. ¹⁵	Product-dependent fee ¹⁵
Step 5	Official Fee Payment	Pay the annual licensing and marking fees upon receiving satisfactory test results. ¹⁵	200 fee; marking fee: 0.07%–0.10% ¹⁵
Step 6	License Issuance	Receive unique 3-year CM License authorizing application of the BSTI standard mark. ¹⁵	None (Included in fee)

Operating without a valid BSTI CM License is a serious regulatory offense in Bangladesh.² Under the Bangladesh Standards and Testing Institution Act, 2018, non-compliance can result in administrative fines of up to BDT 200,000, imprisonment for up to 2 years, seizure of inventory, and commercial blacklisting.¹⁵

11.0 Organizational Structure

Savior operates as a private limited company with a streamlined, governance-first organizational structure designed to minimize administrative layers and drive rapid capital scaling.¹

The primary governance and executive roles are detailed in the table below¹:

Corporate Position	Core Responsibility	Key Functional Role
Managing Director & CEO	Oversees long-term corporate governance, capital allocation, investor relations, and strategic growth phases. ¹	Executive Leadership
Director of Operations &	Manages daily plant	Production Management

QC	workflows, facility maintenance, hygiene standards, and BSTI regulatory compliance. ¹	
Lead Water Engineer	Oversees water pre-treatment, RO membranes, real-time chemical dosing, PHREEQC modeling, and CCPP calculations. ¹	Engineering & Systems
Head of Marketing & Sales	Directs brand positioning, wholesale distributor relations, B2B sales outreach, and retail expansion. ¹	Commercial Strategy
Chief Financial Officer (CFO)	Manages budgeting, material procurement costs, cash flow optimization, and expansion capital. ¹	Financial Governance
Last-Mile Logistics Manager	Coordinates distribution logistics, electric vehicle routing, and the circular container reuse collection program. ¹	Supply Chain

This structure ensures clear accountability.¹ By integrating technical specialists—such as the Lead Water Engineer—directly into the leadership team, the organization guarantees that advanced engineering decisions (e.g., CCPP-based scaling prevention) are aligned with long-term financial planning.¹

12.0 Financial Projections and Profitability Analysis

12.1 Cost Structure and Pricing Mechanics

Savior's pricing model balances aggressive market-penetration targets with sustainable operating margins.¹ Total variable costs (COGS) are driven by packaging materials, raw water fees, distribution fuel, and mineral additives.¹ By utilizing advanced CCPP chemical analysis, the plant achieves a 75%–80% RO recovery rate, reducing raw water procurement costs.¹ Additionally, integrating a hybrid solar grid reduces peak-hour electricity expenses, keeping

utility overheads low.¹

12.2 Initial Test Phase Operational Plan

During the initial test phase, the plant operates at a restricted volume of 7,000 units per month to calibrate automated lines, train laboratory staff, and secure initial retail accounts.¹ The product mix for this baseline phase consists of 3,000 units of 250ml, 3,000 units of 500ml, and 1,000 units of 1L bottles.¹

The operational economics of the initial test phase are outlined in the table below ¹:

Financial Parameter	Value (BDT)	Strategic Description
Monthly Revenue	88,000	Total gross receipts from Phase 1 SKUs. ¹
Variable Cost (COGS)	70,000	Cost of raw water, bioplastics, mineral dosing, caps, and labels. ¹
Total Variable Profit	18,000	Contribution margin prior to fixed cost deduction. ¹
Fixed Operating Cost	28,500	Minimum monthly operational overhead. ¹
Net Monthly Profit	-10,500	Calculated operating loss due to low volume absorption. ¹

The breakdown of the fixed monthly operating costs during this phase is structured as follows ¹:

Cost Category	Monthly Expense (BDT)	Operational Detail
Space Rent	10,000	Lease on Dhaka periphery facility. ¹
Electricity & Water	3,500	Power utility bills (partially offset by solar). ¹
Labor	8,000	Salary for one plant technician/helper. ¹

Transportation	5,000	Regional wholesale delivery logistics. ¹
Misc. & Packaging Loss	2,000	Buffer for material shrinkage and administrative misc.. ¹
Total Fixed Overheads	28,500	Standard monthly overhead floor. ¹

The net monthly operating loss of 10,500 BDT is a planned baseline deficit.¹ At low initial volumes, fixed overhead costs (rent, base labor, transport) are distributed over too few units, resulting in high per-unit fixed costs.¹ This baseline deficit is resolved as production scales.¹

12.3 Scaling Framework and Year 1 Target Model

To achieve profitability, Savior's core operational objective is to scale production to a minimum of 14,000 units per month by Month 9, which represents the operational break-even point.¹ Beyond break-even, Savior plans to transition to Phase 2, which introduces the high-margin 2L and 5L formats.¹ These larger formats utilize durable PET and HDPE compounds designed for repeat reuse, significantly reducing packaging cost per liter and yielding higher margins.¹

12.4 Financial Health Indicators

To assess the commercial viability of the business model, key financial metrics are calculated below ¹:

Contribution Margin (CM) Ratio

The Contribution Margin Ratio represents the percentage of sales revenue that remains after covering variable costs to contribute toward covering fixed overheads.¹ Based on the initial test phase data, the CM Ratio is calculated as ¹:

$$CM \text{ Ratio} = \frac{\text{Total Variable Profit}}{\text{Total Monthly Revenue}} = \frac{18,000 \text{ BDT}}{88,000 \text{ BDT}} \approx 20.45\%$$

Break-Even Point (BEP) in Revenue

The Break-Even Point in terms of monthly revenue is calculated using the formula ¹:

$$BEP_{\text{Revenue}} = \frac{\text{Total Fixed Overheads}}{CM \text{ Ratio}} = \frac{28,500 \text{ BDT}}{0.2045} \approx 139,364 \text{ BDT}$$

Break-Even Point (BEP) in Units

To determine the physical volume required to cover fixed overheads, the unit break-even point is defined as ¹:

$$BEP_{Units} \approx 14,000 \text{ units per month}$$

This quantitative analysis confirms that Savior transitions into a profitable enterprise once production scale doubles relative to the initial test phase.¹ Once the business enters the Phase 2 scaling model (targeting 50,000 units per month), the profit dynamics shift significantly.¹ Assuming a standard capital expenditure (CAPEX) of BDT 800,000 for a medium-scale automated RO plant and an additional BDT 150,000 for BSTI-mandated laboratory setup (total CAPEX of BDT 950,000), the payback period and Return on Investment (ROI) indicators are calculated as ²:

$$ROI = \left(\frac{\text{Projected Annual Profit}}{\text{Total CAPEX}} \right) \times 100 = \left(\frac{2,640,000 \text{ BDT}}{950,000 \text{ BDT}} \right) \times 100 \approx 277.89\%$$

$$\text{Payback Period} = \frac{\text{Total CAPEX}}{\text{Monthly Cash Flow at Full Scale}} = \frac{950,000 \text{ BDT}}{220,000 \text{ BDT}} \approx 4.3 \text{ Months}$$

This return profile demonstrates that Savior’s lean cost structure and optimized resource engineering provide an exceptionally resilient path to commercial viability, enabling the enterprise to rapidly recover setup costs and fund sustainable operations.¹

13.0 Risk Analysis and Mitigation Matrix

Operationalizing a social enterprise in Bangladesh's competitive beverage sector requires identifying, mapping, and mitigating strategic risk factors.¹

The primary risk areas, impact levels, and mitigation strategies are structured below ¹:

Risk Category	Threat Source & Operational Description	Impact	Probability	Mitigation Strategy
Operational	Seasonal Aquifer Depletion: Falling	High	Medium	Implement real-time CCPP analysis and

	groundwater tables on the Dhaka periphery reduce raw water intake and pressure. ⁴			PHREEQC-driven antiscalant dosing to maintain a 75-80% RO recovery rate, reducing groundwater consumption. ¹
Financial	Initial Cost Vulnerability: Fixed cost deficits during the low-volume test phase deplete starting capital. ¹	Medium	High	Secure a dedicated, non-callable seed funding buffer to cover baseline losses until Month 9 break-even volume is achieved. ¹
Regulatory	BSTI License Delays: Lengthy bureaucratic processing times (typically 19 to 42 working days) or failed laboratory tests delaying market launch. ¹⁵	High	Low	Establish an in-house laboratory matching BSTI specifications. ² Pre-test all batches against BDS 1240:2021 guidelines. ¹⁷ Partner with experienced regulatory consultants. ¹⁵
Supply Chain	Resin Price Volatility: Fluctuating global petrochemical and bioplastic	Medium	Medium	Establish long-term procurement contracts with regional recycling

	resin costs affecting packaging COGS. ¹			networks for food-grade PET. ¹ Focus on active, consumer-driven bottle reuse. ¹
Market	Retaliatory Competitor Action: Incumbents (Mum, Kinley) launching short-term pricing campaigns or locking retail shelves. ¹	Medium	High	Avoid direct advertising price wars. ¹ Build consumer trust and brand value through QR-enabled purity transparency, bioplastics, and local environmental partnerships. ¹

14.0 Strategic Conclusions and Recommendations

Savior Bottled Water represents a strategically viable and highly scalable investment opportunity that directly addresses critical public health and environmental failures in Bangladesh.¹ By combining advanced water purification engineering (RO, UV, ozonation) with rigorous CCPP chemical optimization, the company lowers its production cost to 9.80 BDT per unit.¹ This enables a highly competitive retail pricing model (14 BDT per 500ml) while preserving a robust trade margin structure that incentivizes regional distributors.¹ This commercially focused approach avoids the structural deficits that led to the collapse of state-backed initiatives like Dhaka WASA's Shanti.⁸

Based on this analysis, the following strategic steps are recommended for immediate execution:

- **Accelerate Phase 1 Quality Validation:** Prioritize establishing the inline laboratory to ensure immediate BDS 1240:2021 compliance, preventing potential regulatory delays during the BSTI CM licensing process.²
- **Leverage CCPP-PHREEQC Automation:** Integrate automated chemical dosing linked to real-time pH and temperature sensors to prevent scale deposition, maintaining the targeted 75%–80% permeate recovery rate and protecting RO membrane longevity.¹
- **Establish Targeted B2B Partnerships:** Secure initial delivery agreements with schools,

offices, and small clinics during Phase 1 to build brand awareness and smooth the transition to the high-margin 2L and 5L Phase 2 formats.¹

- **Implement the Circular Packaging Plan:** Launch the on-bottle QR-code consumer awareness campaign immediately, providing clear instructions on container reuse and preparing the market for the bottle buy-back program.¹

Works cited

1. Business Plan1.docx
2. 20 Ltr Jar Mineral Water Plant Cost in Bangladesh 2026: A Complete Guide - Waterela, accessed July 18, 2026, <https://www.waterela.com/20-ltr-jar-mineral-water-plant-cost/>
3. WELCOME TO DHAKA ENVIRONMENTALLY SUSTAINABLE WATER SUPPLY PROJECT, accessed July 18, 2026, <https://www.deswsp-dwaso.com/>
4. Water crisis in Ramadan: What is WASA doing? - Prothom Alo English, accessed July 18, 2026, <https://en.prothomalo.com/opinion/editorial/rbvs5c8nx1>
5. Water crisis grips parts of Mirpur - Dhaka - The Daily Star, accessed July 18, 2026, <https://www.thedailystar.net/news/bangladesh/news/water-crisis-grips-parts-mirpur-4219456>
6. WASA's water Shanti: A good public project that falls short | Prothom Alo, accessed July 18, 2026, <https://en.prothomalo.com/opinion/mnf5y8yk2y>
7. Dhaka WASA's 'Shanti' water sold below cost as losses mount | Prothom Alo, accessed July 18, 2026, <https://en.prothomalo.com/bangladesh/rfvqcqqppd>
8. WASA's 'Shanti' bleeds crores amid neglect, weak distribution - Dhaka Tribune, accessed July 18, 2026, <https://www.dhakatribune.com/amp/bangladesh/415312/wasa-s%C2%A0shanti-%C2%A0bleeds%C2%A0crores%C2%A0amid%C2%A0neglect-%C2%A0weak%C2%A0d>
9. A NOVEL CALCIUM CARBONATE SCALING MODEL FOR MAXIMUM RECOVERY AND INHIBITOR DOSAGES IN MEMBRANE SYSTEMS, accessed July 18, 2026, <https://www.membranechemicals.com/wp-content/uploads/2020/04/A-Novel-Calcium-Carbonate-Scaling-Model.pdf>
10. Procedure for Calculating the Calcium Carbonate Precipitation Potential (CCPP) in Drinking Water Supply: Importance of Temperature, Ionic Species and Open/Closed System - MDPI, accessed July 18, 2026, <https://www.mdpi.com/2073-4441/13/1/42>
11. Wilfred Langelier's formula - Talking Pools Podcast News - CPO Class, accessed July 18, 2026, <https://cpoclass.com/wilfred-langeliens-formula/>
12. Corrosion Indices for the Precipitation of Protective Coatings, accessed July 18, 2026, https://legacy.azdeq.gov/envirom/water/dw/download/vol_II_app_abc.pdf
13. Procedure for Calculating the Calcium Carbonate Precipitation Potential (CCPP) in Drinking Water Supply: Importance of Temperature, Ionic Species and Open/Closed System - OUCI, accessed July 18, 2026, <https://ouci.dntb.gov.ua/en/works/4VrpYWb4/>
14. Drinking Water Treatment: Reverse Osmosis - Nebraska Extension Publications,

- accessed July 18, 2026,
<https://extensionpubs.unl.edu/publication/g1490/na/html/view>
15. New Guide to Obtain BSTI License in Bangladesh (2026) - Tuhin & Partners, accessed July 18, 2026,
<https://tnp.legal/blogs/new-guide-to-obtain-bsti-license-in-bangladesh-2026/>
 16. BDS 1240:2021 Packaged Drinking Water (Second Revision) - BSTI, accessed July 18, 2026,
[https://ec.eservice.bsti.gov.bd/bds-detail/packaged-drinking-water-\(second-revision\)](https://ec.eservice.bsti.gov.bd/bds-detail/packaged-drinking-water-(second-revision))
 17. Bsti BDS 1240 | PDF - Scribd, accessed July 18, 2026,
<https://www.scribd.com/document/710714929/BSTI-BDS-1240>
 18. Comprehensive Analysis of Drinking Water Readily Accessible in Bangladesh - Journal of Bio-Science, accessed July 18, 2026,
<https://www.banglajol.info/index.php/JBS/article/view/87430/56980>
 19. Drinking water standards (ideal and maximum level) according to BDS (1240:2001). - ResearchGate, accessed July 18, 2026,
https://www.researchgate.net/figure/Drinking-water-standards-ideal-and-maximum-level-according-to-BDS-12402001_tbl2_400474980
 20. How to Obtain BSTI License in Bangladesh - LegalSeba LLP, accessed July 18, 2026,
<https://legalseba.com/bd-licenses/how-to-obtain-bsti-license-in-bangladesh/>