Cucumber Report

| Start : Aug 20, 11:51:29.393 PM	End : Aug 20, 11:52:57.126 PM	Duration : 1 m 27.733 s
Features	Scenarios	Steps
PASSED - 4 FAILED - 0 SKIPPED - 0	PASSED - 13 FAILED - 0 SKIPPED - 0	PASSED - 77 FAILED - 0 SKIPPED - 0

4

13

77

Pass %

Pass %

Pass %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login feature	*1 m 27.733 s*	6	6	0	0	29	29	0	0
Cart feature test	*1 m 4.067 s*	4	4	0	0	27	27	0	0
Cart feature test	*1 m 11.663 s*	1	1	0	0	12	12	0	0
Product feature test	*27.913 s*	2	2	0	0	9	9	0	0

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@regression	4	4	0	0	1	1	0	0
@login	2	2	0	0	1	1	0	0
@sanity	2	2	0	0	1	1	0	0

#	Feature Name	T	P	F	S	Duration
1	Login feature	6	6	0	0	1 m 27.733 s
2	Cart feature test	4	4	0	0	1 m 4.067 s
3	Cart feature test	1	1	0	0	1 m 11.663 s
4	Product feature test	2	2	0	0	27.913 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	*Login feature*	*User try to login with set of invalid credentials*	5	5	0	0	50.791 s
2		*User try to login with set of invalid credentials*	5	5	0	0	48.168 s
3		*User try to login with set of invalid credentials*	5	5	0	0	57.194 s
4		*User try to login with set of invalid credentials*	5	5	0	0	39.450 s
5		*User login with invalid credentials*	5	5	0	0	54.884 s
6		*User login with valid credentials*	4	4	0	0	56.717 s
7	*Cart feature test*	*Test cart items remove*	7	7	0	0	55.900 s
8		*Test checkout button*	7	7	0	0	1 m 4.057 s
9		*Test cart items Information*	7	7	0	0	49.911 s
10		*Test cart icon click*	6	6	0	0	55.311 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Cart feature test	User checkout with valid data	12	12	0	0	1 m 11.662 s
12	Product feature test	Test product page title	4	4	0	0	22.653 s
13		Test cart items add	5	5	0	0	27.062 s

Login feature

PASSED	DURATION - 1 m 27.733 s	Scenarios Total - 6 Pass - 6 Fail - 0 Skip - 0	6	Steps Total - 29 Pass - 29 Fail - 0 Skip - 0	29
/ 11:51:29.393 PM // 11:52:57.126 PM /					

User try to login with set of invalid credentials

PASSED	DURATION - 50.791 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	5
/ 11:51:29.407 PM // 11:52:20.198 PM /				
Login feature				
@regression				

#	Step / Hook Details	Status	Duration
1	Given user is on the login page	PASSED	1.743 s
2	When user input valid "standard_user" and "secret_sau"	PASSED	0.840 s
3	And user click on the login button	PASSED	0.147 s
4	Then user should not be login successfully	PASSED	0.113 s
5	And user should see an "Epic sadface: Username and password do not match any user in this service"	PASSED	0.059 s
	AFTER - step_definitions.Hooks.closeBrowser(io.cucumber.java.Scenario) User_try_to_login_with_set_of_invalid_credentials	PASSED	15.930 s

User try to login with set of invalid credentials

		Steps
PASSED	*DURATION - 48.168 s*	Total - 5
/ 11:51:29.447 PM // 11:52:17.615 PM /		Pass - 5
Login feature		Fail - 0
@regression		Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is on the login page	PASSED	1.695 s
2	When user input valid "standard_us11" and "secret_sauce"	PASSED	0.646 s
3	And user click on the login button	PASSED	0.134 s
4	Then user should not be login successfully	PASSED	0.019 s
5	And user should see an "Epic sadface: Username and password do not match any user in this service"	PASSED	0.051 s
	AFTER - step_definitions.Hooks.closeBrowser(io.cucumber.java.Scenario)	PASSED	5.737 s
	User_try_to_login_with_set_of_invalid_credentials		

User try to login with set of invalid credentials

		Steps
PASSED	*DURATION - 57.194 s*	Total - 5
/ 11:51:29.460 PM // 11:52:26.654 PM /		Pass - 5
Login feature		Fail - 0
@regression		Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is on the login page	PASSED	1.806 s
2	When user input valid "standard_us" and "secret_sau"	PASSED	0.695 s

#	Step / Hook Details	Status	Duration
3	And user click on the login button	PASSED	0.135 s
4	Then user should not be login successfully	PASSED	0.027 s
5	And user should see an "Epic sadface: Username and password do not match any user in this service"	PASSED	0.067 s
	AFTER - step_definitions.Hooks.closeBrowser(io.cucumber.java.Scenario) User_try_to_login_with_set_of_invalid_credentials 	PASSED	44.547 s

User try to login with set of invalid credentials

PASSED	DURATION - 39.450 s		Steps
/ 11:52:17.676 PM // 11:52:57.126 PM /			Total - 5 Pass - 5 Fail - 0 Skip - 0
Login feature			
@regression			

| #	Step / Hook Details	Status	Duration
1	Given user is on the login page	PASSED	1.254 s
2	When user input valid "" and "secret_sauce"	PASSED	0.490 s
3	And user click on the login button	PASSED	0.119 s
4	Then user should not be login successfully	PASSED	0.019 s
5	And user should see an "Epic sadface: Username is required"	PASSED	0.046 s
	AFTER - step_definitions.Hooks.closeBrowser(io.cucumber.java.Scenario) User_try_to_login_with_set_of_invalid_credentials 	PASSED	15.224 s

User login with invalid credentials

PASSED	DURATION - 54.884 s
/ 11:51:29.423 PM // 11:52:24.307 PM /	
Login feature	
@login @sanity	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is on the login page	PASSED	1.517 s
2	When user input valid "abcd" and "secret_sauce"	PASSED	0.677 s
3	And user click on the login button	PASSED	0.117 s
4	Then user should not be login successfully	PASSED	0.018 s
5	And user should see an "Epic sadface: Username and password do not match any user in this service"	PASSED	0.049 s
	AFTER - step_definitions.Hooks.closeBrowser(io.cucumber.java.Scenario) User_login_with_invalid_credentials	PASSED	27.773 s

User login with valid credentials

PASSED	DURATION - 56.717 s
/ 11:51:29.453 PM // 11:52:26.170 PM /	
Login feature	
@login @sanity	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is on the login page	PASSED	1.771 s
2	When user input valid "standard_user" and "secret_sauce"	PASSED	0.622 s
3	And user click on the login button	PASSED	0.281 s
4	Then user successfully logged in	PASSED	0.094 s
	AFTER - step_definitions.Hooks.closeBrowser(io.cucumber.java.Scenario) User_login_with_valid_credentials 	PASSED	38.944 s

Cart feature test

PASSED	DURATION - 1 m 4.067 s	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0	4	Steps Total - 27 Pass - 27 Fail - 0 Skip - 0	27
/ 11:51:29.428 PM // 11:52:33.495 PM /					

Test cart items remove

PASSED	DURATION - 55.900 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	7
/ 11:51:29.428 PM // 11:52:25.328 PM /				
Cart feature test				

#	Step / Hook Details	Status	Duration
1	Given user is on the login page	PASSED	1.311 s
2	And user input valid "standard_user" and "secret_sauce"	PASSED	0.714 s
3	And user click on the login button	PASSED	0.308 s

| #	Step / Hook Details	Status	Duration
4	And user click on add to cart button	PASSED	1.230 s
5	When user click on cart icon	PASSED	2.637 s
6	And user click on remove item button	PASSED	2.651 s
7	Then user should see Null	PASSED	10.583 s
	AFTER - step_definitions.Hooks.closeBrowser(io.cucumber.java.Scenario)	PASSED	30.122 s
	Test_cart_items_remove		

Test checkout button

PASSED	DURATION - 1 m 4.057 s		Steps
/ 11:51:29.438 PM // 11:52:33.495 PM /			Total - 7
			Pass - 7
Cart feature test			Fail - 0
			Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given user is on the login page	PASSED	2.433 s
2	And user input valid "standard_user" and "secret_sauce"	PASSED	0.587 s
3	And user click on the login button	PASSED	0.239 s
4	And user click on add to cart button	PASSED	0.271 s
5	When user click on cart icon	PASSED	2.139 s
6	And user click on checkout_button	PASSED	2.115 s
7	Then user should go checkout page	PASSED	0.045 s
	AFTER - step_definitions.Hooks.closeBrowser(io.cucumber.java.Scenario)	PASSED	11.683 s
	Test_checkout_button		

#	Step / Hook Details	Status	Duration

Test cart items Information

PASSED	DURATION - 49.911 s
/ 11:51:29.444 PM // 11:52:19.355 PM /	
Cart feature test	

Steps
Total - 7
Pass - 7
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is on the login page	PASSED	1.366 s
2	And user input valid "standard_user" and "secret_sauce"	PASSED	0.634 s
3	And user click on the login button	PASSED	0.248 s
4	And user click on add to cart button	PASSED	0.381 s
5	When user click on cart icon	PASSED	2.376 s
6	Then user should see product name	PASSED	0.184 s
7	And user should see product price	PASSED	0.086 s
	AFTER - step_definitions.Hooks.closeBrowser(io.cucumber.java.Scenario) Test_cart_items_Information	PASSED	8.680 s

Test cart icon click

PASSED	*DURATION - 55.311 s*
/ 11:51:29.449 PM // 11:52:24.760 PM /	
Cart feature test	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is on the login page	PASSED	1.077 s
2	And user input valid "standard_user" and "secret_sauce"	PASSED	0.757 s
3	And user click on the login button	PASSED	0.340 s
4	And user click on add to cart button	PASSED	0.241 s
5	When user click on cart icon	PASSED	2.248 s
6	Then user should show cart page title	PASSED	0.102 s
	AFTER - step_definitions.Hooks.closeBrowser(io.cucumber.java.Scenario) Test_cart_icon_click	PASSED	29.496 s

Cart feature test

PASSED	*DURATION - 1 m 11.663 s*
/ 11:51:29.432 PM // 11:52:41.095 PM /	

Scenarios
Total - 1
Pass - 1
Fail - 0
Skip - 0

Steps
Total - 12
Pass - 12
Fail - 0
Skip - 0

User checkout with valid data

PASSED	*DURATION - 1 m 11.662 s*

/ 11:51:29.433 PM // 11:52:41.095 PM /

Cart feature test

Steps
Total - 12
Pass - 12
Fail - 0
Skip - 0

12

#	Step / Hook Details	Status	Duration
1	Given user is on the login page	PASSED	1.165 s
2	And user input valid "standard_user" and "secret_sauce"	PASSED	0.875 s
3	And user click on the login button	PASSED	0.297 s
4	And user click on add to cart button	PASSED	1.226 s
5	And user click on cart icon	PASSED	2.506 s
6	And user click on checkout_button	PASSED	2.309 s
7	And user should go checkout page	PASSED	0.212 s
8	When user input valid first name and last name and postal code	PASSED	5.540 s
9	And user click on continue button	PASSED	2.226 s
10	Then user should see checkout overview page	PASSED	0.118 s
11	When user click on finish button	PASSED	2.188 s
12	Then user should show checkout completed	PASSED	0.237 s
	AFTER - step_definitions.Hooks.closeBrowser(io.cucumber.java.Scenario)	PASSED	24.455 s
	User_checkout_with_valid_data		

Product feature test

PASSED	DURATION - 27.913 s		Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0	2	Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	9
/ 11:52:19.379 PM // 11:52:47.292 PM /						

Test product page title

PASSED	DURATION - 22.653 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	4
/ 11:52:19.379 PM // 11:52:42.032 PM /				
Product feature test				

#	Step / Hook Details	Status	Duration
1	Given user is on the login page	PASSED	1.138 s
2	And user input valid "standard_user" and "secret_sauce"	PASSED	1.095 s
3	And user click on the login button	PASSED	0.443 s
4	Then user should see product url	PASSED	0.134 s
	AFTER - step_definitions.Hooks.closeBrowser(io.cucumber.java.Scenario) Test_product_page_title	PASSED	1.752 s

Test cart items add

PASSED   *DURATION - 27.062 s*

/ 11:52:20.230 PM // 11:52:47.292 PM /

Product feature test

Steps

Total - 5

Pass - 5

Fail - 0

Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is on the login page	PASSED	1.042 s
2	And user input valid "standard_user" and "secret_sauce"	PASSED	1.395 s
3	And user click on the login button	PASSED	0.290 s
4	When user click on add to cart button	PASSED	0.225 s
5	Then user should see button on remove	PASSED	0.113 s
	AFTER - step_definitions.Hooks.closeBrowser(io.cucumber.java.Scenario) Test_cart_items_add	PASSED	8.759 s